THE MOST EFFECTIVE

TREATMENT OF VENEREAL DISEASES.

Syphilis.

Malta Fever.

GALYL

Malaria.

Sleeping Sickness.

Tested and Approved in Accordance with L.G.B. requirements.

INTRAVENOUS.

INTRAMUSCULAR.

Identical in Dose and Efficacy.

60,000 Injections administered in Naval, Military and General Hospitals have demonstrated that Galyl is efficient, rapid and well-tolerated, which accounts for the consistently excellent results obtained without undesirable after-effects.

Intravenous GALYL.

After 5,000 Injections administered in one of our Service Hospitals,

Staff Surgeon reports:

"No case has given the slightest cause for anxiety, and the clinical results are very satisfactory."—Staff Surgeon's Report.

Intramuscular GALYL

is supplied in a Solution of Glucose and is therefore much easier to use and more rapidly absorbed than an oily emulsion. Exhaustive tests have proved it to be as effective as the Intravenous Injection.

Doses: -0'10, 0'15, 0'20, 0'25, 0'30, 0'35, 0'40,

LATAPIE

SERO-REACTION FOR SYPHILIS.

Simplified Wassermann test OF THE PASTEUR INSTITUTE.

The Latapie process, which only requires three test tubes, has marked advantages over other methods; it simplifies the technique and makes errors almost impossible.

This statement is based upon extensive practical experience embracing more than 100,000 examinations conducted at the Pasteur Institute with blood collected at the Institute itself, or sent in from outside sources.

Accurate—Reliable—Uncomplicated—Economical.

The Antigen is supplied in tubes, which is diluted 22-26 times (according to indications on each tube).

It keeps good and fully active for several years, if kept at room temperature and protected from light.

Full and complete instructions with each tube

The ANGLO-FRENCH DRUG Co., Ltd., Gamage Building, Holborn, London, E.C. 1.

Telephone: HOLBORN 1311.

Telegrams: "AMPSALVAS, LONDON."