

ANIODOL

NON-POISONOUS.

ODOURLESS
STAINLESS
COLOURLESS

NON-IRRITANT.

ANTISEPTIC,

Disinfectant, Germicide and Deodoriser.


INTERNAL. POWDER. EXTERNAL.

ANIODOL is a stable solution of Trimethonal with Allyl Sulphocyanide in Doubly Distilled Glycerine.

OPOLAXYL

Rational Treatment of Constipation.

By the double action of secretion and peristalsis.



Opolaxyl is a combination of the secretions of the liver (biliary), pancreas, and intestines with vegetable extracts of a non-drastring nature.

DOSE: For obstinate constipation 2 or 3 tablets, afterwards 1 tablet every 3 or 4 days for a month.


In Bottles of 50 Tablets.

URASEPTINE

A
URINARY
ANTISEPTIC
AND MILD
NON-TOXIC
DIURETIC.

A granular compound of
Piperazine, Hexamine, Helmitol,
etc.

Dose.—Three to six teaspoonfuls daily.



In response to numerous enquiries, we have pleasure in informing the Medical Profession that we can now supply

STANNOXYL in Liquid Form.



EXTERNAL

APPLICATION.

This is a solution of Protochloride of Tin in Glycerine, to be diluted (1 in 40) with water for use as a lotion in conjunction with the Tablets.

In bottles containing 2 ozs. of solution.

ABORTIVE TREATMENT OF GONORRHOEA.

Analgesic
Antiseptic

IODARGOL

Painless
Non-Toxic

Colloidal Iodine suspended in sterilized oil with a hydro-carbon of the camphenic series.

FORMS: In Ampoules and Phials for Injection; also in SOLUBLE BOUGIES and UTERO-TOPIQUE.

Iodargol External for Wound dressing. More effective than Iodoform, Iodine solution, or Tincture of Iodine, but having none of their disadvantages.

LITERATURE, CLINICAL REPORTS and PRICE LISTS on REQUEST.

The ANGLO-FRENCH DRUG Co., Ltd., Gamage Building, Holborn, London, E.C. 1.

Telephone: HOLBORN 1311.

NEW YORK: 1270 BROADWAY.

MONTREAL: DANDURAND BUILDING.

Telegrams: "AMPSALVAS, LONDON."

PARIS: 5, RUE CLAUZEL.

WEST END DEPOT:—MODERN PHARMACALS, 48, Mortimer Street, W. 1. Telephone: MUSEUM 554.