Indicated in adhesions

Adhesions are most likely to occur in the lower part of the colon. They are found present in cases of extremely obstinate constipation. A foremost röentgenologist and alimentary specialist states that in these conditions the lubricating action of paraffinum liquidum is certainly indicated.

NUJOL is scientifically adapted by both viscosity and specific gravity to the physiology of the human intestines. In determining a viscosity best adapted to general requirements, the makers of Nujol tried consistencies ranging from a water-like fluid to a jelly. The viscosity of Nujol was fixed upon after exhaustive clinical test and research and is in

accord with the highest medical opinion. The unmatched resources of the manufacturers, the perfection of their technical equipment and an expert personnel place Nujol upon a basis of unique superiority. Sample and authoritative literature dealing with the general and special uses of Nujol will be sent gratis upon request, see coupon below.



A NORMAL COLON.



Adhesions of Pelvic Colon in Constipation.



REG. U.S. PATT. OFF.

A Lubricant, not a laxative.

Nujoi	Labo	ratories	, ANGLO	-AMER	ICAN OI	L CO.,	LTD.
A	lbert	Street,	Camden	Town,	London,	N.W. 1.	

Please send me booklets marked:

□ "In General Practice"
□ "A Surgical Assistant"

- "In Women and Children"
- ☐ Also sample.

Name

Address

D 1619