



A SAFE NERVE SEDATIVE

Anxious and eventful times
are indicative of increased
NERVOUS STRAIN

RHYSO-VAL VALERIAN DRAGÉES

A SAFE AND EFFICIENT SEDATIVE
MEDICATION FOR CHILDREN AND ADULTS

(One dragée corresponds to 25 minims of B.P.C. Tinct.)

NON-CUMULATIVE

● NO SECONDARY REACTION ●

NON-HABIT FORMING

BOTTLES OF 100 & 1000 DRAGÉES

Samples and Literature to the Profession on request.

Manufactured by

COATES & COOPER LTD.

NORTHWOOD

MIDDLESEX



For Oral Medication

KERFOOTS

Proflavine Lozenges

enable the affected tissues to be bathed
in a naturally buffered antiseptic solution.

Each contains Proflavine Sulphate 3 mg.
In bottles of 36 and 500



KERFOOTS

Sulphanilamide Lozenges

are of special value in throat affections
due to local streptococcal infection.

Each contains Sulphanilamide gr. 1
In bottles of 50 and 500

Professional samples sent on request

THOMAS KERFOOT & Co.Ltd.

Vale of Bardsley

Lancashire

KG17b

INTOLERANCE TO
STILBOESTROL THERAPY

Gastric derangement, accompanied by nausea
and vomiting, may on occasions interfere
seriously with the valuable medication pro-
vided by Stilboestrol therapy.

Where intolerance is experienced, a compatible
gastric sedative will be found in 'BiSoDoL'
Powder. This well-balanced antacid-digestant
—with its peptonising and amylolytic agents—
helps to combat any anorexia.

Composed of bismuth subnitrate, magnesium
carbonate, sodium bicarbonate, papain,
diastase and peppermint oil, 'BiSoDoL' will
be found to be an ideal alkaline sedative.

DOSAGE: One teaspoonful to be given shortly before
each dose of Stilboestrol. This dose may be safely
increased where acute nausea is marked.

FORMULA: Magnesii carbonatis levii, 39.27. Sodii bi-
carbonatis, 56.09. Bismuthi subnitritatis, papaini, diastasi,
et 1.40. Olei menthae piperitae, 0.44.

— BiSoDoL —

BiSoDoL LIMITED, 12, CHENIES STREET, LONDON, W.C.1

THE THERAPY OF ASTHMA



The treatment of
asthma resolves itself
into a consideration
of underlying factors
and causes. Often
in ASTHMA the under-
lying cause is not
discoverable or changes from time to time—now
irritant dusts, now bacterial infection, etc. The
underlying factor is fortunately always the same—
bronchospasm.

Thus sometimes causative agents can be removed
or mitigated but always the underlying factor—
bronchospasm—can be treated, successfully, with
FELSON.

Most cases of Asthma are chronic and demand
patience in treatment—persistence with FELSON will
yield the highest possible percentage of successes.

NO MORPHIA NO NARCOTICS

Phenazone 0.47 Iodpyrine 0.03

Antipyrine Aceto-salicylas 0.40

Caffeine 0.10

Ext. Viscum Album 0.01

Ext. Brachycladil 0.01

Physicians' samples and litera-
ture willingly sent on request

Felsol REGD
POWDERS
for ASTHMA

British Felsol Company Ltd., 206/212 St. John St., London, E.C.1
Telephone: Clerkenwell 5862

Telegrams: Felsol, Smith, London