

Malaria is still the most widespread of all diseases and dominates medical practice in the tropics.

QUININE

remains a basic remedy against this scourge.



HOWARDS OF ILFORD

Makers of Quinine Salts since 1823

HOWARDS & SONS LTD. · ILFORD NEAR LONDON

TBW/WM

Important to Doctors ordering Surgical Stockings

To obtain the best results for your patients it is not sufficient to order "Elastic Stockings". You will secure for them the recognised additional benefit of two-way stretch hose if you write in full "LASTEX TWO-WAY STRETCH" on your prescriptions.

ACADEMIC
REGD.

**LASTEX TWO-WAY STRETCH
ELASTIC HOSE**

Circular Pressure Controllable
HYGIENIC * COMFORTABLE * INCONSPICUOUS * WASHABLE
Standard Sizes and to Individual Requirements
ACADEMIC DEPOT, 158 Oxford Street, London, W.1

SPECIALISTS FOR A QUARTER OF A CENTURY

ZŌPLA

STRAPPING

Zōpla Strapping is a first class product for surgical use. Very strong cloths, the mass is powerfully adhesive. White and Flesh Cloths, also on Elastic Cloth.

WHITE FELT

Zōpla on White Felt is very popular for padding and protective purposes. Does not harden in use.

ZŌPLA-BAND

Zōpla-Band, Elastic Adhesive Bandage, Ideal where elasticity is essential.

MANUFACTURED BY
LESLIES LTD
EST. 1823


HIGHAM HILL RD
WALTHAMSTOW
LONDON, E.17




SALT AND SON LTD

THE "SALT AIR" ARTIFICIAL BREAST

—the obvious solution of the psychological problem which frequently follows breast amputation. It restores the normal figure line, banishes self-consciousness, encourages resumption of normal activities. Can be worn while bathing, as it retains its shape when wet and can be easily dried. Available in the "Saltair" Brassiere or separately for sewing into patient's own foundation garment.



Front View



Back View (uncovered)

BRASSIERES are also available for use in mastitis. Particulars of all styles available on application.

BIRMINGHAM, 2



DESIGNED

FOR FEWER SIDE-EFFECTS

Nearly 100 derivatives of piperazine were synthesised at The Wellcome Laboratories before workers there were satisfied that one compound, 'Histantin', offered a noteworthy advance in anti-histamine therapy.

- 'Histantin' produces fewer side-effects.
- 'Histantin' provides prolonged action—a single daily dose suffices in most cases.
- 'Histantin' is chemically unrelated to other anti-histamine agents.

Compressed products of 50 mgm. in bottles of 25, 100 and 500.


'HISTANTIN' BRAND

CHLORCYCLIZINE HYDROCHLORIDE

[DL-1-(p-CHLOROBENZHYDRYL)-4-METHYLPYPERAZINE MONOHYDROCHLORIDE]

The NEW TYPE anti-histamine

BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON



ANNOUNCING INJECTION OF PHENYLEPHRINE HYDROCHLORIDE BOOTS FOR THE MAINTENANCE OF BLOOD PRESSURE

PHENYLEPHRINE is the safest sympathomimetic compound for use with cyclopropane or any other anaesthetic agent, and is particularly useful for sustaining blood pressure during spinal anaesthesia.

Phenylephrine is effective in the treatment of paroxysmal supraventricular tachycardia, and shock due to impaired vasomotor activity. *Supplied in boxes of 6 x 1 ml. ampoules.*



Literature and further information
obtainable from Medical Department
BOOTS PURE DRUG CO. LTD.
NOTTINGHAM, ENGLAND

S.96

SEX HORMONES

When B.D.H. is specified the prescriber ensures that a product of the utmost reliability is supplied. The range of B.D.H. Sex Hormone Products completely covers the field in this branch of therapeutics.

ANDROGENS

Parenteral
Testosterone Propionate B.D.H.*
Oral or sublingual
Methyl-testosterone B.D.H.

PROGESTOGENS

Parenteral
Progesterone B.D.H.*

Oral or sublingual
Ethinisterone B.D.H.

*Also available as pellets for implantation

ESTROGENS

Parenteral
'Oestroform'*
Oral or sublingual
Ethinyl (Estradiol B.D.H. 'Estigyn'
Dienoestrol B.D.H.
Stilboestrol B.D.H.
Hexoestrol B.D.H.
'Oestroform' Tablets

GONADOTROPHINS

Parenteral
'Gonan' (Chorionic Gonadotrophin)
'Serogan' (Serum Gonadotrophin)

Further information is available on request


THE BRITISH DRUG HOUSES LTD. (Medical Department) LONDON N.1

SHor/E/203a

An M&B product for travel sickness

Modern transport entails rapid alterations of position to which the traveller's righting mechanisms cannot quickly adjust themselves.

- For the prevention as well as the treatment of nausea and vomiting during the period of adjustment 'Avomine' has been found most effective, and is increasingly prescribed.



'AVOMINE'

trade mark

brand

promethazine-8-chlorotheophyllinate

Containers of 10 x 25 mgm. tablets

OUR MEDICAL INFORMATION DIVISION WILL BE PLEASED TO SEND
COPIES OF THE BOOKLET 'AVOMINE' ON REQUEST



manufactured by

MAY & BAKER LTD

distributors

MA49633

PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD. DAGENHAM


GLUCOSE

in its
most
pleasant
form

**28½% LIQUID
GLUCOSE**

**ORANGE, APPLE
& LEMON JUICE**

VITAMIN B₁



GLUCONIS is a new glucose-based tonic beverage with a most acceptable taste due to the addition of pure fruit juices. It is also enriched with Vitamin B₁ for speedier assimilation. We shall be glad to supply samples on request. Each fluid ounce contains 0.167 mg. of Vitamin B₁.

GLUCONIS

GOLDWELL FARMS LTD., EAST MALLING, KENT.

THE SPECIFIC AGENT
AGAINST GRAM-NEGATIVE
ORGANISMS

PHENOXYETOL
NIPA

Phenoxetol is effective against Penicillin resistant organisms and compatible with Penicillin.

Phenoxetol is not inactivated in the presence of serum.

Phenoxetol is especially effective against gram-negative organisms, including *Ps. pyocyanea*. It is used by local application in the treatment of infected wounds . . . abscesses . . . indolent ulcers . . . associated with *Ps. pyocyanea*.

Phenoxetol is very effective in *pyocyanea* infections of burns or superficial wounds. It is especially useful in the preparation of surfaces for skin grafting associated with *Ps. pyocyanea*, and may also be used together with Penicillin in solutions and creams.

Phenoxetol should not be used for parenteral injection.

References : Lancet, 1944, 247, pp. 175 and 176; British Medical Journal, 1946, 1, p. 50; Pharmaceutical Journal, 1945, 155, p. 245.

Original Bottles—100 c.c., 250 c.c., 500 c.c., 1,000 c.c., and 2,000 c.c.

Phenoxetol (Nipa) is β -phenoxyethyl-alcohol

NIPA LABORATORIES LIMITED

TREFOREST TRADING ESTATE, NR. CARDIFF

Telephone : Taffs Well 128

Sole distributors for the United Kingdom :

P. SAMUELSON & CO.

AFRICA HOUSE, 44-46, LEADENHALL STREET, LONDON, E.C.3

Telephone : Royal 2117-8

SURGICAL CORSETRY



Trained Corsetieres

in all areas

BARCLAY CORSETS LIMITED

WELWYN GARDEN CITY

HERTFORDSHIRE