PROLONGED PROTECTION

AFTER the successful application of an antiseptic, there still remains the risk of fresh contamination by pathogenic organisms. It is important, not only that the barrier should be effective when first set up, but that the protection should be prolonged.

The protection conferred by 'Dettol' is durable. It has been shown that if 30% 'Dettol' is applied to the skin and allowed to dry, the area remains insusceptible to fresh infection by streptococcus pyogenes for at least two hours.*

> * This experimental finding (J. Obstet. Gynaec. Brit. Emp. Vol. 40 No. 6) has been confirmed in obstetric practice extending well over a decade.

DETTOL THE MODERN ANTISEPTIC

'Dettol' is available in 2 gallon and 5 gallon tins free of Purchase Tax for dispensing purposes only. Smaller sizes, including I gallon tins for public use, are subject to Purchase Tax.

RECKITT & COLMAN LTD., HULL AND LONDON (PHARMACEUTICAL DEPARTMENT, HULL.)

CLINITEST

The one-minute tablet test for detecting urine-sugar

Doctors and diabetic patients appreciate the advantages of this convenient tablet method for detecting urine-sugar. Based on the same principles as the Benedict Test, Clinitest provides a copper-reduc-

tion test with all reagents compressed in a single tablet.

NO EXTERNAL HEAT REQUIRED. The heat is self-generated by the tablet.

CONVENIENT-PRACTICAL. All essentials fit into a small pocket-size container.

SPEEDY-DEPENDABLE. The test takes less than one minute but the sensitivity and reliability are equal to the other standard qualitative copper reduction tests.

SIMPLICITY. There are three simple steps. Place five drops of urine in a test tube, add ten drops of water. Drop one Clinitest tablet into the solution and allow thirty seconds for reaction. Then compare with colour scale.

NEW PRICES TO THE PUBLIC: SET, INCLUDING 36 TABLETS 10/-REFILL BOTTLES (36 TABLETS) 3/6

Supplies now available through good-class chemists, or from the Sole Distributors.




'CLINITEST' and the N.H.S.

Clinitest' sets and refill bottles of tablets comply with the official specifications for appliances and reagents for urine sugar analysis which may be prescribed on Form E.C.10.

Approved by the Medical Advisory Committee of the Diabetic Association

For full information and medical literature write to:







SALT & SON LTD.

to individual measurements

SURGICAL RELTS

CORSETS

in all Thread Elastic qualities

TRUSSES for all types of hernia, to individual requirements

APPLIANCES RTHOPAEDIC ARTIFICIAL LIMBS etc. etc.

An Invitation

Our services are available free of charge to the Medical Profession in carrying out work of an experimental nature for any new type of surgical support.

· **LONDON ADDRESS FOR APPOINTMENTS:-**

1, STANLEY HOUSE, 103, MARYLEBONE HIGH ST., TEL. WELBECK 3034. LONDON. W.1.

HEAD OFFICES:

RMINGHAM, 2

The **DERBAC** treatment for pediculosis capitis

AT THE CLINIC . . .

Serious cases should be treated with LIQUID DERBAC which has shown by experience to be outstandingly successful. ONE application only is necessary and eradication is complete within the hour. Non-toxic. Supplied in 2-oz. bottles1/10d each (in 3-dozen packs) or 40-oz. bottles 10/8d each, including Purchase Tax.




FOLLOW ON TREATMENT AT HOME...

Patients can ensure a clean and healthy head of hair by regular shampooing and combing with Derbac Soap and Comb. DERBAG SOAP 9½dand 1/6d per tablet, including Purchase Tax.



PURE PRODUCTS LTD. COLWICK, NOTTINGHAM, ENGLAND



Two studies* amongst factory and office workers revealed that with 'Edrisal' nine out of every ten dysmenorrhoea sufferers received the relief they sought. The analgesic properties of 'Edrisal' are enhanced by the unique anti-depressant properties of its 'Benzedrine' component. 'Edrisal', therefore, not only


relieves the pain during the menstrual period but also combats the accompanying psychic depression. In primary dysmenorrhoea the best results are usually obtained with a dosage of two 'Edrisal' tablets, repeated every three hours, if necessary. Samples are available on request.

* Industr. Med., 15, 262, 1946; 15, 679, 1946.

'EDRISAL'

Its dual action relieves pain . . . elevates mood

MENLEY & JAMES, LIMITED, 123 COLDHARBOUR LANE, LONDON, S.E. 5 for Smith Kline & French International Co., owner of the trade marks 'Edrisal' and 'Benzedrine' ESP41



In bottles of 1 fl. oz. and 16 fl. oz. Subject to Schedule 4 Poisons Regulations.

'Bena-Fedrin'


ANTI-HISTAMINE AND NASAL DECONGESTANT

Contains the anti-histamine agent 'Benadryl' and the vaso-constrictor ephedrine, in an isotonic, aqueous, dextrose vehicle approximating in pH to that of the normal nasal secretions. In addition to being miscible with mucous discharge and reaching membrane surfaces rapidly, it is relatively non-irritating.

'Bena-Fedrin' is intended for use in the treatment of congestion associated with allergic rhinitis, hay-fever, and other pollen allergies, acute rhinitis, acute rhino-sinusitis, etc.


			Fo	rmu	ıla	 	
'Benadryl' (Diphenhydramine Hydrochloride) Ephedrine Hydrochloride						 	0.1 per cent
						 	1 per cent
Chloretone		• •				 	0.5 per cent
Menthol						 	0.05 per cent
Aqueous dex	trose ba	se				 	q.s.

PARKE, DAVIS & COMPANY





HOUNSLOW, MIDDX.



Surface Performance

When the clinical picture calls for the relief of pain in lesions of the skin and certain mucous membranes, 'TOPOCAINE' can be relied upon to give adequate surface anæsthesia. In painful superficial skin injuries such as abrasions, burns, etc., and for excessive irritation

during skin infections, a single application of 'TOPOCAINE' usually gives relief lasting up to eight hours.

Its low toxicity permits even more frequent use in very severe conditions and it is particularly well suited for treating pain in the rectal, vaginal and urethral mucosa.

Available in the form of Ointment, Cream and Lotion.



TRADE 'T O P O C A I N E'BRAND

C Y C L O M E T H Y C A I N E