

*To assist
convalescence*



Invalid Bovril is a highly concentrated form of Bovril for use in the sick-room. Prepared without seasoning, it provides the maximum concentration in the most easily assimilated form. Many doctors recommend it in cases where the patient needs "building-up" after illness. Perhaps there is a patient of yours who would benefit from a course of Invalid Bovril?




Invalid
BOVRIL

THE ESSENCE OF CONVALESCENCE
SOLD BY ALL CHEMISTS



ANÆSTHETIC APPARATUS

COVERING ALL FIELDS
OF ANÆSTHESIA



also
OXYGEN - THERAPY
and
SUCTION
EQUIPMENT

DESIGNED AND MANUFACTURED
BY SPECIALISTS

Illustration shows the M.I.E.
SIMPLE BOYLE'S TYPE
UNIT for the Casualty and
Out-patients theatre.

MEDICAL & INDUSTRIAL EQUIPMENT LTD.

SPECIALISTS IN ANÆSTHETIC APPARATUS AND SURGICAL INSTRUMENTS

10 & 12, New Cavendish Street, London, W.1.

Telephone: WELbeck 1851 & 1504

Modern Treatment for

FUNGOUS SKIN INFECTIONS

It is now firmly established that the skin protects itself against infection by its "acid mantle." Experiments have proved that the higher fatty acids are extremely effective fungicides which do not produce contact dermatitis. Decilderm Ointment and Powder (Duncan) present the particularly effective fatty acid, undecylenic acid, and its zinc salt. Both preparations are pleasantly perfumed and are easy to apply. They can be used for long periods, if necessary, and are valuable for the treatment of tinea pedis (athlete's foot), tinea cruris (dhobi itch), moniliasis, etc.



DECILDERM OINTMENT (Duncan)

1 oz. tubes
(Undecylenic acid 5%—zinc salt 20%)

DECILDERM POWDER (Duncan)

2 oz. sprinklers
(Undecylenic acid 2%—zinc salt 20%)

DUNCAN, FLOCKHART & CO. LTD.,

EDINBURGH

LONDON

ZŌPLA

STRAPPING

Zōpla Strapping is a first class product for surgical use. Very strong cloths, the mass is powerfully adhesive, White and Flesh Cloths, also on Elastic Cloth.

WHITE FELT


Zōpla on White Felt is very popular for padding and protective purposes. Does not harden in use.

ZŌPLA-BAND

Zōpla-Band, Elastic Adhesive Bandage, Ideal where elasticity is essential.

MANUFACTURED BY
LESLIES LTD
EST. 1823

HIGHAM HILL RD
WALTHAMSTOW
LONDON, E.17



Sustained relief of the symptoms characteristic of hay fever can be obtained by the timely injection of Hyperduric Adrenaline. Its use will assist the patient to pursue normal routine of business or domestic activity, and to enjoy outdoor recreation.

The urticaria of food allergy and the œdema produced by the bites of insects, in highly susceptible persons, are promptly relieved by subcutaneous injections of Hyperduric Adrenaline.

Hyperduric

(Trade Mark)

ADRENALINE

for P-R-O-L-O-N-G-E-D action

Ampoules of 0.5 c.c. : boxes of 12 and 100

Ampoules of 1 c.c. : boxes of 12 and 100

Rubber-capped bottle of 5 c.c.

Literature and sample on request.

ALLEN & HANBURY LTD · LONDON · E·2

TELEPHONE: BISHOPSGATE 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100
TELEGRAM: "GREENBURYS, BETH, LONDON"

CHEMOTHERAPY OF **TUBERCULOSIS**

... a more active thiosemicarbazone

'ETHIZONE' is the latest member of the thiosemicarbazone series to be introduced for clinical trial. Recent experimental work carried out in their laboratories and elsewhere has shown that this drug is the most active member of the series so far examined. Preliminary clinical work in this country has shown that the drug is well tolerated, has a marked tuberculostatic effect and is worthy of extended clinical trial. 'ETHIZONE' is available in tablets of 50 mg.



Literature and prices
available on application to
HERTS PHARMACEUTICALS LIMITED
WELWYN GARDEN CITY
ENGLAND

GM68

'ETHIZONE'

Trade Mark

Brand

para-ETHYLSULPHONYLBENZALDEHYDE

THIOSEMICARBAZONE

Safer salicylate therapy

The possibility of toxic reactions from large or continuous doses of salicylates is now more widely recognised. The modern approach to salicylate therapy—using EKAMMON—overcomes these serious sequelae.

Containing aspirin (0.33 gm.), vitamin K (0.33 mgm.) and vitamin C (20 mgm.), EKAMMON has special virtues as an analgesic and anti-rheumatic. Vitamin K counteracts the prothrombin-reducing action of aspirin—preventing haemorrhagic tendencies. The addition of vitamin C compensates both the increased excretion of the vitamin during salicylate medication and the ascorbic acid

deficiency usually associated with rheumatic patients.

EKAMMON is now regarded as the most modern form of salicylate therapy, of unique value in rheumatism, arthritis, fibrositis and dysmenorrhoea. Intensive dosage can be used without the risk of systemic reactions and the depression produced by salicylates alone.

Containers of
50, 100, 500 & 1,000 tablets.

Ekammon

Samples and technical
literature on request.

WARD, BLINKINSOP & CO., LTD.

6, HENRIETTA PLACE, LONDON, W.1.

