

BRITISH MEDICAL JOURNAL 29 APRIL 1978 ADVERTISEMENT




aerodynamic design makes a Saab look as good as you do. Range. The two and four door saloons, three and five door hatchbacks are joined by the new Saab Turbo. **Prices** range from £4,150 for the two door Saab 99 L to £7,850

for the Saab Turbo. **Service.** Fast and friendly, and no shortage of genuine Saab parts, together with a warranted twelve months unlimited mileage



Prove it for yourself – If you don't know your local Saab people, phone us now on Marlow (062 84) 6977 ext 55 or send the coupon below, tell us where you are and we'll arrange a suitable time for you to test drive a Saab.



TSYOUR CAR Address
Please send coupon to Sarab (GB) Ltd, Fieldhouse Lane, Marlow, Bucks, \$17.117.

ADVERTISEMENT BRITISH MEDICAL JOURNAL 29 APRIL 1978

a major new publication from WOLFE MEDICAL

the Colour Atlas specialists

A Colour Atlas of GYNAECOLOGICAL SURGERY

over 3000 photographs

Summer 1979

by David H. Lees and Albert Singer

The six volumes of *A Colour Atlas of Gynaecological Surgery* contain more than 3000 life-size colour photographs of over 100 complete surgical procedures in full step-by-step detail. The publishers believe these volumes are unique in their field and constitute a major advance in the teaching of operative surgery.

The photographs in each atlas are a record of actual surgery. Taken in close sequence, they allow the reader to participate in each operation and to see it through the surgeon's eyes. Every step of each surgical procedure is explained in a terse yet detailed commentary. When undertaking a particular operation, the reader recalls and repeats the steps, immediately recognising the structures and the logic of what is being done.

Surgeons in training who need to study and revise continuously will find these volumes invaluable companions, while established specialists will appreciate the stimulus of seeing how others approach common problems. In addition, the vast number of doctors throughout the world who have to perform gynaecological operations, whether or not specially trained to do so, will find these atlases indispensable.

Volume 1 Vaginal Operations	450 colour photographs
£22.00	*** just published
Volume 2	
Abdominal Operations for Benign Conditions	760 colour photographs
£26.00	Summer 1978
Volume 3	
Operations for Malignant Disease	850 colour photographs
£27.00	Autumn 1978
(Nali A	
Volume 4 Surgery of Vulve and Lawer Conital Treet	400 colour photographs
Surgery of Vulva and Lower Genital Tract	
£23.00	Spring 1979
Volume 5	
Infertility Surgery	300 colour photographs
£22.00	Spring 1979
Volume 6	
Surgery of Conditions Complicating Pregnancy	400 colour photographs

Numbers of photographs and prices given for Volumes 3 to 6 are approximate.

For further information or free colour prospectus giving full details write to:

£23.00

6 volumes

Wolfe Medical Publications Ltd 10 Earlham Street London WC2H 9LP

Spot the difference.

BRITISH MEDICAL JOURNAL



With Quinoderm the answer is clear.
Our Quinoderm hydrocortisone cream is invaluable for the initial treatment of acne lesions – the rapid improvement in appearance is of positive benefit to the patient.

Quinoderm Cream provides logical follow-on treatment. By controlling the condition, it reduces the risk of tissue damage and residual scarring. *Clinical reports indicate that acne responds to Quinoderm.

*The Practitioner Vol 193 p. 192
*The Practitioner Vol 202 p. 405
*The Practitioner Vol 208 p. 541

The Practitioner Vol 202
The Practitioner Vol 208

Full prescribing information and clinical reports on request

Quinoderm Ltd. Manchester Road, Oldham OL 8 4BR

The Newington Unit

Ticehurst House, Wadhurst, Sussex TN5 7JA

This newly formed Unit aims to help those with alcoholrelated disorders and to tackle the underlying problem of dependence.

General medical and psychological measures will be supplemented by an educative approach, both during the initial period of stay and subsequently after discharge.

Further information from the Medical Director of the Unit. Telephone: 0580

A Nestor Nursing Home

ADVERTISEMENTS

PHARMACEUTICAL PRODUCTS

Readers are reminded that prescribers' literature and clinical information are always available from advertisers on request.

inolaxine contains 98% sterculia



inolaxine is sugar free

Distributor in the United Kingdom

product information available on request

FARILLON LIMITED

Chesham House, Chesham Close, Romford, RM1 4JX tel: Romford 46033

dales pharmaceuticals limited

Barrows Lane, Steeton, Keighley, Yorkshire, BD20 6PP. (Steeton 53222)



BONE AND JOINT DISEASES

Arthritis used to be the Cinderella of diseases, but improved diagnostic techniques, advances in joint replacement surgery, and a whole range of non-steroidal drugs have led to a much more active approach to the management of the common bone and joint diseases. Detailed advice on their diagnosis and treatment was given last year in a series of 16 articles in the *BMJ*, and these have now been gathered together in the latest volume based on the popular "Today's Treatment" series.

Demy Octavo

Paperback


131 pages

ISBN 0 7279 0026 9

Price: Inland £3.00; Abroad US \$7.50, including postage

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

Order your copy now from
The Publisher, BRITISH MEDICAL JOURNAL,
BMA House, Tavistock Square, London WC1H 9JR
or through any leading bookseller



The new Miniscope MS-2: ECG and Pulse Rate at one Glance and in Seconds

I, II, III, aVR, aVL, aVF, V.

five-core patient's cable

MS-2, the first miniature electrocardioscope with digital heart rate display. «Beat-by-Beat» measurement, i.e., calculation pf heart rate per minute after each heart beat, instantly shows

A microprocessor calcul-

ates heart rate after each

heart beat («Beat»).

plays electrocardiogram.

possible rhythm disturbances simultaneously with the electro-cardiogram. A high-speed diagnostic instrument of maximum reliability, available at an astonishingly reasonable price.

SCHILLER Switzerland

CH-6340 Baar/Switzerland Landhausweg 4E Phone 042 318614 Telex 65140 sbe ch



RESEARCH IS OUR ONLY SHAREHOLDER

successful scriptwriting



SEPTRIN—for success 9 times out of 10.

Worldwide clinical studies, involving over 7800 patients with acute and chronic lower respiratory infections, have shown that 91% were successfully treated with SEPTRIN!

SEPTRIN is effective against all the major pathogens, including H. influenzae and Strep. pneumoniae.

TRIN contains trimethoprim and sulphamethoxaz scribing information is available on request come Medical Division Wellcome Foundation Ltd., Berkhamsted, Herts

SEPTRIN A FIRST CHOICE IN CHEST INFECTIONS

Prothiaden What's the significance of the new 75mg tablet?

Presentation Prothiaden is dothiepin hydrochloride, an antidepressant of the

tricyclic group. Prothiaden is available as sugar coated tablets, each containing 75mg of dothiepin hydrochloride. The tablets are red in colour and bear the overprint P 75 in wh It is also available in hard gelatin capsules, each containing 25mg of dothiepin hydrochloride. The capsules are red/brown in colour with the overprint 'P25' in white

Uses Prothiaden is indicated in the treatment of depression and the anxiety frequently associated with depressive illness

Dosage and Administration Prothiaden should be given in a dosage of $75\,\mathrm{to}\,150\mathrm{mg}$ The following dosage schemes are suggested

Mild to moderate depression. 25mg three times daily or 5mg at night Moderate to severe depression. 150mg daily in divided doses, or as a single dose at night. (If the latter regimen is adopted it is preferable to use a smaller dose for the first few days).

In certain circumstances, i.e. in hospital use, Prothiaden has been given at dosages up to 225mg daily. No dietary restrictions are necessary during treatment with Prothiaden

Contra indications. Warnings. etc. Prothiaden has anticholinergic properties therefore, it may precipitate urinary retention in susceptible individuals and its use should be avoided in patients with existing or potential urinary retention. Patients with closed angle glaucoma should not be given Prothiaden and the occurrence of a painful red eye in a patient receiving the drug may indicate acute closed angle glaucoma: this requires urgent treatment. In patients with chronic simple glaucoma. the risk of Prothiaden causing a rise in intraocular pressure is relatively small provided adequate anti-glaucoma therapy is being used. Caution is advised when treating epileptic patients and those with cardiovascular disorders. From studies in animals, it was concluded that Prothiaden had no teratogenic effects in the species tested. Nevertheless, as with any relatively new drug, the use of Prothiaden during pregnancy should be avoided if possible

Use with other drugs: Prothiaden should not be given concurrently with MAO inhibitors: nor should it be given within 14 days of ceasing treatment with an MAO inhibitor. Prothiaden may alter the pharmacological effects of some concurrently administered drugs: CNS depressants, including alcohol and narcotic analgesics, will be potentiated, as will the effects of adrenaline and noradrenaline (it should be borne in mind that some local anaesthetic preparations contain these sympathomimetics). The hypotensive effect of certain antihypertensive agents (e.g. bethanidine, debrisoquine, guanethidine) may be reduced.

Side effects: Denerally the side effects associated with Prothiaden have been mild and controlled by reduced dosage. The following have been reported—dryness of mouth, constipation, disturbed accommodation, lassitude, dizziness, orthostatic hypotension, palpitations, somnolence, tremor, headache

Overdosage: The symptoms of overdosage with Prothiaden may include sedation.dry mouth, blurring of vision, tachycardia, tremor, sweating, nausea, vomiting, confusion The main dangers from overdosage arise from unconsciousness, convulsions. abnormal cardiac rhythms, hypotension and depression of respiration. The smallest dose of Prothiaden alone which resulted in the death of an adult was reported to be 0.75-1.0g (30 to 40 x 25mg capsules). The largest dose from which recovery took place was reported to be 5.0g (200 x 25mg capsules). In view of the many factors which influence the outcome of an overdose these figures should not be considered in isolation.

Treatment of overdosage: Gastric lavage; in the unconscious patient or where the cough reflex is depressed, the lungs should be protected by a cuffed endotracheal tube. Repeated gastric/intestinal aspiration may remove drug and metabolites excreted into the gut via the bile. General support of the circulation with continuous ECG monitoring is advised. Abnormalities of cardiac rhythm and epileptic convulsions may occur and should be treated accordingly. Forced diuresis and haemodialysis are not recommended. Bed-rest is advisable, even after clinical

Pharmaceutical Precautions - Recommended storage conditions 5 C to 20 C

Legal Category POM

 $\label{eq:package_Quantities-Prothiaden Tablets} $$Package Quantities-Prothiaden Capsules (25mg) 100.600. $$Pasic NHS Prices: $100 \times 25mg £1.57$ 600 \times 25mg £9.03$ $$600 \times 25mg £9.03$ $$Pasic NHS Prices: $100 \times 25mg £9.03$ $$1.57$ $$600 \times 25mg £9.03$ $$1.57$ $$$

 $\frac{100 \times 75 mg \ £4.52}{100 \times 75 mg \ £4.52} = \frac{6000 \times 25 mg \ £21.70}{500 \times 75 mg \ £21.70}$ Product Licence Number Prothiaden capsules PL 0096/5007. Prothiaden Tablets PL 0096/0046.

The Crookes Laboratories Ltd., Basingstoke, Hants.

References: 1. Pearce, J. B. & Linford Rees, W.J., Int. Med. Res. 1974, 2.12. Rees, J. A. & Cryer, P. C. Curr. Med. Res. Opin. 1976, 4, 416

Prothiaden 75mg

more effective, better tolerated treatment for depression and anxiety.

dothiepin in a single daily dose is better tolerated and produces a greater overall response than a divided dose regimen of amitriptyline.

> ... A single daily dose of dothiepin (Prothiaden) has bæn shown to produce a botter clinical response and to be better tolerated than a divided daily dose regimen. 1

...with dothiepin both the uncidence and severity of side-effects were much less than with amitriptyline.

Our application has been accepted. Here's why:

Dermovate Scalp Application (0-05% w/w objects of propionate) For severe steroid-responsive scalp conditions including psoriasis.

> **25ml** (£1·90*) Also available in 100ml plastic squeeze bottles.

> **30ml** (£1·19*) Also available in 100ml plastic squeeze bottles.

Derm

Cives prompt relief from itching followed by a highly satisfactory clearance of lesions

Calip

Scalip

Scalip Application

A specially formulated alcohol/water base slightly gelled to spread across the scalp without running down the face or neck. Cooling. Soothing Saves all the inconvenience of frequent impoos or massage with messy gels.

leaders in topical steroid therapy

30 ml

Glaxo

Prescribing information Dosage and administration Apply sparingly

Dosage and administration Apply sparingly night and morning until improvement occurs. With Betnovate Scalp Application improvement may be sustained by applying once a day or less frequently. With Dermovate Scalp Application, once

With Dermovate Scalp Application, once control is achieved, therapy should be discontinued. Repeated short courses may be used to control exacerbations. If continuous steroid treatment is necessary, a less potent preparation should be used

Side effects Betnovate and Dermovate Scalp Applications are usually well tolerated, but if signs of hypersensitivity appear, application should be stopped immediately. With all topical corticosteroids, when extensive areas are treated, sufficient systemic absorption may occur to produce the features of hypercorticism. This is more likely to occur in infants and children, with occlusion, or when treatment is prolonged. Local atrophy may occur after prolonged treatment under occlusion. Rarely, treatment of psoriasis with corticosteroids (or its withdrawal) is thought to have provoked the pustular form of the disease.

Precautions Care must be taken to keep the

Glavo I.: Greenfo

Precautions Care must be taken to keep the preparation away from the eyes. Do not use near a naked flame.

In infants and children avoid long term

In infants and children avoid long term continuous topical therapy where possible, as adrenal suppression can occur even without occlusion. Select the least potent corticosteroid which will control the disease.

Topical administration of corticosteroids to pregnant animals can cause foetal abnormali-

ties. The relevance of this finding to humans has not been established; however, topical steroids should not be used extensively in pregnancy, i.e. in large amounts or for prolonged periods. Contra-indications Viral and dermatophyte infections of the scalp.

Product Licence numbers

Betnovate Scalp Application: PL/0004/5133 Dermovate Scalp Application: PL/0004/0242

Further information on Betnovate and Dermovate (trade marks) Scalp Applications is available from

Pharmaceuticals Division
Glaxo Laboratories Ltd
Greenford, Middlesex UB6 0HE

*Basic NHS cost (at time of going to press)



29 APRIL 1978 BRITISH MEDICAL JOURNAL **ADVERTISEMENTS**

DISCOUNT HOUSES



UP TO 40% DISCOUNT

On Carpets, All Makes available, British & Oriental, Fitted carpets are our speciality. We can send you our quotation for any make. FREE Delivery 25% DISCOUNT, Furniture, Kitchen Units, Beds CREDIT TERMS AVAILABLE. Call, write or phone G. L. CARPETS & FURNISHERS LTD., 1, St. Stephens Parade, Green Street, London, E.7 Phone 01-472 3219.

CARPETS ONLY

As carpet Specialists we are able to allow up to 331% discount on all leading makes of Axminsters Wiltons, Orientals, etc; Showrooms with stocks and fitting service in most towns throughout Britain. Write or phone for introduction card to visit the showrooms nearest your home or send details for our quotation. Free delivery. Administrative Office, Cordova Carpets, 37 Cross Green, Formby, Nr. Liverpool. Tel: Formby 74839. Nr. Liverpool. Tel: Formby 74839

% CARPETS





Bigger Choice. Bigger Savings -Branded Furniture, Beds, Bedding, Carpets, Curtains and Fabrics.

- Free delivery right to your door. All areas of of UK mainland/I.O.W.
- Postal/Telephone orders welcomed. Personal Service before and after sales.
- Low Interest credit facilities on discounted
- prices.
 * All items covered by manufacturers quarantee

Write, call or telephone today for free estimates and quotations

Over 30 years of service **W**ith Bains of Ilford 133 Ilford Lane, Ilford, Essex. (Tel: 01-553 1011/4



- All leading brands
- Carpet fitting available
- Delivery throughout UK



Hours: Mon. to Fri. 9.00 - 5.30 Sat. 9.00 - 5.00 (London only) BRANCHES CLOSE SATURDAYS at 12.30 pm Orders by post or phone accepted or write

We can positively offer or on habity a better service, and or ohabity a better selection certainiy a petter sere for introductory brochure to Dept.BMJ

Dodson Bull Choose with confidence

Established 1961 Assets exceed £600,000

Barbican Furnishing Centre (Opposite Barbican Underground Stn.) 100 Aldersgate Street, London EC2Y 8AE Telephone 01 628 7020

ABERDEEN: 11 Exchange St., AB1 2NH. Tel: 54055/6 ABERDEEN: 11 Exchange St., AB1 2NH. Tel: 54055/6
BIRMINGHAM: 164 Edmund St., B3 2HB. Tel: 021-236 5862
BOURNEMOUTH: 268 Old Christchurch Rd., BH1 1PH. Tel: 21248
BRIGHTON: 2 5 North Road, BN1 1YA. Tel: 606402
BRISTOL: 2 3 Royal London Hse., Queen Charlotte St., BS1 4EX. Tel: 28857
EXETER: 157 Fore St., EX4 3AT. Tel: 32019
FALMOUTH: 35 Killigrew St., TR11 3PW. Tel: 313555
GLASGOW: 166 Howard St., G1 4HA. Tel: 041-221 3278
IPSWICH: 116-118 St. Helens St., IP4 2LE. Tel: Ipswich 210268/9
LEEDS: 12 Great George St., LS1 3DW. Tel: 41451
MANCHESTER: 55-61 Lever St., M1 1DE. Tel: 061-236 3687/8/9
NEWCASTLE-upon-TYNE: 90-92 Pilgrim St., NE1 6SG. Tel: 20321/21428
WESTCLIFF-on-SEA: 495 London Rd., SS0 9LG. Tel: Southend 46569 **IPSWICH**

NOTICE TO ADVERTISERS Display Advertisements

Applications for advertisement space and for rates should be addressed to the Advertisement Manager, *British Medical Journal*, B.M.A. House, Tavistock Square, London WC1H 9JR. 01-387 4499. Telegrams: Aitiology, London WC1. Telex 265929.

Classified Advertisements

Please write advertisements and name and address clearly in BLOCK CAPITALS and send to the Advertisement Manager, British Medical Journal, B.M.A. House, Tavistock Square, London WC1H 9JR. For immediate insertion please enclose cheque in payment and state whether member or non-member. Classified rates for Doctors' advertisements are as follows

MEMBERS RATE: Minimum charge £2.00 for eighteen words, additional words at the rate of 50p for each six or less. Name and address count word for word. A Box Number counts as three words, and an additional charge of 40p is made for sorting and forwarding Box

NON-MEMBERS RATE: Minimum charge £3.30 for eighteen words, additional words at the rate of £1.10 for each six or less. Name and address count word for word. A Box Number counts as three words, and an additional charge of 40p is made for sorting and forwarding Box Number replies.

APPOINTMENTS: EDUCATIONAL: NOTICES AND HOMES: Minimum charge £2.88 for four lines and 72p for each additional line. Box Number address counts as one line, and 40p to be added for postage of replies

GÉNERAL AND COMMERCIAL (TRADE): Personal: Accommodation: Nursing: Consulting Rooms: Houses and Property: Travel: Hotels: Nursing: Medical and Secretarial Agencies: Commercial. Minimum charge £3.60 for 18 words including name and address and telephone number. Each additional six words or less £1.20. Box No's count as three words. Advertisers using a box number should add 40p for postage replies.

Semi-Display Advertisements

£5.50 per single column cm and pro rata. Full page £550. Half page £275. **Mechanical Data:** Classified: col. length 25.7cm, single col. width 4.4cm, double col. width 9.3cm, 3 col. width 14.2cm, full page width 19.1cm. Minimum depth of semi-display advertisements is three single column centimetres. Complete artwork required for s.c. semidisplay advertisements. Printed offset litho.

All classified advertisements, subject to approval, will appear in the forthcoming issue provided they reach this office not later than 10a.m. on the Friday of the week preceding date of issue. Semi-display advertisements must reach this office by 10a.m. on the Tuesday of the week preceding date of issue.

Cancellation and corrections of advertisements must be received before 12 noon

on the Friday of the week preceding date of issue (issues affected by public holidays excepted).

It is requested that when stamped addressed envelopes are enclosed in response to advertisements advertisers will ensure that a reply is sent.

Every effort is made to ensure the accuracy of advertisements appearing in the purnal. No recommendation is implied by acceptance, and the Editor of the British Medical Journal reserves the right to refuse, discontinue or interrupt the insertion of any advertisement.

NOTICE TO READERS

REPLIES TO BOX NUMBERS. The names and addresses of advertisers under box numbers are held by us in strict confidence and cannot be disclosed. Each Box Number should be addressed separately. Two or more replies can be enclosed in one envelope. The replies will be forwarded to the advertisers in plain envelopes.

NOTICE TO SUBSCRIBERS

United Kingdom and Irish Republic Edition. The annual subscription rates for members of the medical profession who are not members of the B.M.A. is £40.00. Subscriptions can be ordered direct from the Subscription Manager, *British Medical Journal*, B.M.A. House, Tavistock Square, London WC1H 9JR, or through any leading subscription agent or bookseller.

Overseas Edition (not containing classified advertisements). The rate for non-members is US\$56.00 or the equivalent in local currencies, direct from the Subscription Manager. Orders can also be placed through any leading sub-scription agent or bookseller. Readers in the U.S.A. can send their sub-scription order with or without payment to: British Medical Journal, 1172 Commonwealth Avenue, Boston, Mass. 02134.

Single Copies of issues published in the current year cost 80p in the United Kingdom and Irish Republic and US\$2.00 overseas. Back number prices on application to the Subscription Manager.

In the treatment of inflammatory polyarthritis and osteoarthrosis



Butacote, compared with ibuprofen and placebo in the treatment of inflammatory polyarthritis (64 patients) and osteoarthrosis (63 patients) proved 'clearly best for the relief of pain and morning stiffness'. Both doctors and patients expressed a clear preference for **Butacote**.

Geigy

J.Int.Med.Res. **2**, 2, 115–124 (1974) Full prescribing information is available **Geigy Pharmaceuticals**, Macclesfield, Cheshire SK10 2LY. 54 Northumberland Road, Ballsbridge, Dublin.