

Introducing our second generation generator



The Radiochemical Centre Amersham

The Radiochemical Centre Limited, Amersham, England. Tel: Little Chalfont (024 04) 4444 In West Germany: Amersham Buchler GmbH & Co KG, Braunschweig. Tel: 05307-4693-97

Diseases of Connective Tissue

The Proceedings of a Symposium organized by The Royal College of Pathologists


Edited by D. L. Gardner

The cells—Fibroblasts • Chrondrocytes • Synoviocytes • The muscle cell • Extracellular materials—Collagens • Collagen and elastin fibres • Basement membrane • Proteoglycans of cartilage • Disease mechanisms—Diseases of the collagen molecule • Molecular abnormalities of collagen • Lysosomes and the connective-tissue diseases • Genetic disease—HLA system and rheumatic disease • Replacement therapy in the mucopolysaccharidoses • Genetic disease and amyloid • Inflammation and fibrosis—Rheumatoid arthritis—a virus disease? • Systemic lupus erythematosus—an autoimmune disease? • Hepatic cirrhosis—a collagen formative disease? • Fibrosis of lung—an environmental disease? • Kettle Memorial Lecture—Atherosclerosis—disease of old age or infancy? • Structural and metabolic disease—New knowledge of connective tissue ageing • New Knowledge of osteoarthrosis • New knowledge of intervertebral disc disease • New knowledge of the pathogenesis of gout • New knowledge of chondrocalcinosis • A consensus—Connective tissue diseases: A consensus

Price: Inland £6.00; Abroad US\$15.00, including postage

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

The Publisher, Journal of Clinical Pathology, B.M.A. House, Tavistock Square, London WC1H 9JR



BRITISH MEDICAL JOURNAL 20 JANUARY 1979 ADVERTISEMENT

DISCOVERY-

In 1929, the pure crystalline digoxin was isolated from digitalis lanata by Wellcome research workers.

Digitalis lanata






Wellcome production at Dartford. Kent

CONSISTENCY—

Tablet equivalence has been maintained by the highest standards of manufacture.

FLEXIBILITY-

The LANOXIN tablet range (plus the PG Elixir and Injection) offers greater flexibility of dosage.



TRADE MARK

Wellcome research into practice

Full prescribing information about Lanoxin (digoxin) is available on request. Wellcome Medical Division, The Wellcome Foundation Ltd., Berkhamsted, Herts



Peptic Ulcer News

"We compared cimetidine with conventional medical treatment. Carbenoxolene was chosen for patients under 60, but because of its potential side effects – namely, hypokalemia, fluid retention and hypertension – older patients were given Caved-(S).

In the patients under 60 cimetidine was slightly more successful in producing ulcer healing than carbenoxolene.

In patients over 60 there was no appreciable difference in gastric ulcer healing rates between the Caved-(S)-treated and cimetidine-treated groups. Caved-(S) used in the dosage employed in this study, however, is only a quarter of the price of cimetidine, and may have fewer side effects."

Morgan AG et al (1978) BMJ, 2, 1323-1326

Caved-S contains Deglycyrrhizinated Liquorice., Bism. Subnit., Alum. Hydrox., Mag. Carb., Sod. Bic., Frangula., and is indicated in the treatment of peptic ulcers.

The usual adult dose for the treatment of peptic ulcers is 2 tablets 3 times daily, and for duodenal ulcers this may be increased to 2 tablets 6 times daily. For prophylaxis, half this dose is used, and children should be given half the adult dose. Basic NHS price of 60 tablets is £1.45 ex 600 pack. PL 0424/5000.

TILLOTTS LABORATORIES
Henlow Trading Estate, Henlow, Beds.

Full prescribing information is available to the medical profession on request.

iv british medical journal 20 january 1979 advertisement

FIGHT BACK AGAINST CANCER

It is good to remember that most people live their lives untouched by any form of cancer.

But as all too many are aware, cancer is something that casts its shadow far beyond those it directly affects. That is why so many people think it right to help the urgent work of the Imperial Cancer Research Fund.

From our discoveries in the past has come much of today's hope for sufferers. To go forward with our research for future alleviation, we ask *your* help in the present.

The main laboratories at Lincoln's Inn Fields

IMPERIAL CANCER RESEARCH FUND




Donations will be most gratefully received by the Appeals Secretary, Room 101/9, P.O. Box 123, Lincoln's Inn Fields, London WC2A 3PX

advertisement british medical journal 20 january 1979 v



BRITISH MEDICAL JOURNAL 20 JANUARY 1979 ADVERTISEMENT



Together we've come up with a plan exclusively for you.

Private Patients Plan has been providing private health insurance for BMA members since 1960.

vi

During recent months, the BMA has been in discussion with PPP to establish ways of improving the benefits and the result is a new plan available to all BMA members.

Private Room Charges

The most important feature of the new plan is the three benefit levels for private room charges:

- **Plan 1** will cover the room charges for all independent and NHS Hospitals.
- **Plan 2** covers room charges up to the London Teaching Hospital rate.
- Plan 3 covers room charges up to the Provincial Teaching Hospital rate.

In other words, you can now pick a level of benefit suitable for the area where you live and work.

Colleagues' Services

As you know, your colleagues do not always submit an account for their services and you can utilise your PPP benefits to send them a cheque or purchase a gift.

Special Subscription Rates

The subscriptions to the special plan are at a special rate for BMA members and benefit starts immediately from the date of enrolment.

Send for the full details and an application form. Don't put it off. Complete and post the coupon today. Freepost – no postage required.

If you are already included in the existing BMA Plan with PPP, you will be notified regarding adjustments shortly before your next annual renewal date.

To: Private Patients Plan, FREEPOST, TUNE WELLS, Kent, TN12YZ. (no postage required). Please send me details of the new PPP BMA Plwith an application form.	
Name	
(I am under 65 years of age) Address	
	MJ0069
Telephone	
Private Patients Plan Established 1940. Organised by the the Provident Association for Medical Care Limited.	PROTECTS

For a beast of a cough



COMPOUND LINCTUS

The cough-stopper for adults and children alike

Actifed* Compound Linctus contains triprolidine hydrochloride, pseudoephedrine hydrochloride, and codeine phosphate in a palatable fruit-flavoured syrup.

Trade Mark

Full prescribing information is available on request. Wellcome Medical Division The Wellcome Foundation Ltd. Crewe, Cheshire



Four exclusive pportunities

for Doctors and Dentists, arranged by the M.I.A.

to cut the cost of motoring

- 1. MOTOR INSURANCE Special discounts for Doctors and Dentists in addition to their existing 'no claims' bonus, including:-
- ★ insurance at 'agreed' or 'current market' values
- ★ cost of hire car, subject to small additional premium if your car is off the road, following an accident
- ★ automatic cover for partners, assistants and locum tenens.
- ★ cover for sons and daughters for a nominal additional premium.
- 2. CAR PURCHASE PLAN on highly competitive terms through British Medical Finance: also competitive car leasing facilities to reduce the cost of your motoring.
- 3. VEHICLE RECOVERY SERVICE through the National Breakdown Recovery Club includes
- ★ Transportation after an accident to nearest competent repairer
- ★ Recovery to your local garage free, after a major breakdown and assistance in obtaining help from 'on the spot' garage following a minor breakdown (available in England Scotland & Wales only). Free travel home for you and your passengers following an accident or major breakdown.
- 4. SPECIALLY NEGOTIATED TERMS Legal expenses arising from motoring and other activities can be crippling.

Our exclusive policy covers legal expenses up to £10,000 per incident to protect your family, your property and your rights.

MEDICAL INSURANCE AGENCY LIMITED


Get the full facts from the Medical Insurance Agency

These four schemes have been specially arranged to 'Cut the Cost' of your motoring. Please complete the coupon now-don't wait until your existing policy expires. We will arrange to send you a proposal form and prompt quotation at the right time. No stamp is needed if you use the 'Freepost' address.


To the Medical Insura Freepost, B.M.A. Ho Square, London, WC	use, Tavistock	Δ
Please send me full details of	of the plans I have ticked below:-	
☐ PLAN 1 Motor Insurance ☐ PLAN 3 Vehicle Recovery BLOCK LETTERS PLEASE	☐ PLAN 2 Car Purchase ☐ PLAN 4 Legal Expenses	
Name (Dr, Mr, Mrs, Miss) Address		
Hospital Address (if applica	able)	
	Telephone	
My existing policy expires	on BMJ 1/79	

BRITISH MEDICAL JOURNAL 20 JANUARY 1979 ADVERTISEMENT


Scanning Electron Microscopic photographs of Candida albicans before and after treatment with miconazole



1. Untreated cells appear as isolated yeast forms in an oval shape and with a smooth surface showing the formation of polar buds (pb).



2. Upon exposure to a fungistatic dose (10.7 M) of miconazole the cells tend to cluster. Budding becomes disorganized with visible budding scars (bs) that are randomly distributed over the surface of



3. Treatment with a fungicidal dose of miconazole causes the cell wall (cw) to burst. Vesicles of cytoplasm disintegrate and adhere to the surface of yet unbroken cells (cpr). (The interior of the cells is completely lytic).



the standard fungicidal treatment

highly effective in all fungal infections

further information available on request from :



Janssen Pharmaceutica 2340 Beerse, Belgium.

Janssen Pharmaceutical Ltd. Janssen House, Marlow, Bucks.

PL/0242/0016, 17, 47, 48, 52


Trade Marks: Brentan in Denmark and Spain, Daktar in Germany, Daktarin in all other countries.

WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Archives of Disease in Childhood, British Heart Journal, British Journal of Ophthalmology, Gut, Journal of Clinical Pathology & Journal of Neurology, Neurosurgery & Psychiatry.
FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR

TELEPHONE 01-387 4499 EXT. 309.

he new antirheumatic from Geigy



bridges the gap between efficacy and tolerability

The potent antirheumatic effect and very good tolerability of Voltarol have been confirmed

- in over 90 countries throughout the world
- in over 10,000,000 patients
- in comparison with aspirin, indomethacin, ibuprofen, ketoprofen, naproxen and phenylbutazone
- in more than 15,000 patients in controlled clinical trials.

Presentation Tablets containing 25mg diclofenac sodium, circular, slightly biconvex with bevelled edges, yellow enteric coated, approximately 7mm diameter, imprinted Geigy on one side.

Mode of action Voltarol is a non-steroidal agent with marked analgesic/anti-inflammatory and antipyretic properties. Like most other drugs in this class, it is an inhibitor of prostaglandin synthetase.

Indications Rheumatoid arthritis, osteoarthrosis.

Dosage Oral: In adults the initial dosage is Dosage Ord: In adults the illuida obusge's 550mg 3 times daily, depending on the severity of the condition. Maintenance dose should be reduced to the minimum amount that will provide continuous therapeutic control, usually 1 × 25mg tablet three times daily.

The tablets should be swallowed whole, with

Contraindications Peptic ulcer.

Voltarol is contraindicated in asthmatic patients in whom attacks of asthma, urticaria or acute rhinitis are precipitated by aspirin or other non-steroidal anti-inflammatory agents with prostaglandin synthetase inhibiting activity.

Precautions Voltarol should not be prescribed during pregnancy, unless there are compelling reasons for doing so.

Patients with a history of peptic ulcer, haematemesis, or melaena, or with severe hepatic or renal insufficiency, should be kept under close surveillance.

Dosage in children has not yet been established. Voltarol has been reported to depress antidote to Voltarol and the treatment is

salicylate levels, and vice versa; the clinical relevance of this phenomenon is not yet clear.

Warnings & side-effects Initially, some patients may complain of epigastric pain, nausea and diarrhoea, headache and slight dizziness. These side-effects are often transient disappearing Legal Category Prescription only with continuation of medication.

Occasionally skin rash, peripheral oedema and abnormalities of serum transaminases have been reported.

melaena have been reported, mainly in patients with a history of such disorders, or who were receiving concomitant anti-rheumatic medication.

nypoglycaemic and anti-coagulant drugs.

Product Licence No. Tablets 25mg PL0001/0036

Product Licence Holder Geinv Pharmacourinale Very rarely peptic ulcer and haematemesis or

Accidental overdosage There is no known

symptomatic. Immediate treatment consist forced emesis to recover undigested tablets.

Pharmaceutical precautions Storage - protect

Package quantities Basic N.H.S. prices Packs of 100.

Further information Pharmacodynamic studies have shown no potentiation of hypoglycaemic and anti-coagulant drugs.

Product Licence Holder Geigy Pharmaceuticals, Macclesfield, Cheshire, SK10 2LY

