

Reduced Subscription Rates to BMA Specialist Journals for Junior Hospital Doctors Residents and Interns...

BMA Specialist Journals are now available to junior doctors in all parts of the world for a maximum of four consecutive years at REDUCED Annual Subscription Rates. Thereafter, or when reaching consultant status, this special offer will no longer apply.

The following subscription rates apply for 1979:

	REDUCED RATE		Full Rate	
	Inland £	Abroad US\$	Inland £	Abroad US\$
<i>Published Monthly</i>				
Archives of Disease in Childhood.....	17.00	40.00	28.00	65.50
British Heart Journal.....				
British Journal of Ophthalmology.....				
Gut.....				
Journal of Neurology, Neurosurgery and Psychiatry.....				
Cardiovascular Research.....	18.00	36.00	30.00	60.00
Journal of Clinical Pathology.....	18.00	42.00	30.00	70.50
<i>Published six times a year</i>				
Annals of the Rheumatic Diseases.....	13.00	30.00	21.00	49.00
British Journal of Venereal Diseases.....				
Journal of Medical Genetics.....				
Thorax.....				
<i>Published Quarterly</i>				
British Journal of Industrial Medicine.....	9.00	19.00	14.00	32.00
Epidemiology and Community Health.....				

ORDER FORM

To: BMA Publications, BMA House, Tavistock Square,
London WC1H 9JR

Please enter my subscription to:

at the REDUCED RATE of: Inland £..... Abroad US\$.....

My remittance for is enclosed

NAME.....

ADDRESS.....

To be completed by Consultant

I hereby confirm that the above mentioned doctor is a member of the junior hospital staff/resident/intern at

..... Signed.....



Houghton Mifflin

Medical Division

ANNUAL REVIEWS

For these comprehensive annual reviews, leading physicians examine the previous year's literature in major specialities to present a cohesive analysis of significant developments. Each chapter is a thoughtful discussion of a subsection of the field with assessment of new techniques and drugs, delineation of controversial areas, and discussion of implications and trends. Illustrations and extensive references are included. Annual reviews now or soon to be available are:

CURRENT CARDIOLOGY

M Irene Ferrer, Editor

Volume 1 — 1979 400pp £24.75

CURRENT NEPHROLOGY

Harvey C Gonick, Editor

Volume 1 — 1978 376pp £23.25

Volume 2 — 1979 512pp £26.50

CURRENT NEUROLOGY

H Richard Tyler and David M Dawson, Editors

Volume 1 — 1979 512pp £23.95

CURRENT PULMONOLOGY

Daniel H Simmons, Editor

Volume 1 — 1979 300pp £24.75


CURRENT RADIOLOGY

Gabriel H Wilson, Editor

Volume 1 — 1979 400pp £29.25

For full details of all our new publications contact
**Houghton Mifflin Publishers Ltd, 41-45 Beak
Street, London W1R 3LE**

All theory and no practice?



We can help you put that right

Our bank loan scheme is now available to General Practitioners to assist with the purchase of a share in practice premises and assets or the acquisition of new surgery premises. Loans are repayable over periods up to 15 years at an interest of 2½% above bank base rate *on the reducing balance*.

For further details apply to:

Sleath

**J. W. Sleath & Co. Ltd.,
58 Theobalds Road,
London, WC1X 8SG
Telephone 01-242 4375**

Published September 1978

Supplement to BRITISH HEART JOURNAL

PREVENTION OF ARRHYTHMIAS

The Proceedings of a Symposium held at Freeman Hospital, Newcastle upon Tyne, on 12 and 13 September 1977, arranged by Professor D G Julian

Contents

Foreword *Dennis Krikler*

Anatomy of conducting tissues revisited *Robert H Anderson and Anton E Becker*

Effects of cardiac denervation on cardiac arrhythmias and electrophysiology *Donald C Harrison, Jay W Mason, John S Schroeder and Edward B Stinson*

Ventricular arrest: a possible mechanism of sudden death *Jan Pool, Anja Roodenburg, Boy Glaser and Jacobus Lubsen*

Catecholamine-induced severe ventricular arrhythmias with Adams-Stokes syndrome in children: report of four cases *Philippe Coumel, Jean Fidelle, Vincent Lucet, Patrick Attuel and Yves Bouvain*

Surgical treatment of ventricular tachycardia *R A J Spurrell and A J Camm*

Electrophysiology of early ventricular arrhythmias in acute myocardial ischaemia in the pig's heart *Michiel J Janse, André G Kléber, Juan Cinca and Dirk Durrer*

Some factors that influence the activity of antiarrhythmic drugs *E M Vaughan Williams*

Adrenergic influences on arrhythmias due to coronary occlusion and reperfusion *Peter B Corr, Patricia A Penkoske and Burton E Sobel*

Electrophysiological basis for the contrasting prophylactic efficacy of acute and prolonged beta-blockade *A E G Raine and E M Vaughan Williams*

Management in hospital of ventricular fibrillation complicating acute myocardial infarction *K I Lie, K L Liem, and D Durrer*

Clinical pharmacology and antiarrhythmic actions of tocainide *Donald C Harrison, Peter J Meffin, and Roger A Winkle*

Tribulations in trials: experience gained from Nottingham study of beta-adrenergic blockade in acute myocardial infarction *J R A Mitchell*

Review of the present status of drug treatment for preventing sudden death *R R H Lovell*

PRICE: Inland £1.25; Abroad U.S. \$3.50, including postage

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

**ORDER FROM: The Publisher, BRITISH HEART JOURNAL,
BMA House, Tavistock Square, London WC1H 9JR**



successful scriptwriting

SEPTRIN* — for success 9 times out of 10.

Worldwide clinical studies, involving over 7800 patients with acute and chronic lower respiratory infections, have shown that 91% were successfully treated with SEPTRIN¹.

SEPTRIN is effective against all the major pathogens, including *H. influenzae* and *Strep. pneumoniae*.

¹Data on file.

PRESCRIBING INFORMATION

Indications Bacterial infections of the lower respiratory, urinary and genital tracts, sinusitis, otitis media skin infections, septicaemia, typhoid and paratyphoid fevers, and other infections caused by sensitive organisms. **Dosage** *Septtrin Forte Tablets*. Adults and children over 12 years: 1 twice daily. Maximum dosage for particularly severe infections: 1½ forte tablets twice daily. In acute infections Septtrin should be given for a minimum of 5 days.

Adverse Reactions Occasionally, nausea, vomiting, glossitis and skin rashes may occur with normal doses and very rarely, haematological reactions. **Precautions** In cases of renal impairment a reduced dosage is indicated and an adequate urinary output should be maintained. Regular blood counts are necessary whenever long-term therapy is used. Caution is advised in patients with folate deficiency. Care should be taken when giving Septtrin to patients receiving oral anticoagulants of the coumarin group pyrimethamine or sulphonylureas. **Contra-indications** Septtrin is contra-indicated in patients with marked liver parenchymal damage, blood dyscrasias or severe renal insufficiency. Septtrin should not be given to patients hypersensitive to sulphonamides; should not be given during pregnancy or to neonates. **Presentation** *Septtrin Forte Tablets* each contain 160mg Trimethoprim BP and 800mg Sulphamethoxazole BP. Basic NHS cost: £1.34 for 10. PL 3/0121.

RESEARCH IS OUR ONLY SHAREHOLDER



Wellcome

Additional information is available on request.
Wellcome Medical Division
The Wellcome Foundation Ltd
Crewe, Cheshire

SEPTRIN A FIRST CHOICE IN CHEST INFECTIONS

Co-trimoxazole BP Wellcome

*Trade Mark

The combination of
simple language and straightforward
line drawings has made the

ABC OF OPHTHALMOLOGY

one of the most popular series
of articles in the Medical Practice section
of the British Medical Journal.


All the common problems are covered -
visual defects, squints, glaucoma and
cataracts - together with detailed
instruction on examination, diagnosis
and management.

The articles
have now been
collected into book
form - in exactly
the same format
as they appeared in
the BMJ -
price: Inland £2.50;
Overseas US\$6.25
(Inland £2.00;
Overseas US\$5.00
for BMA members).

AVAILABLE SOON

Order your copy now

From: The Publisher,
British Medical Journal,
BMA House,
Tavistock Square,
London WC1H 9JR
or any leading bookseller



PROBLEMS OF CHILDHOOD

From the British Medical Journal

While in paediatrics the spotlight has, perhaps, swung recently on to behavioural and psychological aspects of child development, much of the clinician's time is still spent with acute and chronic physical disorders. Both these aspects of medical problems in childhood were reviewed in a series of *BMJ* articles published early in 1976, and these have now been collected together after further revision by their authors. We hope the collection will prove useful to doctors at all stages of their careers: for children occupy a great deal of the time of every general practitioner, and confidence in their care demands both experience and knowledge.

Demy Octavo

Paperback

149 pages

ISBN 0 7279 0019 6

Price: Inland £2.50; Abroad US \$6.25, including postage

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

Order your copy now from

The Publisher, BRITISH MEDICAL JOURNAL, BMA House,
Tavistock Square, London WC1H 9JR
or through any leading bookseller



Remembering Henry

Edited by Stephen Lock and Heather Windle

"That the book is worth while is confirmed because so many people of distinction in such varied occupations wished to contribute; he comes through as one of the great characters of mid-twentieth century medicine, but his solid contributions to medicine and the other elements of his career are brought out as well. The readers will enjoy **Remembering Henry**."

Noble, John S., *British Medical Journal*, 1977, 2, 886

"... even readers unlucky enough not to have known Henry Miller or felt his vibrations will gain much from this splendid book. The BMA has produced nothing like it before. I bet they never will again."

Dixon, Bernard, *World Medicine*, 1977, 13, 25

"Anyone who knew or worked with Henry Miller will find the £3 asked for this lament well spent. But so will many others, if only for the enjoyment of attempting to determine from all the clues whether the late vice-chancellor was a self-indulgent, egotistical clown, or a courageous, great-hearted, witty champion of the truth, or a rumbustious and never-to-be repeated conglomerate of all these things and more."

Gould, Donald, *New Scientist*, 1977, 76, 236

Demy Octavo
Paperback
166 pages

ISBN 0 7279 0027 7

Price: Inland £3.00; Overseas US\$7.50, including postage
(Members of the BMA may purchase this book at the special price of:
Inland £2.50; Overseas US\$6.25)

ORDER YOUR COPY NOW
From: The Publisher, BRITISH MEDICAL JOURNAL,
BMA House, Tavistock Square, London WC1H 9JR

PERSONAL VIEW

An Anthology

Since the feature started in 1968 PERSONAL VIEW has been one of the most popular pages of the *B.M.J.* A hundred of these have now been gathered together in an anthology, to which an introduction has been written by a noted PERSONAL VIEW contributor, Dr. Mahadeva of Sri Lanka. The subjects of the views contained in this anthology range from experience of practice all over the world to work as a schoolteacher, the role of music in medicine, learning to be a farmer's wife, and running a fringe event at the Edinburgh Festival.



FROM THE BRITISH MEDICAL JOURNAL

Demy Octavo

Paperback

302 pages

ISBN 0 7279 0005 6

Price: Inland £3.00; Abroad US \$7.50 including postage

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

ORDER NOW from: The Publisher, British Medical Journal,
BMA House, London WC1H 9JR, *or through any leading bookseller*

ACTIFED* COMPOUND LINCTUS

triprolidine hydrochloride BP pseudoephedrine hydrochloride BP codeine phosphate BP



For a beast of a cough

PRESCRIBING INFORMATION

Indications Relief of cough and accompanying URT congestion.

Dosage Three times a day: Adults and children over 12 years: 10 ml
Children 6-12 years: 7.5 ml 1-6 years: 5 ml Infants 3-12 months: 2.5 ml

Contra-indications Contra-indicated in persons under treatment with MAO inhibitors, and within two weeks of stopping such treatment.

Precautions Although pseudoephedrine causes virtually no pressor effect in normotensive patients, it should be used with caution in the presence of cardiovascular disorders. May cause drowsiness. In some patients the action of antihistamines may be potentiated by alcohol.

Presentation Each 5 ml contains 1.25 mg triprolidine hydrochloride BP, 30 mg pseudoephedrine hydrochloride BP and 10 mg codeine phosphate BP.
Basic NHS cost: £0.63 for 150 ml PL 3/5005.
Additional information is available on request.



Wellcome

Wellcome Medical Division
The Wellcome Foundation Ltd.
Crewe, Cheshire

*Trade Mark

millophyline



Respiratory and cardiac
stimulant Bronchodilator

Distributor in the United Kingdom
FARLOW LIMITED
Chesham House, Chesham Close,
Romford, RM1 4JX tel: Romford 48033

Full product information available upon request

dales pharmaceuticals limited

Barrows Lane, Steeton, Keighley, Yorkshire, BD20 6PP (Steeton 53222)



Adam & Charles Black
The essential reference book
WHO'S WHO 1979
is now available £25.00



ADVERTISEMENTS

PHARMACEUTICAL PRODUCTS

Readers are reminded that prescribers' literature and clinical information are always available from advertisers on request.

Caved-S®

Deglycyrrhizinated Liquorice, Bism.Subnit.
Alum.Hydrox., Mag.Carb., Sod.Bic., Frangula.

heals peptic ulcers

EFFECTIVELY

AND

ECONOMICALLY

Full prescribing information on request from
TILLOTTS LABORATORIES, Henlow Trading Estate, Henlow, Beds.

79004

BONE AND JOINT DISEASES

Arthritis used to be the Cinderella of diseases, but improved diagnostic techniques, advances in joint replacement surgery, and a whole range of non-steroidal drugs have led to a much more active approach to the management of the common bone and joint diseases. Detailed advice on their diagnosis and treatment was given last year in a series of 16 articles in the *BMJ*, and these have now been gathered together in the latest volume based on the popular "Today's Treatment" series.

Demy Octavo

Paperback

131 pages

ISBN 0 7279 0026 9

**Price: Inland £3.00; Abroad US \$7.50,
including postage**

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

Order your copy now from

The Publisher, BRITISH MEDICAL JOURNAL,
BMA House, Tavistock Square, London WC1H 9JR
or through any leading bookseller

Just Published

TODAY'S TREATMENT/3

Diseases of the respiratory and urinary systems account for a high proportion of all consultations in general practice, justifying the 200 pages devoted to them in the third volume of *Today's Treatment*. The remaining section deals with the use of antibiotics across the whole spectrum of medicine, looking at the advantages and drawbacks of the major categories and their use in clinical settings where decision-making may be difficult. Like its predecessors, *Today's Treatment/3* concentrates on practical issues and provides the busy clinician with the information he needs in his day to day practice.

Price: Inland £5.50;
Abroad US\$13.75

(Concessionary price to BMA members:

Inland £5.00; Abroad US\$12.50.


When ordering BMA members must quote their membership number or the full price will be applicable.)

Complete your collection of this series by ordering copies of *Today's Treatment 1* and *2* at the combined reduced rate of Inland £6.00; Abroad US\$15.00 thereby saving 25% of the full price.

Order your copies now from

The Publisher,
BRITISH MEDICAL JOURNAL,
BMA House,
Tavistock Square,
London WC1H 9JR

or through any leading bookseller



**More than 180,000
health care professionals
read
THE NEW ENGLAND JOURNAL OF MEDICINE
every week...**

You should, too!

The New England Journal of Medicine is read, quoted and referred to the world over. The reason — it presents only papers that offer something new to the medical literature of the day or an extension of an existing body of knowledge; editorials that deal with the internal technology of medicine and its interface with our changing world with impartiality, honesty and integrity. Whatever your medical discipline or the stage of your career, you should subscribe to the Journal.



The New England Journal of Medicine
13 Colina Rd., Tottenham, London
England N15 3JA

Gentlemen:

Please enter my subscription to the New England Journal of Medicine as indicated.

Regular _____ 1 year £15.60 _____ 2 years £28.10
_____ 3 years £40.60

Resident or Intern £11.25 per year _____

Student £8.75 per year _____

Life subscription £212.50 _____

Name _____

Address _____


City _____

_____ Cheque enclosed _____ Bill me


The New England Journal of Medicine

the fungicidal breakthrough


Scanning Electron Microscopic photographs of *Candida albicans* before and after treatment with miconazole.



1. Untreated cells appear as isolated yeast forms in an oval shape and with a smooth surface showing the formation of polar buds (pb).



2. Upon exposure to a fungistatic dose (10^{-7} M) of miconazole the cells tend to cluster. Budding becomes disorganized with visible budding scars (bs) that are randomly distributed over the surface of the cells.



3. Treatment with a fungicidal dose of miconazole causes the cell wall (cw) to burst. Vesicles of cytoplasm disintegrate and adhere to the surface of yet unbroken cells (cpr). (The interior of the cells is completely lytic).



the standard fungicidal treatment

Daktarin

miconazole nitrate 2 % w/w

*highly effective
in all fungal infections*

further information available on request from :



Janssen Pharmaceutica
2340 Beerse, Belgium.

or from :
Janssen Pharmaceutical Ltd.
Janssen House, Marlow, Bucks.
PL/0242/0016, 17, 47, 48, 52

Trade Marks : Brentan in Denmark and Spain, Daktar in Germany, Daktarin in all other countries.

WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Archives of Disease in Childhood, British Heart Journal, British Journal of Ophthalmology, Gut, Journal of Clinical Pathology & Journal of Neurology, Neurosurgery & Psychiatry.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR
TELEPHONE 01-387 4499 EXT. 309.

The new antirheumatic from Geigy



**bridges the gap
between efficacy and tolerability**

**The potent antirheumatic effect
and very good tolerability
of Voltarol have been confirmed**

- in over 90 countries throughout the world
- in over 10,000,000 patients
- in comparison with aspirin, indomethacin, ibuprofen, ketoprofen, naproxen and phenylbutazone
- in more than 15,000 patients in controlled clinical trials.

Presentation Tablets containing 25mg diclofenac sodium, circular, slightly biconvex with bevelled edges, yellow enteric coated, approximately 7mm diameter, imprinted Geigy on one side.

Mode of action Voltarol is a non-steroidal agent with marked analgesic/anti-inflammatory and antipyretic properties. Like most other drugs in this class, it is an inhibitor of prostaglandin synthetase.

Indications Rheumatoid arthritis, osteoarthritis.

Dosage Oral. In adults the initial dosage is 25-50mg 3 times daily, depending on the severity of the condition. Maintenance dose should be reduced to the minimum amount that will provide continuous therapeutic control, usually 1 x 25mg tablet three times daily.

Dosage in children has not yet been established.

The tablets should be swallowed whole, with a meal.

Contraindications Peptic ulcer.

Voltarol is contraindicated in asthmatic patients in whom attacks of asthma, urticaria or acute rhinitis are precipitated by aspirin or other non-steroidal anti-inflammatory agents with prostaglandin synthetase inhibiting activity.

Precautions Voltarol should not be prescribed during pregnancy, unless there are compelling reasons for doing so.

Patients with a history of peptic ulcer, haematemesis, or melaena, or with severe hepatic or renal insufficiency, should be kept under close surveillance.

Voltarol has been reported to depress

salicylate levels, and vice versa; the clinical relevance of this phenomenon is not yet clear.

Warnings & side-effects Initially, some patients may complain of epigastric pain, nausea and diarrhoea, headache and slight dizziness. These side-effects are often transient, disappearing with continuation of medication.

Occasionally skin rash, peripheral oedema and abnormalities of serum transaminases have been reported.

Very rarely peptic ulcer and haematemesis or melaena have been reported, mainly in patients with a history of such disorders, or who were receiving concomitant anti-rheumatic medication.

Accidental overdose There is no known antidote to Voltarol and the treatment is

symptomatic. Immediate treatment consists of forced emesis to recover undigested tablets.

Pharmaceutical precautions Storage - protect from moisture.

Legal Category Prescription only.

Package quantities Basic N.H.S. prices
Packs of 100. £9

Further information Pharmacodynamic studies have shown no potentiation of oral hypoglycaemic and anti-coagulant drugs.

Product Licence No. Tablets 25mg PL0001/0036

Product Licence Holder Geigy Pharmaceuticals, Macclesfield, Cheshire, SK10 2LY

