


The WRIGHT Peak Flow Meter



The mini- WRIGHT Peak Flow Meter

CONSIDER for the measurement of P.E.F.

The Wright Peak Flow Meter, for the measurement of ventilatory function, was designed by Dr. B.M. Wright of the Medical Research Council. It provides a simple and rapidly performed test for the diagnosis and management of conditions such as asthma, chronic bronchitis and emphysema.

It can be used to distinguish reversible from irreversible airways obstruction, by measuring the Peak Expiratory Flow (P.E.F.) before and after the inhalation of bronchodilator drugs, and it has proved of particular value in the control of corticosteroid and cromoglycolate therapy for asthma.

The mini-Wright Peak Flow Meter, also designed by Dr. B.M. Wright, is intended to compliment the Wright Peak Flow Meter and to be an inexpensive and portable instrument for self monitoring by patients to provide information about their response to treatment.



For further information contact

Clement Clarke International Ltd.

15 Wigmore Street, London W1H 9LA, England.
Telephone 01-580 8053 Telex 298626 Cables Clemclarke London

AIRMED





MEDEXPORT

*participating in the
USSR NATIONAL EXHIBITION
will display*

- diagnosis instruments for cardiovascular diseases
- new models of surgical instruments for suturing intestines, throat, tissues and hepatoresector
- sets of instruments for operations on ears and eye microsurgery
- medical instruments made of new kinds of materials — titanium alloys and martensite steel
- eye medicinal film
- instrument for electroanalgesia "Elektronarkon-I"
- electric surgical instrument, model ES-30



**YOU ARE CORDIALLY INVITED TO VISIT THE MEDEXPORT STAND
EARLS COURT, LONDON. MAY 23 to JUNE 10, 1979**

Open: Mondays to Fridays 11am to 9pm Saturdays 11am to 10pm Sundays 2pm to 9pm

Published September 1978

Supplement to BRITISH HEART JOURNAL

PREVENTION OF ARRHYTHMIAS

The Proceedings of a Symposium held at Freeman Hospital, Newcastle upon Tyne, on 12 and 13 September 1977, arranged by Professor D G Julian

Contents

Foreword *Dennis Krikler*

Anatomy of conducting tissues revisited *Robert H Anderson and Anton E Becker*

Effects of cardiac denervation on cardiac arrhythmias and electrophysiology *Donald C Harrison, Jay W Mason, John S Schroeder and Edward B Stinson*

Ventricular arrest: a possible mechanism of sudden death *Jan Pool, Anja Roodenburg, Boy Glaser and Jacobus Lubsen*

Catecholamine-induced severe ventricular arrhythmias with Adams-Stokes syndrome in children: report of four cases *Philippe Coumel, Jean Fidelle,*

Vincent Lucet, Patrick Attuel and Yves Bouvrain

Surgical treatment of ventricular tachycardia *R A J Spurrell and A J Camm*

Electrophysiology of early ventricular arrhythmias in acute myocardial ischaemia in the pig's heart *Michiel J Janse, André G Kléber, Juan Cinca and Dirk Durrer*

Some factors that influence the activity of antiarrhythmic drugs *E M Vaughan Williams*

Adrenergic influences on arrhythmias due to coronary occlusion and reperfusion *Peter B Corr, Patricia A Penkoske and Burton E Sobel*

Electrophysiological basis for the contrasting prophylactic efficacy of acute and prolonged beta-blockade *A E G Raine and E M Vaughan Williams*

Management in hospital of ventricular fibrillation complicating acute myocardial infarction *K I Lie, K L Liem, and D Durrer*

Clinical pharmacology and antiarrhythmic actions of tocainide *Donald C Harrison, Peter J Meffin, and Roger A Winkle*


Tribulations in trials: experience gained from Nottingham study of beta-adrenergic blockade in acute myocardial infarction *J R A Mitchell*

Review of the present status of drug treatment for preventing sudden death *R R H Lovell*

PRICE: Inland £1.25; Abroad U.S. \$3.50, including postage

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

**ORDER FROM: The Publisher, BRITISH HEART JOURNAL,
BMA House, Tavistock Square, London WC1H 9JR**



Migril stops it

Ergotamine Tartrate BP. Cyclizine Hydrochloride BP. Caffeine Hydrate BP.

Indication: For relief of the acute migraine attack. **Dosage:** Adults: Initial dose is 1 or 2 tablets swallowed at the first warning of an attack, followed by half or 1 tablet at half-hourly intervals if necessary, but not more than 4 tablets per attack. Not more than 6 tablets in any one week. Children: N/A. **Contra-indications:** As for ergotamine. Migril should not be used for prophylaxis. **Precautions:** Hypersensitivity rare. Coldness in extremities signifies drug should be withdrawn. Prolonged abuse may lead to chronic

ergotism. Cyclizine may cause drowsiness and patients should be cautioned accordingly. Alcohol should not be taken with Migril. **Presentation:** Each Migril tablet contains ergotamine tartrate BP 2mg, cyclizine hydrochloride BP 50mg, caffeine hydrate BP 100mg. Coloured white, scored, coded Wellcome A4A. Basic NHS cost £1.08 for 10 tablets. PL 3/5114. Additional information is available on request.

Trade Mark

Wellcome Medical Division
The Wellcome Foundation Ltd
Crewe, Cheshire



Wellcome

RESEARCH IS OUR ONLY SHAREHOLDER



Wolfe Medical Publications Limited

Wolfe House
3-5 Conway Street London W1P 6HE
Telephone 01-636 4622



We are proud and honoured to have had the Queen's Award for Export Achievement for 1979 conferred upon our company.

Exports of the Colour Atlases in which we specialise and are world leaders now comprise over 88% of our turnover and our books reach over 100 countries and are published in 14 languages.

Sales have tripled in the last three years and are continuing to expand worldwide.

It is only right on this happy occasion that we should publicly thank all those in British medicine, surgery, dentistry and veterinary science — authors, photographers, technicians and advisers, whose faith and support in entrusting us with the publication of their works has made this achievement possible.

The Award must surely also apply to them as an expression of the esteem in which British medicine and science is held throughout the world.

Chairman Peter Wolfe
Directors Peter Heilbrunn Kenneth Briscoe
K R Wolfe Patrick Daly W J S Clutterbuck

A Division of Wolfe Publishing Ltd
3-5 Conway Street, London W1P 6HE Telephone 01-636 4622
Cables Wolfebooks London

H. K. LEWIS of GOWER STREET, LONDON

BRITAIN'S SPECIALIST MEDICAL BOOK CENTRE

BOOKSHOP

Large stocks on all branches of Medicine, Surgery and allied subjects

Catalogues sent free on request

(Please state special interests)

LIBRARY

(Medical and Scientific)

Annual Subscription from £7.50

Reduced rates for multiple subscriptions

(Available in U.K. only)

Prospectus post free on request

H. K. LEWIS & Co. Ltd., 136 GOWER ST., LONDON WC1E 6BS

Telephone: 01-387 4282

Telegrams: Publicavit, London WC1



Join the search...
...to help us find the 'lost ostomists'

Abbott Laboratories are holding a series of 'Stoma Care Information Days' around the country. Those meetings arranged for the near future are:-

Airdrie – Wednesday May 9th 9am-8pm
 Airdrie Health Centre
 (next to Monklands District General Hospital)
 Manor Drive Airdrie.

Newcastle upon Tyne – Thursday May 10th 10am-8pm
 Arthurs Hill Clinic,
 Douglas Terrace, Newcastle upon Tyne.

Glasgow – Tuesday May 15th 9am-8pm
 PTS Building,
 Western Infirmary, Glasgow.

Liverpool – Wednesday May 16th 11am-8pm
 Suite 269,
 The Adelphi Hotel, Liverpool.

If you live in one of these areas you should have already received full information. Other meetings will be announced in future issues of this publication. For information, please contact the Lost Ostomist Campaign Office at Abbott Laboratories – Sheerness (079 56) 3371.

Abbott Laboratories Ltd., Queenborough, Kent ME11 5EL

The combination of simple language and straightforward line drawings has made the

ABC OF OPHTHALMOLOGY

one of the most popular series of articles in the Medical Practice section of the British Medical Journal.

All the common problems are covered—visual defects, squints, glaucoma and cataracts—together with detailed instruction on examination, diagnosis and management.

Available Now

Price: Inland £2.50; Overseas US\$6.25

(For BMA members: Inland £2.00; Overseas US\$5.00)

Order your copy now

From: The Publisher, British Medical Journal,
 BMA House, Tavistock Square, London WC1H 9JR
 or any leading bookseller



successful scriptwriting

SEPTRIN* — for success 9 times out of 10.

Worldwide clinical studies, involving over 7800 patients with acute and chronic lower respiratory infections, have shown that 91% were successfully treated with SEPTRIN.¹ SEPTRIN is effective against all the major pathogens, including *H. influenzae* and *Strep. pneumoniae*.

¹Data on file.

PRESCRIBING INFORMATION

Indications Bacterial infections of the lower respiratory, urinary and genital tracts, sinusitis, otitis media, skin infections, septicæmia, typhoid and paratyphoid fevers, and other infections caused by sensitive organisms. **Dosage** *Septrin Forte Tablets*. Adults and children over 12 years: 1 twice daily. Maximum dosage for particularly severe infections: 1½ forte tablets twice daily. In acute infections Septrin should be given for a minimum of 5 days. **Adverse Reactions** Occasionally, nausea, vomiting, glossitis and skin rashes may occur with normal doses and very rarely, haematological reactions. **Precautions** In cases of renal impairment a reduced dosage is indicated and an adequate urinary output should be maintained. Regular blood counts are necessary whenever long-term therapy is used. Caution is advised in patients with folate deficiency. Care should be taken when giving Septrin to patients receiving oral anticoagulants of the coumarin group pyrimethamine or sulphonylureas. **Contra-indications** Septrin is contra-indicated in patients with marked liver parenchymal damage, blood dyscrasias or severe renal insufficiency. Septrin should not be given to patients hypersensitive to sulphonamides; should not be given during pregnancy or to neonates. **Presentation** *Septrin Forte Tablets* each contain 160 mg Trimethoprim BP and 800 mg Sulphamethoxazole BP. Basic NHS cost: £1.34 for 10. PL 3/0121.

RESEARCH IS OUR ONLY SHAREHOLDER



Additional information is available on request.

Wellcome Medical Division
The Wellcome Foundation Ltd.
Crewe, Cheshire

SEPTRIN A FIRST CHOICE IN CHEST INFECTIONS
Co-trimoxazole BP Wellcome



When you are asked how to make better use of a house

- And avoid maintenance costs
- Have no rates to pay
- Make agreeable use of spare space
- Benefit retired people

The owner of the house above, solved these problems in a way that helped herself, *and* other people. It could make sense for anyone who seeks to achieve such benefits.

Her need for space had diminished, but costs have steadily increased. So the house shown is being altered (not at her expense) to provide her with a self-contained flat, free from future heavy expenses.

How is this possible?

The National Charity, Help the Aged, could convert one portion of the house into a modernised, and usually self-contained flat for use for the rest of the owner's life, or that of a spouse. By making the house over to the charity, one could also be relieved of the burden of rates, rent, and external repairs; and the portion of the house that is no longer needed is converted for the use of retired people.

Send for further details, entirely without obligation. Please write to:
Help the Aged, Room BMJIS,
32 Dover Street, London W1A 2AP.

JERSEY and GUERNSEY

Three luxurious hotels in two beautiful islands.

Only a short flight away are the glorious and convenient Channel Islands. Enjoy all they have to offer in the relaxing comfort of a Delrich Hotel. All rooms have private facilities and colour TV. Excellent food and attractive bars. Each hotel has its own heated swimming pool. Great value for money prices. . . no VAT, no service charges. . .

Write or phone for free colour brochures to:



Miss D. Wilson, Delrich Hotels,
Mont au Roux, La Haule,
Jersey. Tel: Jersey 44261
Delrich Hotels
The Channel Islands Premier
Hotel Group.

Caved-S[®]

Deglycyrrhizinated Liquorice, Bism.Subnit.
Alum.Hydrox., Mag.Carb., Sod.Bic., Frangula.

heals peptic ulcers

EFFECTIVELY

AND

ECONOMICALLY

Full prescribing information on request from
TILLOTTS LABORATORIES, Hemlow Trading Estate, Hemlow, Beds.

Reduced Subscription Rates to BMA Specialist Journals for Junior Hospital Doctors Residents and Interns...

BMA Specialist Journals are now available to junior doctors in all parts of the world for a maximum of four consecutive years at REDUCED Annual Subscription Rates. Thereafter, or when reaching consultant status, this special offer will no longer apply.

The following subscription rates apply for 1979:

	REDUCED RATE		Full Rate	
	Inland £	Abroad US\$	Inland £	Abroad US\$
<i>Published Monthly</i>				
Archives of Disease in Childhood.....	17.00	40.00	28.00	65.50
British Heart Journal.....				
British Journal of Ophthalmology.....				
Gut.....				
Journal of Neurology, Neurosurgery and Psychiatry				
Cardiovascular Research	18.00	36.00	30.00	60.00
Journal of Clinical Pathology.....	18.00	42.00	30.00	70.50
<i>Published six times a year</i>				
Annals of the Rheumatic Diseases	13.00	30.00	21.00	49.00
British Journal of Venereal Diseases				
Journal of Medical Genetics.....				
Thorax.....				
<i>Published Quarterly</i>				
British Journal of Industrial Medicine	9.00	19.00	14.00	32.00
Epidemiology and Community Health.....				

ORDER FORM

To: BMA Publications, BMA House, Tavistock Square,
London WC1H 9JR

Please enter my subscription to:

at the REDUCED RATE of: Inland £..... Abroad US\$.....

My remittance for is enclosed

NAME.....

ADDRESS.....

To be completed by Consultant

I hereby confirm that the above mentioned doctor is a member of the junior hospital staff/resident/intern at

..... Signed.....

STATISTICS AT SQUARE ONE

by T. D. V. SWINSCOW

from the British Medical Journal


The statistical testing of data is indispensable in many types of medical investigation and a help on countless occasions in clinical practice. This book provides step-by-step instruction. Subjects covered include standard deviation, χ^2 tests, t tests, non-parametric tests and correlation. Methods specially adapted to pocket calculators.

"The ability to put symbols in sequence may well be one of the greatest advances in man's development. . . . This excellent and attractive volume will give you an idea into which category an article or projected article fits. The ink you save may be your own. It is superb value."

O'Donnell, Barry, *British Medical Journal*, 1977, 1, 451.

"... this gem of a practical booklet squeezes the essence of biostatistics into 75 well-written, well-organized pages. Newcomers to the field will like the way obscure concepts are clarified; experts will find the book valuable as a teaching aid."

de Jong, Rudolph H., *J.A.M.A.*, 1977, 237, 1874



Fourth edition

Now available

**PRICE: Inland £2.00
Overseas US\$5.00**

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

ORDER YOUR COPY NOW

**From: The Publisher,
British Medical Journal,
BMA House,
Tavistock Square,
London WC1H 9JR**

or through any leading bookseller

Imodium

TRADE MARK

loperamide hydrochloride

made to
measure
treatment for
acute and
chronic
diarrhoea

*The tailored dosage means that
patients only take Imodium when
they need it with no interruption to normal routine.
Imodium is easy to take and convenient to carry.*

*Designed for the specific control of
diarrhoea, Imodium relieves pain and
abdominal cramps rapidly and effectively.*

Imodium
simply
stops diarrhoea fast.

Further information is available from :



Janssen Pharmaceutica
2340 Beerse, Belgium

or from :

Janssen Pharmaceutical Limited,
Janssen House, Marlow, Bucks.

PL 0242/0028 PL 0242/0040

The new antirheumatic from Geigy



VOLTAROL[®]

diclofenac sodium

bridges the gap between efficacy and tolerability

**The potent antirheumatic effect
and very good tolerability
of Voltarol have been confirmed**

- in over 90 countries throughout the world
- in over 10,000,000 patients
- in comparison with aspirin, indomethacin, ibuprofen, ketoprofen, naproxen and phenylbutazone
- in more than 15,000 patients in controlled clinical trials.

Presentation Tablets containing 25mg diclofenac sodium, circular, slightly biconvex with bevelled edges, yellow enteric coated, approximately 7mm diameter, imprinted Geigy on one side.

Mode of action Voltarol is a non-steroidal agent with marked analgesic/anti-inflammatory and antipyretic properties. Like most other drugs in this class, it is an inhibitor of prostaglandin synthetase.

Indications Rheumatoid arthritis, osteoarthritis.

Dosage Oral: In adults the initial dosage is 25-50mg 3 times daily, depending on the severity of the condition. Maintenance dose should be reduced to the minimum amount that will provide continuous therapeutic control, usually 1 x 25mg tablet three times daily.

Dosage in children has not yet been established.

The tablets should be swallowed whole, with a meal.

Contraindications Peptic ulcer.

Voltarol is contraindicated in asthmatic patients in whom attacks of asthma, urticaria or acute rhinitis are precipitated by aspirin or other non-steroidal anti-inflammatory agents with prostaglandin synthetase inhibiting activity.

Precautions Voltarol should not be prescribed during pregnancy, unless there are compelling reasons for doing so.

Patients with a history of peptic ulcer, haematemesis, or melaena, or with severe hepatic or renal insufficiency, should be kept under close surveillance.

Voltarol has been reported to depress

salicylate levels, and vice versa; the clinical relevance of this phenomenon is not yet clear.

Warnings & side-effects Initially, some patients may complain of epigastric pain, nausea and diarrhoea, headache and slight dizziness. These side-effects are often transient, disappearing with continuation of medication.

Occasionally skin rash, peripheral oedema and abnormalities of serum transaminases have been reported.

Very rarely peptic ulcer and haematemesis or melaena have been reported, mainly in patients with a history of such disorders, or who were receiving concomitant anti-rheumatic medication.

Accidental overdose There is no known antidote to Voltarol and the treatment is

symptomatic. Immediate treatment consists of forced emesis to recover undigested tablets.

Pharmaceutical precautions Storage - protect from moisture.

Legal Category Prescription only.

Package quantities Basic N.H.S. prices
Packs of 100. £9

Further information Pharmacodynamic studies have shown no potentiation of oral hypoglycaemic and anti-coagulant drugs.

Product Licence No. Tablets 25mg PL0001/0036

Product Licence Holder Geigy Pharmaceuticals, Macclesfield, Cheshire, SK10 2LY

