



Saab 900 5 door Turbo



Saab 900 5 door GLE



Saab 900 3 door EMS



Saab 900 5 door GLs

**SAAB
900**

Born to Lead

For further information see your local dealer or contact
Saab (GB) Ltd, Saab House, Marlow, Bucks. Phone Marlow (06284) 6977.

ANNOUNCING "CARDIOREX"

A Truly Portable Single Channel Electrocardiograph

- * The product of the Latest Technology
- * High Efficiency * Safe and easy to Operate
- * Miniaturized Construction provides reduction in size and weight
- * Brochure and Leasing facilities available on request



Cardiacare Instruments (U.K.) Ltd.

48 HALL ROAD, ROMFORD, ESSEX RM8 4LJ
TEL: 01-597 5099 TELEX: 24224 REF: 2901

THE RETREAT, YORK for Psychiatric Illnesses

Founded in 1792 by the Quaker, William Tuke, who established the tradition of concern for patients as individuals, The Retreat is a 250-bedded private registered nursing home surrounded by extensive grounds on the outskirts of the historic City of York. It is easily reached by rail and motorways.

Care and treatment is offered for most types of psychiatric illness on the short or long term in a sympathetic and friendly atmosphere. Patients suffering from neuroses, psychoses, alcoholism and dementia are treated in surroundings suitable for their individual needs.

The Nursing Home is a registered charity and is able to offer inclusive care in shared accommodation from £13.85 per day or in single rooms at slightly increased charge. The Nursing Home is recognised by the main private patient schemes.

For further details apply to The Medical Director, The Retreat, York. YO1 5BN (Tel. 0904-54551).

May Publication

CURRENT APPROACHES TO OCCUPATIONAL MEDICINE

Edited by A. WARD GARDNER, M.D., F.F.O.M., D.I.H. with 22 contributors

380 pages, 5 illustrations U.K. net price £13.50
ISBN 0 7236 0514 9

Recently Published

A SYNOPSIS OF OCCUPATIONAL MEDICINE

F. H. TYRER, M.A., M.R.C.S., L.R.C.P., D.I.H.; and K. LEE, M.B., B.S., D.I.H.

192 pages U.K. net price £5.50
ISBN 0 7236 0513 0

Forthcoming

A MANUAL OF ADVERSE DRUG INTERACTIONS, 2nd Edition

J. P. GRIFFIN, B.Sc., Ph.D., M.B., B.S., L.R.C.P., M.R.C.S.; and P. F. D'ARCY, B.Pharm., Ph.D., D.Sc., F.P.S., F.R.I.C., M.P.S.N.I.

416 pages, 13 illustrations U.K. net price £9.00
ISBN 0 7236 0508 4

JOHN WRIGHT

44 Triangle West Bristol BS8 1EX

The combination of simple language and straightforward line drawings has made the

ABC OF OPHTHALMOLOGY

one of the most popular series of articles in the Medical Practice section of the British Medical Journal.


All the common problems are covered – visual defects, squints, glaucoma and cataracts – together with detailed instruction on examination, diagnosis and management.


The articles have now been collected into book form – in exactly the same format as they appeared in the BMJ – priced at: Inland £2.50; overseas US \$6.25 (Inland £2.00; overseas US \$5 for BMA members).

AVAILABLE NOW: ORDER YOUR COPY NOW
From: The Publisher, British Medical Journal, BMA House, Tavistock Square, London WC1H 9JR
or through any leading bookseller

ABC OF OPHTHALMOLOGY

ARTICLES FROM THE BRITISH MEDICAL JOURNAL





Migril stops it

Ergotamine Tartrate BP. Cyclizine Hydrochloride BP. Caffeine Hydrate BP.

Indication: For relief of the acute migraine attack. **Dosage:** Adults: Initial dose is 1 or 2 tablets swallowed at the first warning of an attack, followed by half or 1 tablet at half-hourly intervals if necessary, but not more than 4 tablets per attack. Not more than 6 tablets in any one week. Children: N/A. **Contra-indications:** As for ergotamine. Migril should not be used for prophylaxis. **Precautions:** Hypersensitivity rare. Coldness in extremities signifies drug should be withdrawn. Prolonged abuse may lead to chronic

ergotism. Cyclizine may cause drowsiness and patients should be cautioned accordingly. Alcohol should not be taken with Migril. **Presentation:** Each Migril® tablet contains ergotamine tartrate BP 2 mg, cyclizine hydrochloride BP 50 mg, caffeine hydrate BP 100 mg. Coloured white, scored, coded Wellcome A4A. Basic NHS cost: £1.08 for 10 tablets. PL 3/5114. Additional information is available on request.

Trade Mark

Wellcome Medical Division
The Wellcome Foundation Ltd.
Crewe, Cheshire



Wellcome


RESEARCH IS OUR ONLY SHAREHOLDER

Imodium

TRADE MARK

loperamide hydrochloride

made to
measure
treatment for
acute and
chronic
diarrhoea



*The tailored dosage means that
patients only take Imodium when
they need it with no interruption to normal routine.
Imodium is easy to take and convenient to carry.*

*Designed for the specific control of
diarrhoea, Imodium relieves pain and
abdominal cramps rapidly and effectively.*

Imodium
simply
stops diarrhoea fast.

Further information is available from :



Janssen Pharmaceutica
2340 Beerse, Belgium

or from :

Janssen Pharmaceutical Limited,
Janssen House, Marlow, Bucks.

PL 0242/0028 PL 0242/0040

The new antirheumatic from Geigy



VOLTAROL®

diclofenac sodium

**bridges the gap
between efficacy and tolerability**

**The potent antirheumatic effect
and very good tolerability
of Voltarol have been confirmed**

- **in over 90 countries throughout the world**
- **in over 10,000,000 patients**
- **in comparison with aspirin, indomethacin, ibuprofen, ketoprofen, naproxen and phenylbutazone**
- **in more than 15,000 patients in controlled clinical trials.**

Presentation Tablets containing 25mg diclofenac sodium, circular, slightly biconvex with bevelled edges, yellow enteric coated, approximately 7mm diameter, imprinted Geigy on one side.

Mode of action Voltarol is a non-steroidal agent with marked analgesic/anti-inflammatory and antipyretic properties. Like most other drugs in this class, it is an inhibitor of prostaglandin synthetase.

Indications Rheumatoid arthritis, osteoarthritis

Dosage Oral. In adults the initial dosage is 25-50mg 3 times daily, depending on the severity of the condition. Maintenance dose should be reduced to the minimum amount that will provide continuous therapeutic control, usually 1 x 25mg tablet three times daily.

Dosage in children has not yet been established.

The tablets should be swallowed whole, with a meal.

Contraindications Peptic ulcer.

Voltarol is contraindicated in asthmatic patients in whom attacks of asthma, urticaria or acute rhinitis are precipitated by aspirin or other non-steroidal anti-inflammatory agents with prostaglandin synthetase inhibiting activity.

Precautions Voltarol should not be prescribed during pregnancy, unless there are compelling reasons for doing so.

Patients with a history of peptic ulcer, haematemesis, or melena, or with severe hepatic or renal insufficiency, should be kept under close surveillance.

Voltarol has been reported to depress

salicylate levels, and vice versa, the clinical relevance of this phenomenon is not yet clear.

Warnings & side-effects Initially, some patients may complain of epigastric pain, nausea and diarrhoea, headache and slight dizziness. These side-effects are often transient, disappearing with continuation of medication.

Occasionally skin rash, peripheral oedema and abnormalities of serum transaminases have been reported.

Very rarely peptic ulcer and haematemesis or melena have been reported, mainly in patients with a history of such disorders, or who were receiving concomitant anti-rheumatic medication.

Accidental overdosage There is no known antidote to Voltarol and the treatment is

symptomatic. Immediate treatment consists of forced emesis to recover undigested tablets.

Pharmaceutical precautions Storage - protect from moisture.

Legal Category Prescription only.

Package quantities Basic N.H.S. prices
Packs of 100 £9

Further information Pharmacodynamic studies have shown no potentiation of oral hypoglycaemic and anti-coagulant drugs.

Product Licence No. Tablets 25mg PL0001/0036

Product Licence Holder Geigy Pharmaceuticals, Macclesfield, Cheshire, SK10 2LY

