

A resting state of the ovaries may be suspected in women who (a) fail to develop fully at puberty, or (b) regress physically after delivery. The ovaries can be grossly stimulated by injections of the equine gonadotrophin

G E S T Y L

either by persistent intramuscular injection; at daily or short intervals of 400 i.u., or by single or divided intravenous injection, at cyclic intervals, of 400 to 1000 i.u.



Such stimulation, though not always followed by overt cyclic hæmorrhages, should be adequate to direct the physical trend toward normality.



ORGANON

BRETENHAM HOUSE, LONDON, W.C.2.


TELEPHONE: TEMPLE BAR 6785 • TELEGRAMS: MENFORMON, RAND. LONDON

INFRA RED + RADIANT HEAT The PIRA THERMIX

The IDEAL Equipment for Surgery and Ward. Infra Red Element of 600 watt loading and Radiant Heat Lamp in Metal Localiser.

The two ray-sources can be used separately or combined.

No cumbersome exchange of elements.



Price
16 gns.
Prompt
Delivery

Please ask for illustrated leaflet (enclosing 1d. stamp to comply with paper regulations)

**THE SPECIALISTS FOR ULTRA VIOLET
AND INFRA RED EQUIPMENT**

PERIHEL LTD. 17-19, Edge Street
London, W.8

Telephone: PARK 7870

INSOMNIA?

"ISOBROM"
indicated!

A Non-toxic Mild Hypnotic and Sedative containing 5 grs. Bromisovalerylurea per tablet

Bromisovalerylurea is a non-toxic mild hypnotic and sedative. Its activity and effect is mid-way between that of the Barbiturates on one hand and the Bromides and Valerian on the other. In therapeutic dosage ISOBROM Tablets may be administered for any length of time without producing either secondary or after-effects. Not habit forming, cause no "bromism," have no cumulative effect. Well tolerated even by children and infants.

INDICATIONS

Insomnia caused by functional nervous disorders, mental strain, fatigue or worry (less effective in insomnia caused by pain), Neurosis, Neurasthenia, Hysteria, Dysmenorrhoea, Nausea and Vomiting during pregnancy, Senile Pruritus, Sea Sickness, etc. Nervous Conditions in children.

ACTION

Induces sleep in from 5-25 minutes from ingestion. Effect lasts from 4-5 hours and is usually followed by natural sleep. In Bottles containing 25 and 100 tablets. Dispensing Pack: 250 tablets.

Clinical samples and literature on request

CLINICAL PRODUCTS LTD.
RICHMOND, SURREY