BRITISH MEDICAL JOURNAL **9 SEPTEMBER 1978** ADVERTISEMENT

STATISTICS by T. D. V. SWINSCOW AT SOUARE ONE


from the British Medical Journal

The statistical testing of data is indispensable in many types of medical investigation and a help on countless occasions in clinical practice. This book provides step-by-step instruction. Subjects covered include standard deviation, χ^2 tests, t tests, non-parametric tests and correlation. Methods specially adapted to pocket calculators.

"The ability to put symbols in sequence may well be one of the greatest advances in man's development.... This excellent and attractive volume will give you an idea into which category an article or projected article fits. The ink you save may be your own. It is superb value."

O'Donnell, Barry, British Medical Journal, 1977, 1, 451.

". . . this gem of a practical booklet squeezes the essence of biostatistics into 75 well-written, wellorganized pages. Newcomers to the field will like the way obscure concepts are clarified; experts will find the book valuable as a teaching aid." de Jong, Rudolph H., J.A.M.A., 1977, 237, 1874



Third edition Revised Now available

PRICE: Inland £2.00 Overseas US\$5.00

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

ORDER YOUR COPY NOW

From: The Publisher, British Medical Journal, BMA House, Tavistock Square, London WC1H 9JR

or through any leading bookseller

PORTABLE ELECTROCARDIOGRAPHS

- * 1, 2, 3 or 6 Channels
- * Portable Monitors
- * C.C.U.-I.C.U. (Package)
- * Export & After Sales Service
- * Demonstrations & Brochures on request



Cardiacare Instruments (U.K.) Ltd.

49 HALL ROAD, ROMFORD, ESSEX RM6 4LJ TEL:01-597 5099 TELEX:24224 REF:2901

ADVERTISEMENTS

PHARMACEUTICAL PRODUCTS

Readers are reminded that prescribers' literature and clinical information are always available from advertisers on request.

Caved-S

heals peptic ulcers

EFFECTIVELY

AND

ECONOMICALLY

Full prescribing information on request from TILLOTTS LABORATORIES, Henlow Trading Estate, Henlow, Beds.

ABBREVIATIONS IN MEDICINE
By Edwin B. Steen
1978 · 4th edition · 136pp · Limp.

PULMONARY TUBERCULOSIS A Journey down the Centuries By Robert Young Keers 1978 · 265pp.

MEDICAL ACID-BASE BALANCE: The Basic Principles By Michael L. G. Gardner 1978 · 125pp · 37 illus · Limp.

LOSS AND GRIEF IN MEDICINE
By Peter Speck

1978 · 176pp · Limp.

OBSTETRICS AND GYNAECOLOGY (Concise Medical Textbook) By R.W. Taylor and M. G. Brush 1978 · 256pp · 27 illus · Limp.

BAILLIÈRÈS MEDICAL TRANSPARENCIES THE BATTERED CHILD: Recognition in Primary Care BMT 20 and BMT 21

Available Autumn 1978.

Prices are available from the publisher. Details are subject to change without notice.

BAILLIÈRE TINDALL

35 Red Lion Square, London WC1R 4SG.

ii british medical journal 9 september 1978 advertisement



Prothiaden works beneath the disguises of depression

The disguises of depression and the patients brave face may fool everyone but his doctor. To a growing number of doctors the benefits of Prothiaden are also obvious. In trials, Prothiaden has shown superiority to amitriptyline and with less side effects. 12.3

Unlike tranquillisers which merely act against anxiety and may mask a dangerously deepening depression, Prothiaden also treats the underlying illness.

Now a leading antidepressant, Prothiaden provides

prompt response and early improvement in patterns of sleep. The 75mg tablet, employed in a simple evening dosage regimen, gives complete 24 hour therapeutic cover—with minimal risk of daytime drowsiness.

References

l. Rees, J.A. & Cryer, P.C., Curr. Med. Res. Opin., 1976, 4, 416.

2. Lambourn, J. & Rees, J.A., J. Int. Med. Res., 1974, 2, 210.

3 Lipsedge, M.S., Linford Rees, W. & Pike, D.J., Psychopharmacologia (Berl.) 1971. 19, 153.

Prothiaden 75mg

a simple, evening dosage regimen treats the underlying depressive illness.

Abbreviated Prescribing Information

Presentation Prothiaden is dothiepin hydrochloride, an anti depressant of the tricylic group. It is available as 25 mg capsules and 75 mg tablets.

Dosage Prothiaden should be given in a dosage of 75 to 150 mg daily, based on response and severity. This may be taken as a single evening dose. In certain circumstances, i.e. in hospital use, Prothiaden has been given in dosages up to 225 mg daily.

Precautions and Contra-indications Prothiaden has anticholinergic properties; therefore, it may precipitate urinary retention in susceptible individuals and its use should be avoided in patients with existing or potential urinary retention. Prothiaden should not be used in patients with closed-angle glaucoma. Caution is advised when treating epileptic patients and those with cardiovascular disorders. Prothiaden should not be used with MAO inhibitors. **Side Effects** These are usually mild and normally controlled by reducing the dosage. The following have been reported: dryness of mouth, constipation, disturbed accommodation, orthostatic hypotension, palpitations, somnolence, tremor, headache.

Basic NHS Cost 100 x 75 mg £4.52

Product Licence Numbers PL0096/5007, PL0096/0046



Full information is available on request.

The Crookes Laboratories Ltd., Basingstoke, Hants.

SHIPPING

MORTGAGES

Emigrating? John Mason 127 HIGH ST., LIVERPOOL 15. Ask the telephone operator for FREEFONE 697

I.C. ROBERTS SHIPPING LTD. B.A.R. Members: No visits, no estimates, but immediate firm telephone prices per cubic foot for 48-hr collection, casing, insurance and delivery anywhere, effects and cars. Portsmouth 812815.

WORLD WIDE OVERSEAS REMOVALS. Free estimates given for packing and shipment on all household effects. Cars and owner-packed consignments also handled. Full insurance facilities. Harrison Lennon & Hoy, 147 Masons Hill, Bromley, Kent BR2 9HY. Tel: 01-460 8535.

DISCOUNT HOUSES



SEWCRAFT SEWING MACHINES

Mail order throughout British Isles Send for our colour catalogue now to Dept BMA at our Thames St brainfor phone for Disk 1958 and 1954 3891 or 01-546 3891 or 01-546 5454.

HAMMERSMITH: 150 King St., London, W.6. 34 Thames St., Kingston-Mon-Sat 9 am-5 30 pm Half day Thus Mon-Sat 9 am-5 30 pm Half day Thus

B.M.A. GARAGE Legisital and Ford Dealers
CONTRACT LEASING AVAILABLE

Low capital outlay with tax

relief. Phone for details.

.....Blue

G.J. SHAFFER & CO. LTD., BMA HOUSE TAVISTOCK SQUARE, WC1 01-387 6687 168

SAVE MONEY BUY TAX FREE CARS

Buying and shipping tax-free cars either after temporary use in Europe or not, is a complex business. Why not leave it to the Specialists All you have to do is inform us which car you want, where and when – and let us do the rest. For details please contact:

or details please contact:

KAMAL MOTORS LIMITED

Automobile Exporters

8 Bernard Street, London WC1N 1LJ

Tel: 01-837 7465

Nearest Underground Station:
Russell Square. (16

PEUGEOT

Overseas Sales CODAP (M & S) LTD. Distributor for N.W. 22 Rochdale Rd. Manchester 061 833 0752

168

TAX FREE CARS all continental & Japanese makes for use here and then export or direct shipping. Insurance arranged. Ahmad Automobiles. 33 Charles Street. London WI. Offices open Mon-Sat 9am to 6pm. Tel: 01-493 5197/8388, 01-499 5197.

All branches have a comprehensive range of showroom space in London. Is devoted in the first of All leading brands We can positively offer and probably a better selection price. Carpet fitting available Delivery throughout UK Hours: Mon. to Fri. 9.00 - 5.30 Sat. 9.00 - 5.00 (London only) BRANCHES CLOSE SATURDAYS at 12.30 pm Orders by post or phone accepted or write for introductory brochure to Dept.BMJ Dodson Bull Choose with confidence Established 1961 Assets exceed E600.000 Barbican Furnishing Centre (Opposite Barbican Underground Stn.) 100 Aldersgate Street, London EC2Y 8AE — Telephone 01 628 7020 ABERDEEN: 11 Exchange St., AB1 2NH. Tel: 54055/6 BIRMINGHAM: 164 Edmund St., B3 2HB. Tel: 021-236 5862 BIRMINGHAM: 164 Edmund St., B3 2HB. Tel: 021-236 5862 BOURNEMOUTH: 268 Old Christchurch Rd., BH1 1PH. Tel: 21248 BRIGHTON: 2. 5 North Road, BN1 1YA. Tel: 606402 BRISTOL: 2-3 Royal London Hse.. Queen Charlotte St., BS1 4EX. Tel: 28857 EXETER: 157 Fore St., EX4 3AT. Tel: 32019 FALMOUTH: 35 Killigrew St., TR11 3PW. Tel: 313555 GLASGOW: 166 Howard St., G1 4HA. Tel: 041-221 3278 IPSWICH: 116-118 St. Helens St., IP4 2LE. Tel: Ipswich 210268/9 LEEDS: 12 Great George St., LS1 3DW. Tel: 41451 MANCHESTER: 55-61 Lever St., M1 1DE. Tel: 061-236 3687/8/9 NEWCASTLE-upon-TYNE: 90-92 Pilgrim St., NE1 6SG. Tel: 20321/21428 WESTCLIFF-on-SEA: 495 London Rd., SS0 9LG. Tel: Southend 46569

NOTICE TO ADVERTISERS **Display Advertisements**

Applications for advertisement space and for rates should be addressed to the Advertisement Manager, *British Medical Journal*, B.M.A. House, Tavistock Square, London WC1H 9JR. 01-387 4499. Telegrams: Aitiology, London WC1. Telex 265929.

Classified Advertisements

Please write advertisements and name and address clearly in BLOCK CAPITALS and send to the Advertisement Manager, British Medical Journal, B.M.A. House, Tavistock Square, London WC1H 9JR. For immediate insertion please enclose cheque in payment and state whether member or non-member. Classified rates for Doctors' adver-

tisements are as follows:

MEMBERS RATE: Minimum charge £2.00 for eighteen words. additional words at the rate of 50p for each six or less. Name and address count word for word. A Box Number counts as three words, and an additional charge of 40p is made for sorting and forwarding Box

Number replies.

NON-MEMBERS RATE: Minimum charge £3.30 for eighteen words, additional words at the rate of £1.10 for each six or less. Name and address count word for word. A Box Number counts as three words, and an additional charge of 40p is made for sorting and forwarding Box Number replies.

APPOINTMENTS: EDUCATIONAL: NOTICES AND HOMES: Minimum charge £2.88 for four lines and 72p for each additional line. Box Number address counts as one line, and 40p to be added for postage of replies

GENERAL AND COMMERCIAL (TRADE): Personal: Accommodation: Nursing: Consulting Rooms: Houses and Property: Travel: Hotels: Nursing: Medical and Secretarial Agencies: Commercial. Minimum charge £3.60 for 18 words including name and address and telephone number. Each additional six words or less £1.20. Box No's count as three words. Advertisers using a box number should add 40p for postage replies.

Semi-Display Advertisements

£5.50 per single column cm and pro rata. Full page £550. Half page £275. **Mechanical Data:** Classified: col. length 25.7cm, single col. width 4.4cm, double col. width 9.3cm, 3 col. width 14.2cm, full page width 19.1cm. Minimum depth of semi-display advertisements is three single column centimetres. Complete artwork required for s.c. semidisplay advertisements. Printed offset litho.

All classified advertisements, subject to approval, will appear in the forthcoming issue provided they reach this office not later than 10a.m. on the Friday of the week preceding date of issue. Semi-display advertisements must reach this office by 10a.m. on the Tuesday of the week preceding date of issue.

Cancellation and corrections of advertisements must be received before 12 noon on the Friday of the week preceding date of issue (issues affected by public believes affected by public believes affected by public lateral than 10a.m.

holidays excepted).

It is requested that when stamped addressed envelopes are enclosed in response

to advertisements advertisers will ensure that a reply is sent.

Every effort is made to ensure the accuracy of advertisements appearing in the Journal. No recommendation is implied by acceptance, and the Editor of the British Medical Journal reserves the right to refuse, discontinue or interrupt the intention of any other parts. insertion of any advertisement.

NOTICE TO READERS

REPLIES TO BOX NUMBERS. The names and addresses of advertisers under box numbers are held by us in strict confidence and cannot be disclosed. Each Box Number should be addressed separately. Two or more replies can be enclosed in one envelope. The replies will be forwarded to the advertisers in plain envelopes.

NOTICE TO SUBSCRIBERS

United Kingdom and Irish Republic Edition. The annual subscription rates for members of the medical profession who are not members of the B.M.A. is £40.00. Subscriptions can be ordered direct from the Subscription Manager, British Medical Journal, B.M.A. House, Tavistock Square, London WC1H 9JR, or through any leading subscription agent or bookseller.

Overseas Edition (not containing classified advertisements). The rate for nonmembers is US\$56.00 or the equivalent in local currencies, direct from the Subscription Manager. Orders can also be placed through[any] leading subscription agent or bookseller. Readers in the U.S.A. can send their subscription order with or without payment to: British Medical Journal, 1172 Commonwealth Avenue, Boston, Mass. 02134.

Single Copies of issues published in the current year cost 80p in the United Kingdom and Irish Republic and US\$2.00 overseas. Back number prices on application to the Subscription Manager.





Angina doesn't affect the brain, liver or lungs but some non-selective beta-blockers may. Prescribe once daily 'Tenormin' and concentrate your attack on angina where it is most needed: the heart.

Tenormin' appears to be the most cardioselective beta-blocker available.1 It is at least as effective as other blockers but is less likely to upset hepatic carbohydrate metabolism, precipitate bronchospasm or produce unwanted central nervous effects.

One tablet, Once daily.

Contraindications & Side Effects:

'Tenormin' is contraindicated in patients with 2nd degree or
3rd degree heart block. Side effects attributable to its pharmacological actions include cold extremities, muscular fatigue and, in isolated cases, bradycardia. Sleep disturbances of the type noted with other beta-blockers have rarely been reported.



Further information is available on request to the company.

Stuart Pharmaceuticals Limited Carr House, Carrs Road, Cheadle, Cheshire SK8 2EG

Product Licence No. PL 0029/0122 Basic NHS cost £6.46 per 28 day Calendar Pack.

'Tenormin' is a trade mark for atenolol. Each tablet contains 100mgs atenolol.

Reference:

1. Decalmer, P. B. S. et al 1977, Acta Therapeutica, 3, 99.