

Imodium

TRADE MARK

loperamide hydrochloride

made to
measure
treatment for
acute and
chronic
diarrhoea

*The tailored dosage means that
patients only take Imodium when
they need it with no interruption to normal routine.
Imodium is easy to take and convenient to carry.*

*Designed for the specific control of
diarrhoea, Imodium relieves pain and
abdominal cramps rapidly and effectively.*

Further information is available from :



Janssen Pharmaceutica
2340 Beerse, Belgium

Imodium
simply
stops diarrhoea fast.

or from :

Janssen Pharmaceutical Limited,
Janssen House, Marlow, Bucks.

PL 0242/0028 PL 0242/0040


WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Archives of Disease in Childhood, British Heart Journal, British Journal of Ophthalmology, Gut, Journal of Clinical Pathology & Journal of Neurology, Neurosurgery & Psychiatry.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR
TELEPHONE 01-387 4499 EXT. 309.

CAMBRIDGE T5A PORTABLE ELECTROCARDIOGRAPH

- * 1, & 3 Channels
- * Portable Monitors
- * C.C.U.-I.C.U. (Package)
- * Export & After Sales Service
- * Demonstrations & Brochures on request



Cardiacare Instruments (U.K.) Ltd.

49 HALL ROAD, ROMFORD, ESSEX RM8 4LJ
TEL: 01-597 5099 TELEX: 24224 REF: 2901

ADVERTISEMENTS

PHARMACEUTICAL PRODUCTS

Readers are reminded that prescribers' literature and clinical information are always available from advertisers on request.

An Ideal Prescription for Rising Motoring Costs!

Don't tie up your Capital - Lease your Car from FORWARD MOTORS

Leasing is today's sensible way to beat the ever-increasing cost of buying and running your car.

● LOOK AT THE BENEFITS LEASING CAN OFFER!

- (1) Your hard earned capital is preserved—no initial outlay required.
- (2) You can gain considerable tax advantages.
- (3) You can eliminate the expense of repairs and maintenance.
- (4) You can be guaranteed transport at all times.
- (5) You can release the capital invested in your present vehicle.
- (6) You have fixed cost motoring with simple accounting.

COMPARE THESE PRICES

	MONTH	WEEK
FIESTA'S	£63.53	£14.66
ESCORT POPULARS	£64.96	£14.99
CORTINAS	£75.36	£17.39
CAPRI'S	£92.39	£21.32
GRANADA'S	£126.51	£29.20
(V.A.T. excluded)		

Complete the coupon below for expert advice on vehicle leasing quotations given on any make of car. Or telephone: Harry McGuffog on SKELMERSDALE 23434 (extn. 48)

I/we should be pleased to receive all the facts and the many benefits vehicle leasing can offer.

Name BMJ

Position

Company

Address

Phone

FORWARD MOTOR LEASING LTD.

(A subsidiary of Skelmersdale Motors Ltd.)

Digmoor Rd, Digmoor,
Skelmersdale, Lancs, WN8 9LL
Tel: Skelmersdale 23434



**MAKE YOUR
NEXT MOVE FORWARD**

Published September 1978

Supplement to BRITISH HEART JOURNAL

PREVENTION OF ARRHYTHMIAS

The Proceedings of a Symposium held at Freeman Hospital, Newcastle upon Tyne, on 12 and 13 September 1977, arranged by Professor D G Julian

Contents

Foreword *Dennis Krikler*

Anatomy of conducting tissues revisited *Robert H Anderson and Anton E Becker*

Effects of cardiac denervation on cardiac arrhythmias and electrophysiology *Donald C Harrison, Jay W Mason, John S Schroeder and Edward B Stinson*

Ventricular arrest: a possible mechanism of sudden death *Jan Pool, Anja Roodenburg, Boy Glaser and Jacobus Lubsen*

Catecholamine-induced severe ventricular arrhythmias with Adams-Stokes syndrome in children: report of four cases *Philippe Coumel, Jean Fidelle, Vincent Lucet, Patrick Attuel and Yves Bouvrain*

Surgical treatment of ventricular tachycardia *R A J Spurrell and A J Camm*

Electrophysiology of early ventricular arrhythmias in acute myocardial ischaemia in the pig's heart *Michiel J Janse, André G Kléber, Juan Cinca and Dirk Durrer*

Some factors that influence the activity of antiarrhythmic drugs *E M Vaughan Williams*

Adrenergic influences on arrhythmias due to coronary occlusion and reperfusion *Peter B Corr, Patricia A Penkoske and Burton E Sobel*

Electrophysiological basis for the contrasting prophylactic efficacy of acute and prolonged beta-blockade *A E G Raine and E M Vaughan Williams*

Management in hospital of ventricular fibrillation complicating acute myocardial infarction *K I Lie, K L Liem, and D Durrer*

Clinical pharmacology and antiarrhythmic actions of tocainide *Donald C Harrison, Peter J Meffin, and Roger A Winkle*

Tribulations in trials: experience gained from Nottingham study of beta-adrenergic blockade in acute myocardial infarction *J R A Mitchell*

Review of the present status of drug treatment for preventing sudden death *R R H Lovell*

PRICE: Inland £1.25; Abroad U.S. \$3.50, including postage

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

ORDER FROM: The Publisher, BRITISH HEART JOURNAL,
BMA House, Tavistock Square, London WC1H 9JR



successful scriptwriting

SEPTRIN* — for success 9 times out of 10.

Worldwide clinical studies, involving over 7800 patients with acute and chronic lower respiratory infections, have shown that 91% were successfully treated with SEPTRIN.¹

SEPTRIN is effective against all the major pathogens, including *H. influenzae* and *Strep. pneumoniae*.

¹Data on file.

PRESCRIBING INFORMATION

Indications Bacterial infections of the lower respiratory, urinary and genital tracts, sinusitis, otitis media, skin infections, septicaemia, typhoid and paratyphoid fevers, and other infections caused by sensitive organisms. **Dosage** *Septin Forte Tablets*. Adults and children over 12 years: 1 twice daily. Maximum dosage for particularly severe infections: 1½ forte tablets twice daily. In acute infections *Septin* should be given for a minimum of 5 days. **Adverse Reactions** Occasionally, nausea, vomiting, glossitis and skin rashes may occur with normal doses and very rarely, haematological reactions. **Precautions** In cases of renal impairment a reduced dosage is indicated and an adequate urinary output should be maintained. Regular blood counts are necessary whenever long-term therapy is used. Caution is advised in patients with folate deficiency. Care should be taken when giving *Septin* to patients receiving oral anticoagulants of the coumarin group pyrimethamine or sulphonylureas. **Contra-indications** *Septin* is contra-indicated in patients with marked liver parenchymal damage, blood dyscrasias or severe renal insufficiency. *Septin* should not be given to patients hypersensitive to sulphonamides; should not be given during pregnancy or to neonates. **Presentation** *Septin Forte Tablets* each contain 160mg Trimethoprim BP and 800mg Sulphamethoxazole BP. Basic NHS cost: £1.34 for 10. PL 3/0121.

RESEARCH IS OUR ONLY SHAREHOLDER



Additional information is available on request.
Wellcome Medical Division
The Wellcome Foundation Ltd.
Crewe, Cheshire

SEPTRIN A FIRST CHOICE IN CHEST INFECTIONS

Just Published

TODAY'S TREATMENT/3

Diseases of the respiratory and urinary systems account for a high proportion of all consultations in general practice, justifying the 200 pages devoted to them in the third volume of Today's Treatment. The remaining section deals with the use of antibiotics across the whole spectrum of medicine, looking at the advantages and drawbacks of the major categories and their use in clinical settings where decision-making may be difficult. Like its predecessors, Today's Treatment/3 concentrates on practical issues and provides the busy clinician with the information he needs in his day to day practice.

Price: Inland £5.50;
Abroad US\$13.75

(Concessionary price to BMA members:

Inland £5.00; Abroad US\$12.50.

When ordering BMA members must quote their membership number or the full price will be applicable.)

Complete your collection of this series by ordering copies of Today's Treatment 1 and 2 at the combined reduced rate of Inland £6.00; Abroad US\$15.00 thereby saving 25% of the full price.

Order your copies now from

The Publisher,
BRITISH MEDICAL JOURNAL,
BMA House,
Tavistock Square,
London WC1H 9JR

or through any leading bookseller



Effective treatment of UTI with a new drug

Selective

'Very few lower gastrointestinal disorders occurred. This, in all probability, reflects its selective antibacterial activity which limits drug disturbance of the normal colonic and vaginal flora.'³

Effective

'In our clinical trials mecillinam achieved a cure-rate of over 90% at 2 weeks in patients with urinary-tract infections.'¹

The original bacterial strain in the urine was eradicated in 100% of the cases.'²

Low Toxicity

'Mecillinam has a novel mode of action but shares the penicillins' low toxicity.'⁴

...the data establish that pivmecillinam is a safe and potent drug in the treatment of urinary tract infection.'⁵

References

1. Brumfitt, W., and Hamilton-Miller, J.M.T., *Lancet*, i, 445, 1978.
2. Ekberg, M. et al., *Scand. J. Infect. Dis.*, **10**, 127, 1978.
3. Bresky, B., *J. Antimicrob. Chemother.*, **3**(Suppl. B), 121, 1977.
4. Geddes A.M. and Wise R., *J. Antimicrob. Chemother.*, **3**(Suppl. B), iii, 1977.
5. Verrier Jones, E.R. and Asscher, A.W., *J. Antimicrob. Chemother.*, **1**, 193, 1975.

SELEXID Prescribing Information Available as Selexid tablets and Suspension. Each tablet contains 200mg pivmecillinam hydrochloride; each unit-dose foil sachet of suspension contains 100mg pivmecillinam as white granules to be dissolved in a small quantity of water. Tablets and suspension should be taken with a meal. **Dose for Urinary Tract Infections:** Tablets and suspension: From 200mg 8 hourly - 400mg 6 hourly depending on severity. For children weighing less than 40kg: 20-40mg/kg bodyweight daily in 3-4 divided doses. **Contra-indications:** Penicillin or cephalosporin hypersensitivity. **Precautions/Adverse Reactions:** In accordance with normal practice Selexid should be avoided in the 1st trimester of pregnancy.

Dosage may need modification when renal function is impaired. Routine monitoring of liver and renal function advisable with prolonged therapy. Gastro-intestinal upset, rash, and anaphylaxis may occur. Full information is available on request. **Price:** £2.82 for a five day course.

Product Licence No.: 0043/0048.



LEO Leo Laboratories Limited, Hayes Gate House, Hayes, Middlesex

*Selexid is a trade mark