


# The WRIGHT Peak Flow Meter



The mini-  
WRIGHT  
Peak Flow  
Meter

## The WRIGHT combination for the measurement of P.E.F.

**The Wright Peak Flow Meter**, for the measurement of ventilatory function, was designed by Dr. B.M. Wright of the Medical Research Council. It provides a simple and rapidly performed test for the diagnosis and management of conditions such as asthma, chronic bronchitis and emphysema.

It can be used to distinguish reversible from irreversible airways obstruction, by measuring the Peak Expiratory Flow (P.E.F.) before and after the inhalation of bronchodilator drugs, and it has proved of particular value in the control of corticosteroid and cromoglycolate therapy for asthma.

**The mini-Wright Peak Flow Meter**, also designed by Dr. B.M. Wright, is intended to compliment the Wright Peak Flow Meter and to be an inexpensive and portable instrument for self monitoring by patients to provide information about their response to treatment.



For further information contact

**Clement Clarke International Ltd.**

15 Wigmore Street, London W1H 9LA, England.  
Telephone 01-580 8053 Telex 298626 Cables Clemclarke London

**AIRMED**



## JUST PUBLISHED

**LOCAL ANALGESIA**

By CLIVE JOLLY, M.B., B.S., M.R.C.S., L.R.C.P.D.A., F.F.A.R.C.S.  
SECOND EDITION 152 pages £5.00 net

**DAVEY & LIGHTBODY'S THE CONTROL OF DISEASE IN THE TROPICS**

Revised by T. H. DAVEY, O.B.E., M.D., D.T.M., and T. WILSON, C.B.E., M.D., D.Ph., D.T.M.  
FOURTH EDITION 452 pages £8.50 net

**ROXBURGH'S COMMON SKIN DISEASES**

By PETER BORRIE, M.A., M.D., F.R.C.P.  
FOURTEENTH EDITION 528 pages £7.50 net

**OPERATIVE SURGERY REVISION**

By JOHN J. SHIPMAN, M.S., F.R.C.S.  
Third Edition £5.00 net.

**SURGICAL DIAGNOSIS**

By GEORGE QVIST, F.R.C.S. £15.00 net.

**A SHORT TEXTBOOK OF GENERAL PRACTICE**

By DENIS CRADDOCK, M.D., F.R.C.G.P. £12.50 net.

**COMMUNITY HEALTH AND SOCIAL SERVICES**

(Formerly The New Public Health)

By FRED GRUNDY, M.D., M.R.C.P., D.P.H. and  
PETER GRUNDY, M.B., Ch.B., D.P.M. £6.50 net.

**A SYNOPSIS OF PHYSICAL SIGNS IN MEDICINE**

By H. FULD, M.D., F.R.C.P.Ed. £6.00 net

**GYNAECOLOGICAL AND OBSTETRICAL ANATOMY**

By C. F. V. SMOUT, F. JACOBY and E. W. LILLIE.  
Fourth Edition. £7.00 net.

**BAILEY AND LOVE'S SHORT PRACTICE OF SURGERY**

Revised by A. J. HARDING RAINS, M.S., F.R.C.S. and H. DAVID RITCHIE, M.A., Ch.M.,  
F.R.C.S.

SEVENTEENTH EDITION 1352 pages 1531 illustrations £18.50 net

**1001 MULTIPLE CHOICE QUESTIONS AND ANSWERS IN SURGERY**

*(Based on Bailey and Love's Short Practice of Surgery)*

By A. J. HARDING RAINS, M.S., F.R.C.S.

232 pages £4.00 net

**CONTROL OF COMMUNICABLE DISEASES IN MAN**

*(An Official Report of the American Public Health Association)*

Edited by A. S. BENENSON

TWELFTH EDITION 440 pages £4.50 net

**HANDBOOK OF SCHOOL HEALTH**

Medical Officers of Schools Association FIFTEENTH EDITION £3.20 net

**CLINICAL RADIOLOGY OF THE EAR, NOSE AND THROAT**

By ERIC SAMUEL, C.B.E., and GLYN A. S. LLOYD

280 pages 330 illustrations £15.00 net

H. K. LEWIS & CO. LTD.

136 GOWER STREET, LONDON WC1E 6BS

Telephone: 01-387 4282

# *Just published* EPIDEMIOLOGY FOR THE UNINITIATED

Do you know the difference between the incidence of a disease and its prevalence? How to set up a valid controlled trial? How to plan and conduct a survey? Many doctors would like to carry out some simple clinical research but find they lack basic information of this kind. The answers were published in 1978-79 in a series of BMJ articles, now collected together in book form—essential reading for anyone contemplating starting a research study.

Price: Inland £2.50;  
Abroad US\$6.25

(Concessionary price to BMA members: Inland £2.00;  
Abroad US\$5.00.


When ordering BMA members must quote their membership number or the full price will be applicable.)

**Payment must be enclosed with order** or a surcharge of 30p will be made for rendering invoices and statements.

**Order your copy now**  
From: The Publisher  
British Medical Journal  
BMA House  
Tavistock Square  
London WC1H 9JR  
*or any leading bookseller*

## EPIDEMIOLOGY FOR THE UNINITIATED

GEOFFREY ROSE D J P BARKER



## New books and new editions

### The Normal Child

Some problems of the early years and their treatment

*Ronald S. Illingworth*

1979 Seventh edition 368 pages illustrated  
hardback £9.00

'... the best book of its kind ... the advice given is uniformly sensible and backed by an obvious wealth of experience ...'

*Journal of the Royal College of General Practitioners*

### Stress in Hospital

Patients' psychological reactions to illness and health care

*Jenifer Wilson-Barnett*

1979 136 pages paperback £3.50

Detailed study of the effects of psychological factors on physical recovery. Critically reviews literature and research in the field of stress and presents evidence that stressful events are related to health deterioration.

### Human Nutrition and Dietetics

*Sir Stanley Davidson, Reg Passmore, John F. Brock and A. Stewart Trusswell*

1979 Seventh edition 656 pages illustrated  
hardback £19.50/paperback £14.00

A scientific approach to nutrition. Thoroughly revised and updated for this edition.

### Notebook of Medical Physiology: Cardiopulmonary

With aspects of clinical measurement and monitoring

*Ross Wilson Hawker*

1979 304 pages paperback £5.95

Revision exercise for students preparing for examinations in medical/surgical science.

Scheduled for November

### Pathology of the Liver

*Edited by R. N. M. MacSween, P. P. Anthony and P. J. Scheuer*

1979 464 pages 357 half-tone + 15 line illustrations  
hardback £27.00

Major new book — covers the entire subject in great detail — written by widely experienced workers in the field.

# Churchill Livingstone

Robert Stevenson House, 1-3 Baxter's Place, Leith Walk, Edinburgh EH1 3AF



## ST. ANDREW'S HOSPITAL NORTHAMPTON

### EATING DISORDER UNIT

St. Andrew's Hospital's range of specialised treatment facilities is being extended to include specific nursing, medical and rehabilitative programmes for patients with eating disorders. The majority of patients will have anorexia nervosa type difficulties. Treatment orientation is psychotherapeutic although initial firm control over eating behaviour and realignment of body weight will be necessary. The Unit, which will form part of the admission area, will be run by staff with specialised training.

For further details apply to The Medical Director,  
St. Andrew's Hospital, Northampton, NN1 5DG.  
Telephone (0604) 21311.

## PUVA *is now available for private patients at*

PSORIASIS UVA (Medical Referrals Only) Ltd.,  
2 HARMONT HOUSE,  
20 HARLEY STREET, London W.1.

Telephone 01-580 0875

*For details please contact  
the Physician-in-Charge.*

## ADVERTISEMENTS

### PHARMACEUTICAL PRODUCTS

Readers are reminded that prescribers' literature and clinical information are always available from advertisers on request.

The combination of  
simple language and straightforward  
line drawings has made the

# ABC OF OPHTHALMOLOGY


one of the most popular series  
of articles in the Medical Practice section  
of the British Medical Journal.

All the common problems are covered -  
visual defects, squints, glaucoma and  
cataracts - together with detailed  
instruction on examination, diagnosis  
and management.

The articles  
have now been  
collected into book  
form - in exactly  
the same format  
as they appeared in  
the BMJ -  
price: Inland £2.50;  
Overseas US\$6.25  
(Inland £2.00;  
Overseas US\$5.00  
for BMA members).


## AVAILABLE NOW

**Order your copy now**  
From: The Publisher,  
British Medical Journal,  
BMA House,  
Tavistock Square,  
London WC1H 9JR  
*or any leading bookseller*




# the fungicidal breakthrough


Scanning Electron Microscopic photographs of *Candida albicans* before and after treatment with miconazole.



1. Untreated cells appear as isolated yeast forms in an oval shape and with a smooth surface showing the formation of polar buds (pb).



2. Upon exposure to a fungistatic dose ( $10^{-7}$ M) of miconazole the cells tend to cluster. Budding becomes disorganized with visible budding scars (bs) that are randomly distributed over the surface of the cells.



3. Treatment with a fungicidal dose of miconazole causes the cell wall (cw) to burst. Vesicles of cytoplasm disintegrate and adhere to the surface of yet unbroken cells (cpr). (The interior of the cells is completely lytic).



*the standard fungicidal treatment*

## Daktarin

miconazole nitrate 2 % w/w

*highly effective  
in all fungal infections*

further information available on request from :



**Janssen Pharmaceutica**  
2340 Beerse, Belgium.

or from :  
Janssen Pharmaceutical Ltd.  
Janssen House, Marlow, Bucks.  
PL/0242/0016, 17, 47, 48, 52


Trade Marks : Brentan in Denmark and Spain, Daktar in Germany, Daktarin in all other countries.

**WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES**

Archives of Disease in Childhood, British Heart Journal, British Journal of Ophthalmology, Gut, Journal of Clinical Pathology & Journal of Neurology, Neurosurgery & Psychiatry.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR  
TELEPHONE 01-387 4499 EXT. 309.

# The new antirheumatic from Geigy



**bridges the gap  
between efficacy and tolerability**

**The potent antirheumatic effect  
and very good tolerability  
of Voltarol have been confirmed**

- in over 90 countries throughout the world
- in over 10,000,000 patients
- in comparison with aspirin, indomethacin, ibuprofen, ketoprofen, naproxen and phenylbutazone
- in more than 15,000 patients in controlled clinical trials.

**Presentation** Tablets containing 25mg diclofenac sodium, circular, slightly biconvex with bevelled edges, yellow enteric coated, approximately 7mm diameter, imprinted Geigy on one side.

**Mode of action** Voltarol is a non-steroidal agent with marked analgesic/anti-inflammatory and antipyretic properties. Like most other drugs in this class, it is an inhibitor of prostaglandin synthetase.

**Indications** Rheumatoid arthritis, osteoarthritis.

**Dosage** Oral: In adults the initial dosage is 25-50mg 3 times daily, depending on the severity of the condition. Maintenance dose should be reduced to the minimum amount that will provide continuous therapeutic control, usually 1 x 25mg tablet three times daily.

Dosage in children has not yet been established.

The tablets should be swallowed whole, with a meal.

**Contraindications** Peptic ulcer.

Voltarol is contraindicated in asthmatic patients in whom attacks of asthma, urticaria or acute rhinitis are precipitated by aspirin or other non-steroidal anti-inflammatory agents with prostaglandin synthetase inhibiting activity.

**Precautions** Voltarol should not be prescribed during pregnancy, unless there are compelling reasons for doing so.

Patients with a history of peptic ulcer, haematemesis, or melaena, or with severe hepatic or renal insufficiency, should be kept under close surveillance.

Voltarol has been reported to depress

salicylate levels, and vice versa; the clinical relevance of this phenomenon is not yet clear.

**Warnings & side-effects** Initially, some patients may complain of epigastric pain, nausea and diarrhoea, headache and slight dizziness. These side-effects are often transient, disappearing with continuation of medication.

Occasionally skin rash, peripheral oedema and abnormalities of serum transaminases have been reported.

Very rarely peptic ulcer and haematemesis or melaena have been reported, mainly in patients with a history of such disorders, or who were receiving concomitant anti-rheumatic medication.

**Accidental overdose** There is no known antidote to Voltarol and the treatment is

symptomatic. Immediate treatment consists of forced emesis to recover undigested tablets.

**Pharmaceutical precautions** Storage – protect from moisture.

**Legal Category** Prescription only.

**Package quantities** Basic N.H.S. prices  
Packs of 100. £9

**Further information** Pharmacodynamic studies have shown no potentiation of oral hypoglycaemic and anti-coagulant drugs.

**Product Licence No.** Tablets 25mg PL0001/0036

**Product Licence Holder** Geigy Pharmaceuticals, Macclesfield, Cheshire, SK10 2LY

