



the fungicidal breakthrough


Scanning Electron Microscopic photographs of *Candida albicans* before and after treatment with miconazole.



1. Untreated cells appear as isolated yeast forms in an oval shape and with a smooth surface showing the formation of polar buds (pb).



2. Upon exposure to a fungistatic dose (10^{-7} M) of miconazole the cells tend to cluster. Budding becomes disorganized with visible budding scars (bs) that are randomly distributed over the surface of the cells.



3. Treatment with a fungicidal dose of miconazole causes the cell wall (cw) to burst. Vesicles of cytoplasm disintegrate and adhere to the surface of yet unbroken cells (cpr). (The interior of the cells is completely lytic).



the standard fungicidal treatment

Daktarin

miconazole nitrate 2 % w/w

*highly effective
in all fungal infections*

further information available on request from :



Janssen Pharmaceutica
2340 Beerse, Belgium.

or from :
Janssen Pharmaceutical Ltd.
Janssen House, Marlow, Bucks.
PL/0242/0016, 17, 47, 48, 52

Trade Marks : Brentan in Denmark and Spain, Daktar in Germany, Daktarin in all other countries.

WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Archives of Disease in Childhood, British Heart Journal, British Journal of Ophthalmology, Gut, Journal of Clinical Pathology & Journal of Neurology, Neurosurgery & Psychiatry.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR
TELEPHONE 01-387 4499 EXT. 309.

Two side effects of Multiple Sclerosis you can cure.

Loneliness and isolation.

As you know too well, they're two very real problems that often confront the newly-diagnosed MS patient. On top of his physical difficulties.

But your patient doesn't have to cope with them on his own.

One of the main aims of the MS Society is to create a point of contact for the MS sufferer, somewhere he can talk to others who are also fighting MS and take comfort from shared experiences.

The MS Society also looks after the welfare of the MS patient and his family, providing help with the kind of practical difficulties the disease can bring.

And it campaigns ceaselessly for money for research. Over £1 million is needed to meet the Society's existing commitment to research.

There's a branch of the Society in your area. If you ring or write to us we'll let you know the address.

It can take someone with MS a long, lonely time to find us by himself. But with your help in referring him, we can make him feel the world is not quite such a lonely place.

The Multiple Sclerosis Society, 4 Tachbrook Street, London SW1V 1SJ.
Tel: 01-834 8231.



Charity Reg No. 207495

**KO
MS
79**

Don't put them off coffee



The decaffeination benefits, and the taste and aroma of HAG, make it possible for you to advise a drink which won't deprive your patients of the pleasure of real coffee.

In HAG, the caffeine content is well below normally accepted decaffeination levels.

HAG, produced by the company which pioneered decaffeination over 70 years ago, is the choice of the medical profession in over 50 countries.

put them on to HAG

There's ground and instant — from better grocers and health food shops everywhere.



Test the HAG taste for yourself — free. For samples of HAG ground coffee, and copies of 'Some Notes on the Pharmacology of Caffeine' by VC Medvei CBE, FRCP and Volf-Muller Limmroth's famous monogram 'Physiological, pharmacological and clinical actions of coffee,' just send us a postcard.



HAG

Importers: Coffee HAG (U.K.) Ltd., 14 Northfield Industrial Estate Beresford Avenue Wembley Middlesex HA0 1YN

T1B 4/79

Improved Personal Accident Cover for B.M.A. Members

On your behalf, the Medical Insurance Agency has negotiated a much improved policy which provides wider and higher benefits than is normally available to the general public.

Benefits include:

- (1) *Accidental death—cover up to £150,000.*
- (2) *Permanent disability, including loss of limbs and eyes—cover up to £300,000.*
- (3) *Free loss of hands and fingers cover.*
- (4) *Applications may be accepted from members' wives/husbands.*
- (5) *Temporary disablement benefits up to £200.00 per week.*

This scheme is administered on behalf of the B.M.A. by the Medical Insurance Agency whose specialised knowledge of Insurance and Finance is based on a background of:—

- * *70 years of service to the professions.*
- * *22 local offices providing a direct personal service.*
- * *Over 200 trained and qualified staff.*
- * *A continuing commitment to medical and dental charities—already in excess of £1 million donated.*

For further information, please complete and return the coupon below.



To:—MR. R. J. GENTLE,
Manager, Personal Accident Dept.,
Medical Insurance Agency Ltd.,
FREEPOST, B.M.A. House,
Tavistock Square,
London, WC1H 9BR

Please send me an application form
giving full details of the special B.M.A.
Personal Accident Scheme.
(Not applicable in N. Ireland)

BLOCK LETTERS PLEASE

Name

Address

.....

.....


.....

Tel. No. Age

Schiller's world-wide success rests on two unique developments

1.

The Minigraph MG-1.



The electrocardiograph for instant diagnosis and medical records. A featherweight of 790 g.

2.

The Miniscope MS-2.



Electrocardioscope and pulse reading instrument. Displays results within a second, reads at a glance. A featherweight of 650 g.

Schiller's mini ECG and ECS are meeting a widely felt demand in hospitals as well as in private practice, in emergency wards, during home visits and in ambulances. The electrode tripod at the back of the instruments is applied directly to the thorax and permits instant diagnosis. In addition, all classical derivations are possible by means of a five-core cable.

The Minigraph MG-1 is a high-performance electrocardiograph which because of its small size fits in any doctor's bag. The Miniscope MS-2 is ideally suited

for instant diagnostication and monitoring of the heart function. A microprocessor calculates the pulse rate after each heartbeat («beat-by-beat» method), which makes it possible to detect heart dysrhythmia in a minimum of time.

MG-1 and MS-2 are independent of mains power and deliberately built to extremely rugged high-quality design standards. Their price is on a par with their small size (45 mm by 110 mm by 130 mm or 155 mm, respectively), in other words, it is astonishingly low.

SCHILLER Switzerland

Altgasse 68
CH-6340 Baar
Telephone: 042/31 53 31
Telex: 65140 sbe ch

ST. ANDREW'S HOSPITAL NORTHAMPTON

PRIVATE PSYCHIATRIC CARE— A COMPREHENSIVE FACILITY

St Andrew's aims to provide the best in psychiatric care in a comfortable and relaxed environment. Staffed by nine full-time, Consultant Psychiatrists, three Clinical Psychologists and with a full complement of skilled nursing and rehabilitation staff, the hospital offers a broad range of psychiatric treatments. Care is provided on a short, medium and long-term basis and the following specific units are available:

Short-term acute treatment
Alcohol treatment
Behaviour modification
Day Hospital
Psychogeriatric
Psychotherapy
Brain damage and epilepsy investigation

Out-patient facilities are available at the hospital, at 148 and 152 Harley Street, London, W1, Oxford and Bedford

St Andrew's is an Independent Hospital and subscribers to the main Private Contributory Schemes may claim benefits within the terms of these schemes

Further details and brochures may be obtained from the Medical Director, St Andrew's Hospital, Northampton (Telephone 0604-21311)

MORTGAGES: *Can we help?*

The Western Australian Insurance Company Limited are pleased to announce a special mortgage arrangement with the New Cross Building Society whereby a limited amount of funds is available direct to doctors.

Please telephone Mrs Humphreys for further information on 01-946 7774 or write giving your telephone number to The Western Australian Insurance Company Limited, 24 Worple Road, Wimbledon, London SW19 4DD.



Member of the
BRITISH INSURANCE ASSOCIATION
and the
LIFE OFFICES' ASSOCIATION

Founded in UK in 1914

Published September 1978

Supplement to BRITISH HEART JOURNAL

PREVENTION OF ARRHYTHMIAS

The Proceedings of a Symposium held at Freeman Hospital, Newcastle upon Tyne, on 12 and 13 September 1977, arranged by Professor D G Julian

Contents

Foreword *Dennis Krikler*

Anatomy of conducting tissues revisited *Robert H Anderson and Anton E Becker*

Effects of cardiac denervation on cardiac arrhythmias and electrophysiology *Donald C Harrison, Jay W Mason, John S Schroeder and Edward B Stinson*

Ventricular arrest: a possible mechanism of sudden death *Jan Pool, Anja Roodenburg, Boy Glaser and Jacobus Lubsen*

Catecholamine-induced severe ventricular arrhythmias with Adams-Stokes syndrome in children: report of four cases *Philippe Coumel, Jean Fidelle,*

Vincent Lucet, Patrick Attuel and Yves Bouvain

Surgical treatment of ventricular tachycardia *R A J Spurrell and A J Camm*

Electrophysiology of early ventricular arrhythmias in acute myocardial ischaemia in the pig's heart *Michiel J Janse, André G Kléber, Juan Cinca and*

Dirk Durrer

Some factors that influence the activity of antiarrhythmic drugs *E M Vaughan Williams*

Adrenergic influences on arrhythmias due to coronary occlusion and reperfusion *Peter B Corr, Patricia A Penkoske and Burton E Sobel*

Electrophysiological basis for the contrasting prophylactic efficacy of acute and prolonged beta-blockade *A E G Raine and E M Vaughan Williams*

Management in hospital of ventricular fibrillation complicating acute myocardial infarction *K I Lie, K L Liem, and D Durrer*

Clinical pharmacology and antiarrhythmic actions of tocainide *Donald C Harrison, Peter J Meffin, and Roger A Winkle*

Tribulations in trials: experience gained from Nottingham study of beta-adrenergic blockade in acute myocardial infarction *J R A Mitchell*

Review of the present status of drug treatment for preventing sudden death *R R H Lovell*

PRICE: Inland £1.25; Abroad U.S. \$3.50, including postage

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements

ORDER FROM: The Publisher, BRITISH HEART JOURNAL,
BMA House, Tavistock Square, London WC1H 9JR

**Rapid, two-step
automatic elution**

Safe positive pressure system

**Easy to lift
and handle**

**Convenient,
well-shielded eluate
vial container**

**Reliable performance and
consistently high yields
from our unique
generator column, proved
over many years**

**Effective shielding,
minimizing radiation
dose to the user**

**Reliable service and
supply. Despatched on
any weekday**

Technetium 99m Sterile Generator

Introducing our second generation generator



The Radiochemical Centre Amersham

The Radiochemical Centre Limited, Amersham, England. Tel: Little Chalfont (024 04) 4444
In West Germany: Amersham Buchler GmbH & Co KG, Braunschweig. Tel: 05307-4693-97

SELECTIVE EFFECTIVE LOW TOXICITY

*

Selective

'Very few lower gastrointestinal disorders occurred. This, in all probability, reflects its selective antibacterial activity which limits drug disturbance of the normal colonic and vaginal flora.'³

Effective

'In our clinical trials mecillinam achieved a cure-rate of over 90% at 2 weeks in patients with urinary-tract infections.'¹

The original bacterial strain in the urine was eradicated in 100% of the cases.'²

Low Toxicity

'Mecillinam has a novel mode of action but shares the penicillins' low toxicity.'⁴

...the data establish that pivmecillinam is a safe and potent drug in the treatment of urinary tract infection.'⁵

References

1. Brumfitt, W., and Hamilton-Miller, J.M.T., *Lancet*, **1**, 445, 1978
2. Ekberg, M. et al., *Scand. J. Infect. Dis.*, **10**, 127, 1978
3. Bresky, B., *J. Antimicrob. Chemother.*, **3**[Suppl. B], 121, 1977
4. Geddes, A.M. and Wise, R., *J. Antimicrob. Chemother.*, **3**[Suppl. B], iii, 1977
5. Verner-Jones, E.R. and Asscher, A.W., *J. Antimicrob. Chemother.*, **1**, 193, 1975

SELEXID Prescribing Information Available as Selexid tablets and Suspension. Each tablet contains 200mg pivmecillinam hydrochloride; each unit-dose foil sachet of suspension contains 100mg pivmecillinam as white granules to be dissolved in a small quantity of water. Tablets and suspension should be taken with a meal. **Dose for Urinary Tract Infections:** Tablets and suspension: From 200mg 8 hourly - 400mg 6 hourly depending on severity. For children weighing less than 40kg: 20-40mg/kg bodyweight daily in 3-4 divided doses. **Contra-indications:** Penicillin or cephalosporin hypersensitivity. **Precautions/Adverse Reactions:** In accordance with normal practice Selexid should be avoided in the 1st trimester of pregnancy. Dosage may need modification when renal function is impaired. Routine monitoring of liver and renal function advisable with prolonged therapy. Gastro-intestinal upset, rash, and anaphylaxis may occur. Full information is available on request. **Price:** £2.82 for a five day course. **Product Licence No.:** 0043/0048



*Selexid is a trade mark