


Imodium

TRADE MARK

(loperamide hydrochloride)

symbol of
accuracy
in acute diarrhoea



Imodium's specific action controls diarrhoea, relieving pain and abdominal cramps rapidly and effectively.

A tailored dosage regime means that patients only take Imodium when they really need it, minimising the risk of constipation and encouraging economy of medication.

Patients will find Imodium capsules easy to take and the blister pack of just twelve capsules is convenient to carry throughout the working day.

Imodium

Simply Stops Diarrhoea - fast

**2 // stat and 1 /
at each loose stool**

Further information is available from :



JANSSEN PHARMACEUTICA
2340 Beerse, Belgium

or

JANSSEN PHARMACEUTICAL LTD.
Marlow, Bucks. SL7 1ET.

Presentation :

Hard gelatin capsules containing 2 mg loperamide hydrochloride and syrup containing 1 mg loperamide hydrochloride per 5 ml.

Indications :

Imodium* is indicated for the symptomatic control of acute diarrhoea of any aetiology.

Contra-indications and warnings etc. :

There are no specific contraindications to Imodium*. Studies in animals have shown no abnormal teratogenic effects, however the use of loperamide during pregnancy is subject to the usual precautions. In trials, no side effects have been reported that can reliably be distinguished from the symptoms of the gastro-intestinal disorder being treated. As persistent diarrhoea can be an indicator of potentially more serious conditions, Imodium* should not be used for prolonged periods until the underlying cause of the diarrhoea has been investigated.

Dosage and Administration :

Acute Diarrhoea : *Adults* : Two capsules initially, followed by one capsule after every loose stool. The usual dosage is 3 to 4 capsules a day; the maximum daily dose should not exceed 8 capsules. *Children* : 4 to 8 years : Syrup 5 ml four times daily until diarrhoea is controlled. In children under 8 years, further investigation may be necessary if diarrhoea has not responded to three days' treatment. 9 to 12 years : Syrup 10 ml (or 1 capsule) four times daily until diarrhoea is controlled.

Basic NHS Cost :

12 capsules (ex 250 pack) 104p. (correct at time of printing).

Product Licence Numbers :

Capsules 0242/0028 - Syrup 0242/0040

© JPL/037/80

* Trademark

Just Published

THE FIRST YEAR OF LIFE

Recent research has vastly improved our understanding of a child's development in the first year of life.

In particular, assessment of normal progress is now much more systematic, so that deviations from the normal are recognised earlier

Dr. Bernard Valman's illustrated account of current methods of examination, assessment and management of the medical problems of early infancy will prove invaluable to all concerned with small babies.

The articles have now been collected into book form in exactly the same format as they appeared in the BMJ.

Price: Inland £5.00;

Overseas US\$12.50


(Inland £4.50;

Overseas US\$11.25 for BMA members)

Order your copy now

From: The Publisher,
British Medical Journal,
BMA House,
Tavistock Square,
London WC1H 9JR

or any leading bookseller



The combination of
simple language and straightforward
line drawings has made the

ABC OF OPHTHALMOLOGY


one of the most popular series
of articles in the Medical Practice section
of the British Medical Journal.

All the common problems are covered –
visual defects, squints, glaucoma and
cataracts – together with detailed
instruction on examination, diagnosis
and management.

The articles
have now been
collected into book
form – in exactly
the same format
as they appeared in
the BMJ –
price: Inland £2.50;
Overseas US\$6.25
(Inland £2.00;
Overseas US\$5.00
for BMA members).

AVAILABLE NOW

Order your copy now
From: The Publisher,
British Medical Journal,
BMA House,
Tavistock Square,
London WC1H 9JR
or any leading bookseller



BMJ publications

Just Published

How To Do It (1979)

Every doctor knows the sinking sensation induced by waiting one's turn for an examination viva and the social anxieties of changing jobs. The misery of first night nerves does not, however, disappear with time: each decade brings new challenges. On these occasions—chairing a committee, giving evidence in court, appearing on television—practical tips can be enormously helpful. The same is true of the many skills not taught in medical school—how to lecture, referee papers, edit, or use a library. All these and many more nuggets of down-to-earth advice have been collected from past issues of the *BMJ* to form a compendium for the novice—whatever his or her age or seniority.

Price: Inland £4.00; Abroad US\$10.00

(Concessionary price for BMA Members: Inland £3.50; Abroad US\$8.75)

Epidemiology for the Uninitiated (1979)

Do you know the difference between the incidence of a disease and its prevalence? How to set up a valid controlled trial? How to plan and conduct a survey? Many doctors would like to carry out some simple clinical research but find they lack basic information of this kind. The answers were published in 1978-79 in a series of *BMJ* articles, now collected together in book form—essential reading for anyone contemplating starting a research study.

Price: Inland £2.50; Abroad US\$6.25

(Concessionary price to BMA Members: Inland £2.00; Abroad US\$5.00)

ABC of Ophthalmology (1979)

The combination of simple language and straightforward line drawings has made the *ABC of Ophthalmology* one of the most popular series of articles in the Medical Practice section of the British Medical Journal. All the common problems are covered—visual defects, squints, glaucoma and cataracts—together with detailed instruction on examination, diagnosis and management. The articles have now been collected into book form—in exactly the same format as they appeared in the *BMJ*.

Price: Inland £2.50; Abroad US\$6.25

(Concessionary price for BMA Members: Inland £2.00; Abroad US\$5.00)

Today's Treatment/3 (1979)

Diseases of the respiratory and urinary systems account for a high proportion of all consultations in general practice, justifying the 200 pages devoted to them in the third volume of *Today's Treatment*. The remaining section deals with the use of antibiotics across the whole spectrum of medicine, looking at the advantages and drawbacks of the major categories and their use in clinical settings where decision-making may be difficult. Like its predecessors, *Today's Treatment/3* concentrates on practical issues and provides the busy clinician with the information he needs in his day to day practice.

Price: Inland £5.50; Abroad US\$13.75

(Concessionary price to BMA Members: Inland £5.00; Abroad US\$12.50)

Statistics at Square One Fifth Edition (1979)

The statistical testing of data is indispensable in many types of medical investigation and a help on countless occasions in clinical practice. This book provides step-by-step instruction. Subjects covered include standard deviation, X^2 tests, t tests, non-parametric tests, and correlation. The book includes sections on Fisher's exact probability test and rank correlation not published in the *BMJ* series. Methods specially adapted to pocket calculators.

Price: Inland £2.00; Abroad US\$5.00

All prices include postage—ORDER YOUR COPIES NOW

PAYMENT MUST BE ENCLOSED WITH ORDER or a surcharge of 50p will be made for rendering invoices and statements

**The Publisher, British Medical Journal,
BMA House, Tavistock Square, London WC1H 9JR**

TAKE IT EASY.....

**....Good advice
at a time like this**

INOLAXINE

98% Sterculia - sugar free

**Aids regular habits in expectant
and nursing mothers**



Prescribing Information:

Indications: simple constipation associated with pregnancy
Side effects: occasional flatulence and discomfort
Dosage: 1"2 heaped teaspoonfuls once or twice daily
Basic NHS cost £1.40 per 175g

Full product information available on request



Dales Pharmaceuticals Limited
Barrows Lane, Steeton, Keighley, Yorkshire BD20 6PP
(Steeton 53222)

PL 012340009

BOOKS

The Medical Bookshop has a
large stock of Textbooks and new
editions on all branches of Medicine,
Surgery and their allied subjects.
Catalogue post free on request.

MEDICAL AND SCIENTIFIC LIBRARY

Annual subscription from £7.50
(Available in the UK only)

Catalogue to December 1972 £10.00

Supplement 1975-1978 £5.00

(Special Rates for Subscribers)

H. K. LEWIS & CO. LTD.

136 Gower Street, London WC1E 6BS

01-387 4282

Bristol and Weston Health District (T)

"The Treatment of some Medical Emergencies and Chronic Medical Conditions"

M. Hartog, C.J.C. Roberts, D.R. Forbes

This concise and practical guide to treatment by drugs
has 90 loose leaf pages which suggest orders of
preference of drugs for the treatment of many
important medical conditions.

The choices reflect the relative efficacies, side effects
and costs of the drugs.

"The booklet is an excellent method of encouraging
consistent and rational therapy in communities of
prescribers."


£2 including postage

Mrs M R Johnson Publications Department
Bristol and Weston Health District (Teaching)
10 Marlborough Street Bristol BS1 3NP

NEW

THE CALLTAKER

**A Post-Office certified telephone
answering system that you can now buy.**



Calltaker is easy to install and operate. Records
all incoming messages, day and night.
Announcement message can be changed anytime
and Calltaker can be set to make an announcement
only. Nationwide sales and service back-up.
1-year guarantee on parts and labour.
Buy your Calltaker now — with the Post Office's blessing!
For more details, ring our own Calltaker on
Farnham (0252) 711053 now. Or post this coupon
to: Calltaker, CCC Marketing Ltd,
Wrecclesham Rd, Farnham, Surrey GU10 4PL

Please tick appropriate box
☐ Please send me complete details
☐ I would like a FREE DEMONSTRATION

NAME _____
ADDRESS _____
BLOCK CAPS PLEASE TEL _____ **BMJ1**

**ONLY £180
+VAT**

ADVERTISEMENTS

PHARMACEUTICAL PRODUCTS

Readers are reminded that prescribers'
literature and clinical information are
always available from advertisers on
request.

NATRILIX[®]

indapamide

a primary antihypertensive agent

Natrilix offers a simple, effective means of controlling blood pressure both in newly diagnosed and in poorly controlled patients with mild to moderate hypertension

Prescribing information

Presentation

Pink biconvex sugar-coated tablets each containing 2.5 mg indapamide hemihydrate.

Uses

For the treatment of hypertension.

Dosage and administration

Adults


The dosage is one tablet daily to be taken in the morning.

Children

There is no experience of the use of this drug in children.

Contra-indications, warning, etc.

There are no absolute contra-indications to the use of Natrilix but caution should be exercised when prescribing it in cases of severe renal or hepatic impairment. As with all new drugs, the administration of Natrilix should be avoided during pregnancy although no teratological effects have been seen in animals. At doses higher than that recommended, Natrilix has a diuretic effect, therefore it is not recommended to prescribe it with a diuretic agent which may cause hypokalaemia. Also, slight weight loss has been reported in some patients taking Natrilix. Reported side effects have included nausea and headache,



but they are generally uncommon and mild in nature.

Serum urate levels may rise slightly but there is no evidence that glucose tolerance is adversely affected.

Box of 30 tablets.

Product licence number 0093/0022.

NATRILIX is available as: FLUDEX[®] in Africa, Belgium, France, Holland, Portugal, Switzerland.

NATRILIX[®] in English speaking Countries of Africa, Brazil, Central America, Germany, Ireland, Italy, Middle East, South East Asia, United Kingdom.

TERTENSIF[®] in Spain.

NATRIX[®] in Korea.

Further information is available on request from Servier Laboratories Ltd., Servier House, Horsenden Lane South, Greenford, Middx. UB6 7PW.



Les Laboratoires Servier, 22, rue Garnier - 92201 Neuilly - France.

one tablet daily

WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Annals of the Rheumatic Diseases, British Journal of Venereal Diseases, Thorax, Journal of Epidemiology and Community Health, British Journal of Industrial Medicine.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR
TELEPHONE 01-387 4499 EXT. 309.

DON'T FORGET

As a fast acting diuretic
Burinex^{*} K
bumetanide and slow-release potassium chloride
is unbeatable...

as a potassium
supplement it's
unforgettable

Your patients rarely forget to take their 'water pill' but all too frequently fail to take their potassium supplement if you prescribe it separately.¹ Burinex K solves this problem because Burinex the 'most effective natriuretic agent'² 'coats' the potassium core - to make it truly unforgettable. In addition - because of the shape and size - it's easier to swallow than the most commonly used potassium supplement alone.³

Burinex K in CCF
right from the start

1. Brit. Med. J., 618, 2, 1977
2. Acta med. scand., 119, 193, 1973
3. J. Int. Res., 104, 3, 1975



Burinex K is a potent diuretic and should be used with caution in patients with severe renal impairment. Higher doses may be given in resistant cases. In long-term treatment of CCF, Burinex K is indicated in the following doses: 1 mg 3 times daily. Contraindications: Hepatic coma and severe electrolyte disturbances. Burinex K should not be used with potassium supplements. Side effects: Occasional skin rashes and minor gastric upset. Precautions: Burinex may potentiate antihypertensive therapy and may cause hypokalaemia. Periodic electrolyte checks are advisable on long-term therapy. Burinex K should be stopped if severe symptoms of bowel ulceration appear. Product Licence No: 0043/00278

*Burinex is a trade mark
Full prescribing information available on request



Leo Laboratories Limited
Hayes Gate House, Hayes, Middx.