TRADE MARK OCIUM

loperamide hydrochloride

made to measure treatment for acute and chronic diarrhoea

The tailored dosage means that patients only take Imodium when they need it with no interruption to normal routine. Imodium is easy to take and convenient to carry.

Designed for the specific control of diarrhoea, **Imodium** relieves pain and abdominal cramps rapidly and effectively.

Further information is available from :



Janssen Pharmaceutica 2340 Beerse, Belgium

or from:

Janssen Pharmaceutical Limited, Janssen House, Marlow, Bucks.

stops diarrhoea fast.

Imodium

simply

WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Archives of Disease in Childhood, British Heart Journal, British Journal of Ophthalmology, Gut, Journal of Clinical Pathology & Journal of Neurology, Neurosurgery & Psychiatry.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR TELEPHONE 01-387 4499 EXT. 309.

MARITAL PATHOLOGY

Divorce is becoming increasingly common: at current rates about six million people in Britain will divorce before the end of the century. Every doctor and health worker will have to deal with the diverse effects of marital unhappiness. This book discusses clearly and concisely reasons for marital misery, its effects on the health of the family, and how counsellors can help. This book will benefit all who have to deal with these problems.

Price: Inland £1.75 Abroad US\$5.00


Payment must be enclosed with order or a surcharge of 50p will be made for rendering invoices and statements.

Order your copy now

From: The Publishers British Medical Journal BMA House Tavistock Square London WC1H 9JR

0ľ

Darton Longman & Todd Ltd. 89 Lillie Road London SW6 1UD



H. K. LEWIS of GOWER STREET, LONDON

BRITAIN'S SPECIALIST MEDICAL BOOK CENTRE

BOOKSHOP

Large stocks on all branches of Medicine, Surgery and allied subjects

Catalogues sent free on request

(Please state special interests)

LIBRARY

(Medical and Scientific)

Annual Subscription from £7.50 Reduced rates for multiple subscriptions

(Available in U.K. only)
Prospectus post free on request

H. K. LEWIS & Co. Ltd., 136 GOWER ST., LONDON WC1E 6BS

Telephone: 01-387 4282

Telegrams: Publicavit, London WC1

ADVERTISEMENT

Developments in Immunopathology

The Proceedings of a Symposium organized by The Royal College of Pathologists

Edited by E. J. Holborow

Immunodeficiency—Maturation of the immune system and immunodeficiency
hypogammaglobulinaemia with thymoma and late-onset hypogammaglobulinaemia • Combined immunodeficiency
and thymic abnormalities • Mechanisms in secondary hypogammaglobulinaemia • Diagnosis of defects of
antibody production • Infection of immunosuppressed patients • Lymphocytes. 1 Function—Genetic restrictions
in the immune response • Lymphocyte function and virus infections • Lymphocytes. 2 Differentiation—
Differentiation of lymphoid precursor cells • Functional subsets of lymphocytes • Lymphocytes. 3 Distribution—
Distribution of lymphocytes in health • Distribution of malignant lymphoid cells • Roy Cameron Lecture—Control
of antibody formation: certain uncertainties • Antibody-mediated tissue damage—Hyperviscosity and other
complications of paraproteinaemia • Tissue-specific autoantibodies in haemolytic anaemia • Tissue-specific
antibodies in myasthenia gravis • Antinucleic acid antibodies • Lymphocytotoxic antibodies in systemic lupus
erythematosus: their clinical significance • Complement activation profiles in disease • Antibody affinity:
immunogenetic aspects and relationship to immune complex disease • Therapeutic aspects—Immunosuppression
in established humoral responses

Price: Inland £7.50; Abroad US\$18.75, including postage

Payment must be enclosed with order or a surcharge of 50p will be made for rendering invoices and statements

The Publisher, Journal of Clinical Pathology, B.M.A. House, Tavistock Square, London WC1H 9JR



a primary antihypertensive agent

Natrilix offers a simple, effective means of controlling blood pressure both in newly diagnosed and in poorly controlled patients with mild to moderate hypertension

Prescribing information Presentation

Pink biconvex sugar-coated tablets each containing 2.5 mg indapamide hemihydrate.

Uses

For the treatment of hypertension.


Dosage and administration Adults

The dosage is one tablet daily to be taken in the morning. **Children**

There is no experience of the use of this drug in children.

${\bf Contra\text{-}indications, warning, etc.}$

There are no absolute contraindications to the use of Natrilix but caution should be exercised when prescribing it in cases of severe renal or hepatic impairment. As with all new drugs, the administration of Natrilix should be avoided during pregnancy although no teratological effects have been seen in animals. At doses higher than that recommended, Natrilix has a diuretic effect, therefore it is not recommended to prescribe it with a diuretic agent which may cause hypokalaemia. Also, slight weight loss has been reported in some patients taking Natrilix. Reported side effects have included nausea and headache,



but they are generally uncommon and mild in nature.
Serum urate levels may rise slightly but there is no evidence that glucose tolerance is adversely affected.
Box of 30 tablets.
Product licence number 0093/0022.

NATRILIX is available as:
FLUDEX® in Africa, Belgium,
France, Holland, Portugal,
Switzerland.
NATRILIX® in English
speaking Countries of Africa,
Brazil, Central America,
Germany, Ireland, Italy,
Middle East, South East Asia,
United Kingdom.
TERTENSIF® in Spain.
NATRIX® in Korea.

Further information is available on request from Servier Laboratories Ltd., Servier House, Horsenden Lane South, Greenford, Middx. UB6 7PW.



Les Laboratoires Servier, 22, rue Garnier - 92201 Neuilly -


one tablet daily

WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Annals of the Rheumatic Diseases, British Journal of Venereal Diseases, Thorax, Journal of Epidemiology and Community Health, British Journal of Industrial Medicine

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR TELEPHONE 01-387 4499 EXT. 309.





ENORMAL Atended 100mg

One million patient years experience in hypertension and angina.

Prescribing Notes:
Dosage: 100mg daily. Contraindications: Heart block. Precautions: Untreated cardiac failure, bradycardia. renal failure, anaesthesia and pregnancy. Tenormin' is Beta, selective and can be used with caution in obstructive airways disease. Side Effects: Coldness of extremities and muscular fatigue. Sleep disturbances rarely seen. Rashes and dry eyes have been reported with beta-blockers—consider discontinuance if they occur. Cessation of therapy with a beta-blocker should be gradual. Pack size and basic NHS price: 28 s £6.46. P.L. 0029/0122.

Full prescribing information is available on request to the Company



Stuart Pharmaceuticals LimitedCarr House Carrs Road
Cheadle, Cheshire SK8 2EG

Tenormin is a trade mark for atendlol