


ANOTHER INNOVATION FROM JANSSEN IN THE TREATMENT OF VAGINAL THRUSH.


Rapid release of
active fungicidal
Gyno-Daktarin
emulsion coupled
with ...



... absorption of
discharge and no leakage
of medication.

Gyno-Daktarin* *tampons* (miconazole)

Highly acceptable and effective short course therapy for
candidal vaginitis.



Also available : Gyno-Daktarin cream, ovules and pessaries.

N.B. Not all product forms available in all countries.

Further information available on request from :

JANSSEN PHARMACEUTICAL Ltd.  JANSSEN PHARMACEUTICA N.V.
Janssen House, Marlow, Bucks. SL7 1ET 2340 Beerse, Belgium

* Trademark

© Janssen Pharmaceutica 1980

WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Archives of Disease in Childhood, British Heart Journal, British Journal of Ophthalmology, Gut, Journal of Clinical Pathology & Journal of Neurology, Neurosurgery & Psychiatry.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR
TELEPHONE 01-387 4499 EXT. 309.

MOTORING *FLASH!* from MIA

Now we have arranged to
PROTECT YOUR 'NO CLAIM BONUS'
to further reduce your motoring costs

1. MOTOR INSURANCE

Whether you have a Third Party or Comprehensive Policy and on attainment of a 60% No Claim Bonus, you will NOT forfeit this entitlement unless during a two year period more than two claims are made. If three claims are made during such period your No Claim Bonus is only reduced to 40% – more than three claims and your entitlement is disallowed entirely. This valuable benefit is offered for an additional premium of only 10% on the net premium after bonus deduction, and provided the policy holder pays the first £25 of any claim. Additional benefits include

- * Insurance at 'agreed' or 'current market' values;
- * Cost of hire car if yours is off the road, following an accident, for a small additional premium;
- * Automatic cover for partners, assistants and locum tenens; also cover for sons and daughters, normally for a nominal additional premium.

2. CAR PURCHASE PLAN

on highly competitive terms through British Medical Finance; also competitive car leasing facilities.

3. VEHICLE RECOVERY SERVICE

through the National Breakdown Recovery Club includes

- * Transportation after an accident to nearest competent repairer;
- * Recovery to your local garage free, after a major breakdown and assistance in obtaining help from 'on the spot' garage following a minor breakdown (available in England, Scotland & Wales only). Free travel home for you and your passengers following an accident or major breakdown.

4. SPECIALLY NEGOTIATED TERMS

Our exclusive policy covers legal expenses up to £10,000 per incident to protect your family, your property and your rights.

MEDICAL INSURANCE AGENCY LIMITED

Get the full facts from the Medical Insurance Agency

These four schemes have been specially arranged to 'Cut the Cost' of your Motoring. Please complete the coupon now – don't wait until your existing policy expires. We will arrange to send you a proposal form and prompt quotation at the right time. No-stamp is needed if you use the 'Freepost' address.

To the Medical Insurance Agency Ltd.,
 Freepost, B.M.A. House, Tavistock Square,
 London WC1H 9BR

Please send me full details of the plans I have ticked below:

PLAN 1 Motor Insurance
 PLAN 3 Vehicle Recovery

PLAN 2 Car Purchase
 PLAN 4 Legal Expenses

BLOCK LETTERS PLEASE

Name (Dr, Mr, Mrs, Miss) _____

Address _____

Hospital address (if applicable) _____

Tel No. _____

My existing policy expires on _____ BMJ 10/80





COMMONWEALTH BUREAU OF NUTRITION

Nutrition Abstracts and Reviews

Series A - Human and Experimental

Provides up-to-date information on

Technique • Foods • Physiology and Biochemistry • Human Health and Nutrition • Disease and Therapeutic Nutrition

- issued monthly
- containing about 10,000 abstracts per year
- covering significant current world literature in many languages
- monthly and annual subject and author indexes
- book reviews

A compact source of reference compiled by specialists based at the Rowett Research Institute, Aberdeen for all who wish to keep abreast of information on human and experimental nutrition.

Annual Subscription, Post Free — Member Countries £77.00 Non-member £135.00

Specimen copies or further information from:

CAB (Central Sales),
Farnham House, Farnham Royal, Slough SL2 3BN
Tel: (02814) 2281 Telex: 847964 Cables: COMAG, Slough.

aim medical
ECG MACHINES FOR THE 80's

Suppliers of portable, electronic,
diagnostic and monitoring equipment
to General Practitioners and Hospitals.
Contact us **NOW** for further details.

aim medical Ltd.

24-26 Morley Road,
Tonbridge, Kent, TN9 1RA
Tel: Tonbridge (0732) 365432
Telex 957540 AIM G

THE BRITISH JOURNAL OF FAMILY PLANNING

The Official Journal of the
National Association of Family Planning Doctors

CO-EDITORS: Dr. Ruth Skrine and Dr. Mary Pollock

The British Journal of Family Planning is a quarterly journal which publishes original papers and review articles by leading authorities on a wide range of relevant subjects. Clinical meetings are reported, and papers of particular interest are often published in full. Each issue contains notices of training courses and future meetings, reviews of important publications and a lively correspondence section. There is often a column contributed by the Institute of Psycho-Sexual Medicine.

The journal serves as a channel of communication between the council of the National Association of Family Planning Doctors and the members. These include doctors working in hospitals, general practice and N.H.S. and private clinics. Consultants from many of the medical specialities are among the membership which now totals nearly 2,000 and is growing rapidly. Health authorities and postgraduate medical centres are subscribing to the journal in increasing numbers.

The journal is published in January, April, July and October.

**Annual Subscription: Inland £12.00
Overseas US \$30.00**

Order from Professional & Scientific Publications,
Tavistock House East, Tavistock Square, London WC1H 9JR
or through any leading subscription agent.

NATRILIX[®]

indapamide

a primary antihypertensive agent

Natrilix offers a simple, effective means of controlling blood pressure both in newly diagnosed and in poorly controlled patients with mild to moderate hypertension

Prescribing information

Presentation

Pink biconvex sugar-coated tablets each containing 2.5 mg indapamide hemihydrate.

Uses

For the treatment of hypertension.

Dosage and administration

Adults


The dosage is one tablet daily to be taken in the morning.

Children

There is no experience of the use of this drug in children.

Contra-indications, warning, etc.

There are no absolute contra-indications to the use of Natrilix but caution should be exercised when prescribing it in cases of severe renal or hepatic impairment. As with all new drugs, the administration of Natrilix should be avoided during pregnancy although no teratological effects have been seen in animals. At doses higher than that recommended, Natrilix has a diuretic effect, therefore it is not recommended to prescribe it with a diuretic agent which may cause hypokalaemia. Also, slight weight loss has been reported in some patients taking Natrilix. Reported side effects have included nausea and headache,



but they are generally uncommon and mild in nature.

Serum urate levels may rise slightly but there is no evidence that glucose tolerance is adversely affected.

Box of 30 tablets.

Product licence number 0093/0022.

NATRILIX is available as: FLUDEX[®] in Africa, Belgium, France, Holland, Portugal, Switzerland.

NATRILIX[®] in English speaking Countries of Africa, Brazil, Central America, Germany, Ireland, Italy, Middle East, South East Asia, United Kingdom.

TERTENSIF[®] in Spain.

NATRIX[®] in Korea.

Further information is available on request from Servier Laboratories Ltd., Servier House, Horsenden Lane South, Greenford, Middx. UB6 7PW.



Les Laboratoires Servier, 22, rue Garnier - 92201 Neuilly - France.

one tablet daily

WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Annals of the Rheumatic Diseases, British Journal of Venereal Diseases, Thorax, Journal of Epidemiology and Community Health, British Journal of Industrial Medicine.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR
TELEPHONE 01-387 4499 EXT. 309.

Treatment of UTI

Selective

'Very few lower gastrointestinal disorders occurred. This, in all probability, reflects its selective antibacterial activity which limits drug disturbance of the normal colonic and vaginal flora.'³

Effective

'In our clinical trials mecillinam achieved a cure-rate of over 90% at 2 weeks in patients with urinary-tract infections.'¹
'The original bacterial strain in the urine was eradicated in 100% of the cases.'²

Low Toxicity

'Mecillinam has a novel mode of action but shares the penicillins' low toxicity.'⁴
'...the data establish that pivmecillinam is a safe and potent drug in the treatment of urinary tract infection.'⁵

References

1. Brumfitt, W., and Hamilton-Miller, J.M.T., *Lancet*, i, 445, 1978.
2. Ekberg, M. et al., *Scand. J. Infect. Dis.*, **10**, 127, 1978.
3. Bresky, B., *J. Antimicrob. Chemother.*, **3**(Suppl. B), 121, 1977.
4. Geddes A.M. and Wise R., *J. Antimicrob. Chemother.*, **3**(Suppl. B), iii, 1977.
5. Verner Jones, E.R. and Asscher, A.W., *J. Antimicrob. Chemother.*, **1**, 193, 1975.

SELEXID Prescribing Information Available as Selexid tablets and Suspension. Each tablet contains 200mg pivmecillinam hydrochloride; each unit-dose foil sachet of suspension contains 100mg pivmecillinam as white granules to be dissolved in a small quantity of water. Tablets and suspension should be taken with a meal. **Dose for Urinary Tract Infections:** Tablets and suspension: From 200mg 8 hourly - 400mg 6 hourly depending on severity. For children weighing less than 40kg: 20-40mg/kg bodyweight daily in 3-4 divided doses. **Contra-indications:** Penicillin or cephalosporin hypersensitivity. **Precautions/Adverse Reactions:** In accordance with normal practice Selexid should be avoided in the 1st trimester of pregnancy. Dosage may need modification when renal function is impaired. Routine monitoring of liver and renal function advisable with prolonged therapy. Gastro-intestinal upset, rash, and anaphylaxis may occur. Full information is available on request. **Price:** £2.82 for a five day course. **Product Licence No.:** 0043/0048.



Leo Laboratories Limited, Hayes Gate House, Hayes, Middlesex

*Selexid is a trade mark