NATRILIX[®]

a primary antihypertensive agent

Natrilix offers a simple, effective means of controlling blood pressure both in newly diagnosed and in poorly controlled patients with mild to moderate hypertension

Prescribing information Presentation

Pink biconvex sugar-coated tablets each containing 2.5 mg indapamide hemihydrate.

Uses

For the treatment of hypertension.

Dosage and administration

Adults
The dosage is one tablet daily

to be taken in the morning.

Children

There is no experience of the use

of this drug in children. Contra-indications, warning, etc.

There are no absolute contraindications to the use of Natrilix but caution should be exercised when prescribing it in cases of severe renal or hepatic impairment. As with all new drugs, the administration of Natrilix should be avoided during pregnancy although no teratological effects have been seen in animals. At doses higher than that recommended, Natrilix has a diuretic effect, therefore it is not recommended to prescribe it with a diuretic agent which may cause hypokalaemia. Also, slight weight loss has been reported in some patients taking Natrilix. Reported side effects have included nausea and headache.



but they are generally uncommon and mild in nature.
Serum urate levels may rise slightly but there is no evidence that glucose tolerance is adversely affected.
Box of 30 tablets.
Product licence number 0093/0022

NATRILIX is available as: FLUDEX® in Africa, Belgium, France, Holland, Portugal, Switzerland.

NATRILIX® in English speaking Countries of Africa, Brazil, Central America, Germany, Ireland, Italy, Middle East, South East Asia, United Kingdom.

TERTENSIF® in Spain.

NATRIX® in Korea.

Further information is available on request from Servier Laboratories Ltd., Servier House, Horsenden Lane South, Greenford, Middx. UB6 7PW.



Les Laboratoires Servier, 22, rue Garnier - 92201 Neuilly -France.

one tablet daily

WHY NOT SUBSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE BMA:—A SELECTION INCLUDES

Annals of the Rheumatic Diseases, British Journal of Venereal Diseases, Thorax, Journal of Epidemiology and Community Health, British Journal of Industrial Medicine.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR TELEPHONE 01-387 4499 EXT. 309.



Casualty Radiology

Paul Grech, Consultant Radiologist, Northern General Hospital, Lodge Moor Hospital and King Edward VII Orthopaedic Hospital, Sheffield and Honorary Clinical Lecturer in Radiodiagnosis, University of Sheffield

Based on the extensive experience of a major casualty hospital, this highly illustrated book considers the more unusual diagnostic problems faced by the casualty officer and radiologist. Although principally concerned with fractures, it also includes a chapter on foreign bodies.

December 1980 252 x 192mm 250pp 276 halftone illustrations HB 0 412 22740 1 £15.00

Clinical Ambulatory Monitoring

Edited by **W A Littler**, British Heart Foundation Professor of Cardiology, University of Birmingham and Consultant Cardiologist, East Birmingham Hospital

A practical book for the cardiologist, general physician, neurologist and sports medicine specialist.

December 1980 240 x 159mm 200pp illustrated HB 0 412 15830 2 £12.50

Practical Fiberoptic Bronchoscopy

K Oho, Associate Professor, and **R Amemiya,** Senior Instructor, both of the Department of Surgery, Tokyo Medical College

A detailed account of this important investigative technique, together with a description of normal and pathological appearances illustrated in full colour.

December 1980 267 x 181mm about 112pp about 100 full-colour illustrations HB 0 412 16480 9 about £20.00

Knee Arthrography

Dennis Stoker, Director of Radiological Studies, Royal National Orthopaedic Hospital, London

A practical account of the use of arthrography in the assessment of knee-joint problems, equally valuable to the radiologists and the orthopaedic surgeon.

December 1980 252 x 189mm 170pp 21 line illustrations and 87 halftones HB 0 412 21860 7 £12.00

Treatment of Burns

K J S Cason, Surgeon in Charge of the Burns Unit, Birmingham Accident Hospital, Birmingham

This book draws on the extensive experience of the management of patients at the internationally known Burns Unit, as well as describing and discussing other new treatment techniques in world use.

January 1981 240 x 159mm about 352pp HB 0 412 15990 2 £15.00 Special Issue of *Nuclear Medicine* Communications

Quality Assurance of Radiopharmaceuticals

Edited by **F Prier** and **S R Hesslewood**, Addenbrooke's Hospital Cambridge

The contributors provide practical guidelines for quality control of hospital-produced radio-pharmaceuticals for use in nuclear medicine procedures.

November 1980 240 x 159mm 64pp illustrated PB 0 412 23270 7 £4.50

Second Edition

Techniques of Anaesthesia

with management of the patient and intensive care

J A Thornton, Professor of Anaesthesia and Honorary Consultant Anaesthetist, and

L J Levy, Senior Lecturer and Consultant Anaesthetist, Sheffield University and Sheffield Area Health Authority

A totally updated and revised edition of this book, particularly taking account of international variations in practice. A practical book for the anaesthetist in training and a reference book for the established specialist.

January 1981 240 x 159mm about 584pp HB 0 412 15970 8 £16.50

Biopsy Pathology Series

Biopsy Pathology of the Small Intestine

F D Lee, Consultant Pathologist, Glasgow Royal Infirmary and Honorary Clinical Lecturer, Glasgow University, and

P G Toner, Reader in Pathology, Glasgow University and Honorary Consultant Pathologist, Glasgow Royal Infirmary

March 1980 222 x 141mm 200pp Illustrated HB 0 412 15060 3 £12.00

Biopsy Pathology of the Liver

R S Patrick, Professor of Pathology, Royal Infirmary, Glasgow and **J O'D McGee**, Professor of Morbid Anatomy, University of Oxford

August 1980 222 x 141mm 344pp Illustrated HB 0 412 00030 X £15.00





RIGHT ON TARGET

MILLOPHYLINE

Etamiphylline Camsylate

Respiratory and Cardiac Stimulant and Bronchodilator

Full product information available on request



Dales Pharmaceuticals Limited

Snaygill Industrial Estate, Keighley Road, Skipton, North Yorkshire, BD23 2RW. Tel: 0756 61311

THE CONSULTANT'S CHILD

HAS A GOOD CHANCE OF BEING PLACED AT THE BEST SCHOOL

WE HAVE

A SCHOOL FEES PLAN
FORMULATED BY REQUEST FROM OUR MANY
MEDICAL CLIENTS AND TAILOR MADE
FOR EACH INDIVIDUAL

Please let me have details of your School Fees Plan
Name Tel No
Address

POST NOW to Christopher Arnold and Company Limited, FREEPOST, Swindon SN1 3BR, or ring Swindon (0793) 35352/3

BIBA

The British Insurance Brokers' Association

BOOKS

The Medical Bookshop has a large stock of Textbooks and new editions on all branches of Medicine, Surgery and their allied subjects.

Catalogue post free on request.

MEDICAL AND SCIENTIFIC LIBRARY

Annual subscription from £7.50 (Available in the UK only)

Catalogue to December 1972 £10.00

Supplement 1975–1978 £5.00 (Special Rates for Subscribers)

H. K. LEWIS & CO. LTD. 136 Gower Street, London WC1E 6BS 01-387 4282

The combination of simple language and straightforward line drawings has made the

ABC OF OPHTHALMOLOGY

one of the most popular series of articles in the Medical Practice section of the British Medical Journal.

All the common problems are covered—visual defects, squints, glaucoma and cataracts—together with detailed instruction on examination, diagnosis and management.

Available Now

Price: Inland £2.50; Overseas US\$6.25

(For BMA members: Inland £2.00; Overseas US\$5.00)

Order your copy now

From: The Publisher, British Medical Journal, BMA House, Tavistock Square, London WC1H 9JR

or any leading bookseller

ANOTHER INNOVATION FROM JANSSEN

IN THE TREATMENT OF VAGINAL THRUSH.

Rapid release of active fungicidal Gyno-Daktarin emulsion coupled with ...

actual size

... absorption of discharge and no leakage of medication.

Gyno-Daktarin tampons (miconazole)

Highly acceptable and effective short course therapy for candidal vaginitis.



Also available: Gyno-Daktarin cream, ovules and pessaries. N.B. Not all product forms available in all countries.

Further information available on request from :

JANSSEN PHARMACEUTICAL Ltd. 💢 JANSSEN PHARMACEUTICA N.V. Janssen House, Marlow, Bucks. SL7 1ET 2340 Beerse, Belgium



* Trademark

© Janssen Pharmaceutica 1980

WHY NOT SURSCRIBE TO THE SPECIALIST JOURNALS PUBLISHED BY THE RMA:--- A SELECTION INCLUDES Archives of Disease in Childhood. British Heart Journal, British Journal of Ophthalmology, Gut, Journal of Clinical Pathology & Journal of Neurology, Neurosurgery & Psychiatry.

FULL DETAILS OF SUBSCRIPTION RATES FROM BMA SPECIALIST PUBLICATIONS: BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR TELEPHONE 01-387 4499 EXT. 309.

Selective Very few lower gastrointestinal disorders occurred. This, in all probability, reflects its selective antibacterial activity which limits drug disturbance of the normal colonic and vaginal flora.'3 **Effective** In our clinical trials mecillinam achieved a cure-rate of over 90% at 2 weeks in patients with urinary-tract infections.'1 The original bacterial strain in the urine was eradicated in 100% of the cases:2 ow Toxicity Mecillinam has a novel mode of action but shares the penicillins' low toxicity.'4 ...the data establish that pivmecillinam is a safe and potent drug in the treatment of urinary tract infection.'5 References I. Brumfitt, W., and Hamilton-Miller, J.M.T., Lancet, I, 445, 1978. 2. Ekberg, M. et al., Scand J. Infect. Dis., 10, 127, 1978. 3. Bresky, B., J. Antimicrob. Chemother., 3(Suppl. B), 121, 1977. 4. Geddes A.M. and Wise R., J. Antimicrob. Chemother., 3(Suppl. B), iii, 1977. 5. Verrier Jones, E.R. and Asscher, A.W., J. Antimicrob. Chemother., 1, 193, 1975. SELEXID Prescribing Information Available as Selexid tablets and Suspension. Each tablet contains 200 mg pivmecillinam hydrochloride; each unit-dose foil sachet of suspension contains 100 mg pivmecillinam as white granules to be dissolved in a small quantity of water. Tablets and suspension should be taken with a meal. Dose for Urinary Tract Infections: Tablets and suspension: From 200 mg 8 hourly – 400 mg 6 hourly depending on severity. For children weighing less than 40 kg: 20-40 mg/kg bodyweight daily in 3-4 divided doses. Contra-indications: Penicillin or cephalosporin hypersensitivity. Precautions/Adverse Reactions: In accordance with normal practice Selexid should be avoided in the 1st trimester of pregnancy. Dosage may need modification when renal function is impaired. Routine monitoring of liver and renal function advisable with prolonged therapy. Gastro-intestinal upset, rash, and anaphylaxis may occur. Full information is available on request. Price: £2.82 for a five day course. Product Licence No.: 0043/0048. Leo Laboratories Limited, Hayes Gate House, Hayes, Middlesex *Selexid is a trade mark