Independent of the state of the

symbol of accuracy

in acute diarrhoea

Imodium's specific action
controls diarrhoea, relieving pain and
abdominal cramps rapidly and effectively.
A tailored dosage regime means that patients only take
Imodium when they really need it, minimising the risk of
constipation and encouraging economy of medication.

constipation and encouraging economy of medication.

Patients will find Imodium capsules easy to take and the blister pack of just twelve capsules is convenient to carry throughout the working day.

Imodium
Simply Stops Diarrhoea-fast
2 stat and 1

at each loose stool

Further information is available from:



JANSSEN PHARMACEUTICA 2340 Beerse, Belgium JANSSEN PHARMACEUTICAL LTD. Marlow, Bucks. SL7 1ET.

Presentation :

Hard gelatin capsules containing 2 mg loperamide hydrochloride and syrup containing 1 mg loperamide hydrochloride per 5 ml.

Imodium* is indicated for the symptomatic control of acute diarrhoea of any aetiology. Contra-indications and warnings etc.:

There are no specific contraindications to Imodium*. Studies in animals have shown no abnormal teratogenic effects, however the use of loperamide during pregnancy is subject to the usual precautions. In trials, no side effects have been reported that can reliably be distinguished from the symptoms of the gastro-intestinal disorder being treated. As persistent diarrhoea can be an indicator of potentially more serious conditions. Imodium* should not be used for prolonged periods until the underlying cause of the diarrhoea has been investigated.

Dosage and Administration:

Acute Diarrhoea . Adults: Two capsules initially, followed by one capsule after every loose stool. The usual dosage is 3 to 4 capsules a day; the maximum daily dose should not exceed 8 capsules. Children: 4 to 8 years: Syrup 5 ml four times daily until diarrhoea is controlled. In children under 8 years, further investigation may be necessary if diarrhoea has not responded to three days' treatment. 9 to 12 years: Syrup 10 ml (or 1 capsule) four times daily until diarrhoea is controlled.

Basic NHS Cost:

12 capsules (ex 250 pack) 104p. (correct at time of printing)

Product Licence Numbers : Capsules 0242/0028 - Syrup 0242/0040

⊈ JPL/037/80

or

* Trademark

HOW TO DO IT

Every doctor knows the sinking sensation induced by waiting one's turn for an examination viva and the social anxieties of changing jobs. The misery of first night nerves does not, however, disappear with time: each decade brings new challenges. On these occasions—chairing a committee, giving evidence in court, appearing on television—practical tips can be enormously helpful. The same is true of the many skills not taught in medical school—how to lecture, referee papers, edit, or use a library. All these and many more nuggets of down-to-earth advice have been collected from past issues of the *BMJ* to form a compendium for the novice—whatever his or her age or seniority.

Price: Inland £4.00; Abroad US\$10.00 (Concessionary price to BMA members: Inland £3.50; Abroad US\$8.75.

When ordering BMA members must quote their membership number or the full price will be applicable.)

Payment must be enclosed with order or a surcharge of 30p will be made for rendering invoices and statements.





The nasal-block buster

FOR COLDS, RHINITIS AND SINUSITIS

ACTIFED TABLETS

triprolidine hydrochloride BP/pseudoephedrine hydrochloride BP

Indications Symptomatic relief of upper respiratory congestion in: the common cold, hay fever, vasomotor and allergic rhinitis, acute sinusitis, otitis barotrauma.

Dosage Three times a day: Adults and children over 12 years: 1 tablet or 10 ml. 6-12 years: 7.5 ml. 1-6 years: 5 ml. 3-12 months: 2.5 ml.

Contra-Indications Actifed* is contraindicated in persons under treatment with MAO inhibitors and within two weeks of stopping such treatment.

Precautions Although at recommended dosage pseudoephedrine has virtually no pressor effects in normotensive subjects, Actifed should be used with caution in patients with cardiovascular disorders. As with other antihistamine-containing

preparations, drowsiness may occur. In some patients the action of antihistamines may be potentiated by alcohol. **Presentation** Each Actifed tablet contains 2.5 mg triprolidine hydrochloride and 60 mg pseudoephedrine hydrochloride. PL3/5003.

Each 5 ml of Actifed Syrup contains 1.25 mg triprolidine hydrochloride and 30 mg pseudoephedrine hydrochloride. PL3/5004.

Additional information is available on request.

Wellcome Medical Division
The Wellcome Foundation Ltd., Crewe, Cheshire.

ABC OF HYPERTENSION

BRITISH MEDICAL JOURNAL VOLUME 283


Hypertension is a common disorder that is easily detected. But it may be deceptively simple: the measurement of blood pressure, interpretation of the results, and the decisions that follow need to be based on a comprehensive knowledge of recent advances.

These illustrated articles on blood pressure measurement, reduction and management have now been collected together in the same format as they appeared in the BMJ to provide a

practical guide for general practitioners and others concerned with hypertension.

Price: Inland £3.50; Overseas US\$16.00* (Inland £3.00; Overseas US\$14.50* for BMA members)

*including air mail postage



ABC OF EAR NOSE AND THROAT


Diseases of the ear, nose and throat account for a substantial proportion of all consultations in general practice; they cause time off work and, particularly in children, a great deal of misery and discomfort.

Mr. Harold Ludman's illustrated articles on the common problems of ENT provide the busy clinician with a practical and reliable guide to their assessment and management.

These articles have been collected together in book form in the same format as they appeared in the BMJ.

Price: Inland £3.50; Overseas US\$16.00* (Inland £3.00; Overseas US\$14.50* for BMA members)

*including air mail postage




PROCEDURES IN PRACTICE

An illustrated step-by-step guide for doctors making their first attempts at the procedures commonly used in hospital practice. The articles explain the techniques in detail and give indications and contraindications for a range of tasks from setting up a drip to aspirating bone marrow.

The articles have been collected into book form in the same format as they appeared in the BM.I.

Price: Inland £4.00; Overseas US\$19.00* (Inland £3.50; Overseas US\$17.50* for BMA members)

*including air mail postage



STATISTICS by T. D. V. SWINSCOW AT SQUARE ONE

from the British Medical Journal


The statistical testing of data is indispensable in many types of medical investigation and a help on countless occasions in clinical practice. This book provides step-by-step instruction. Subjects covered include standard deviation, χ^2 tests, t tests, non-parametric tests and correlation. Methods specially adapted to pocket calculators.

"The ability to put symbols in sequence may well be one of the greatest advances in man's development.... This excellent and attractive volume will give you an idea into which category an article or projected article fits. The ink you save may be your own. It is superb value."

O'Donnell, Barry, British Medical Journal, 1977, 1, 451.

"... this gem of a practical booklet squeezes the essence of biostatistics into 75 well-written, well-organized pages. Newcomers to the field will like the way obscure concepts are clarified; experts will find the book valuable as a teaching aid."

de Jong, Rudolph H., J.A.M.A., 1977, 237, 1874



Seventh edition

PRICE: Inland £2.50
Overseas US\$10.00,
including despatch by
Air Mail

Payment must be enclosed with order or a surcharge of 50p will be made for rendering invoices and statements

ORDER YOUR COPY NOW

From: The Publisher, British Medical Journal, BMA House, Tavistock Square, London WC1H 9JR

or through any leading bookseller

BRITISH MEDICAL JOURNAL VOLUME 283

vii

MARITAL PATHOLOGY

Divorce is becoming increasingly common: at current rates about six million people in Britain will divorce before the end of the century. Every doctor and health worker will have to deal with the diverse effects of marital unhappiness. This book discusses clearly and concisely reasons for marital misery, its effects on the health of the family, and how counsellors can help. This book will benefit all who have to deal with these problems.


Price: Inland £1.75 Abroad US\$5.00

Payment must be enclosed with order or a surcharge of 50p will be made for rendering invoices and

Order your copy now

From: The Publishers British Medical Journal **BMA** House Tavistock Square London WC1H 9JR

Darton Longman & Todd Ltd. 89 Lillie Road London SW6 1UD




THE FIRST YEAR OF LIFE

Recent research has vastly improved our understanding of a child's development in the first year of life. In particular, assessment of normal progress is now much more systematic, so that deviations from the normal are recognised earlier

Dr. Bernard Valman's illustrated account of current methods of examination, assessment and management of the medical problems of early infancy will prove invaluable to all concerned with small babies.

The articles have now been collected into book form in exactly the same format as they appeared in the BMJ. Price: Inland £5.00; Overseas US\$12.50 (Inland £4.50; Overseas US\$11.25 for BMA members)



TODAY'S TREATMENT/4

The drugs that we use today are increasingly potent, dangerous, and expensive, and every doctor should have some understanding of clinical pharmacology and drug-induced diseases. Both these subjects, which have been badly taught in medical schools, are covered comprehensively in this new book, which consists of articles taken from the *BMJ*. Also included are articles that provide a clear and up-to-the-minute introduction to anaesthetics.

Price: Inland £4.50; Overseas US\$20.50* (Inland £4.00; Overseas US\$19.00* for BMA members) *including air mail postage

When ordering BMA members must quote their membership number or the full price will be applicable.



For the treatment of

staphylococcal infection

- ... (staphylococci) form focal, often necrotic lesions, where they are protected from the defence mechanism of the body and shielded from efficient chemotherapy. •
- ... Fucidin exerts a potent antibacterial effect even in. the presence of large collections of pus, into which it apparently peaetrates in effective concentrations.
- Fucidin, which has the ability to penetrate in signification consists into rissaes carryinga poem block entirity, 20

- Brain abscess
- Hypopyon
- Endophthalmitis
- Lungabaccas
- Endocarditis.
- · Pacarilon a with abacess
- Empyema
- Rénal carbinnele
- Deep wound infection
- Septicarthritis
- Foreign bodies profes
- Osteomyelitis
- Dieliellogangene