

# Nizoral

ketoconazole

## The first oral anti-fungal effective against all pathogenic fungi

### dosage:

Vaginal Candidosis:	All other superficial and systemic fungal infections:
1 tablet b.i.d. (with food) for 5 days	1 tablet daily (with food) until complete symptomatic and mycological cure is obtained


### PRESCRIBING INFORMATION

**Presentation:** White, flat, half scored uncoated tablets marked 'JANSSEN' on the reverse. Each contains ketoconazole 200 mg. **Use:** Nizoral is an orally active antimycotic for the treatment, in adults, of superficial and systemic mycoses including dermatophyte and yeast infection of the skin and hair, yeast infection of the mouth and G.I. tract, recurrent or chronic vaginal candidosis not responding to topical treatment. Also maintenance treatment in systemic mycosis and chronic mucocutaneous candidosis and prophylaxis in "at risk" patients. In children: systemic mycosis and severe local infection where previous topical treatment has failed. **Side effects, Precautions, Contra-Indications:** Contra-indicated in pregnancy. For optimum absorption, Nizoral should be taken with meals. The use of agents which reduce gastric acidity (anti-cholinergic drugs, antacids, H<sub>2</sub> blockers) should be avoided and, if indicated, such drugs should be taken not less than two hours after Nizoral. Nausea, skin rash, occasionally observed.

Not all indications are as yet  
approved in all countries.

Janssen Pharmaceutica   
Beerse, Belgium

# NEW BOOKS from the BMA



## HISTORY OF THE BRITISH MEDICAL ASSOCIATION

Volume II 1932-1981

By Elston Grey-Turner, CBE, MC, TD, MD, MRCS, LRCP (Secretary, BMA, 1976-1979) and F. M. Sutherland, MA, FLA (Librarian, BMA, 1961-1981).

A companion volume to the history of the BMA's first hundred years published in 1932, *The History of the BMA Volume II* covers the next 50 years. The authors describe the change in the BMA's role overseas, the baffling new ethical problems, and the expansion of the BMA's publishing activities. Their book is packed with fascinating information. Why did the BMA threaten the *Sunday Pictorial* at the beginning of the second world war? What did the presidents of the royal colleges say in their famous letter to Aneurin Bevan? What was the biggest award ever made to doctors by a Review Body? All these questions, and many more, are answered in this book.

Price: Inland—Hardback £12.25; Paperback £10.00  
Abroad—Hardback US\$30.60; Paperback US\$25.00

\*Concessionary price to BMA Members:

Inland—Hardback £11.00; Paperback £9.00  
Abroad—Hardback US\$27.50; Paperback US\$22.50

## ABC OF 1 TO 7

Dr. Bernard Valman's series of *BMJ* articles, the ABC of 1 to 7, covered the diseases, emotional problems, and developmental disorders that tax doctors (and parents) in the early years of childhood, giving straightforward advice with emphasis on practice rather than theory. These articles have been collected together in this book, which provides a worthy sequel to Dr. Valman's *First Year of Life*.

Price: Inland £7.50; Abroad US\$25.25 (including air mail postage).

\*Concessionary price to BMA members: Inland £6.50; Abroad US\$22.75 (including air mail postage).

## ALCOHOL PROBLEMS

In recent years alcohol problems have increased dramatically and the thinking on them has undergone a revolution. *Alcohol Problems* brings together two recent series of articles published in the *BMJ*—the *ABC of Alcohol*, with its emphasis on straightforward advice for the clinician, and *Alcohol and Alcoholism*, Dr. Richard Smith's more discursive survey of current thinking and controversies. Together they cover both the clinical aspects of managing alcohol problems and the social and political factors that surround them.

Price: Inland £5.00; Abroad US\$17.50 (including air mail postage).

\*Concessionary price to BMA members: Inland £3.75; Abroad US\$14.50 (including air mail postage).

## SEX PROBLEMS IN PRACTICE

Patients increasingly are bringing their sex problems to doctors, many of whom have had no training in managing such problems. This book provides straightforward advice on what general practitioners and other front-line health workers can and cannot do. Most problems can be managed with simple advice and counselling, but some need referral.

Price: Inland £4.00; Abroad US\$13.25 (including air mail postage).

\*Concessionary price to BMA members: Inland £3.00; Abroad US\$10.75 (including air mail postage).

## EMERGENCIES IN THE HOME

General practitioners are often the first doctors to see acutely ill patients, and often in difficult circumstances. This book tells general practitioners straightforwardly what they need to know to deal with such emergencies—both the common and the less common. A specialist and a general practitioner have co-operated on each chapter, making each both authoritative and practical.

Price: Inland £5.00; Abroad US\$17.50 (including air mail postage).

\*Concessionary price to BMA members: Inland £3.75; Abroad US\$14.50 (including air mail postage).

**BMA HOUSE: A GUIDE** Price: £1.50.

## ORDER YOUR COPY FROM

The Publishing Manager, BRITISH MEDICAL JOURNAL  
BMA House, Tavistock Square, London WC1H 9JR or through any leading bookseller

\*When ordering direct, BMA members must quote their membership number or the full price will be applicable.



# Actifed. Taken around the world.

**Presentation.** Actifed is available as tablets and syrup. Each tablet contains 2.5 mg triprolidine hydrochloride and 60 mg pseudoephedrine hydrochloride. Each 5 ml of syrup contains 1.25 mg triprolidine hydrochloride and 30 mg pseudoephedrine hydrochloride.

**Indications** Symptomatic relief of upper respiratory congestion in the common cold, hay fever, vasomotor and allergic rhinitis, acute sinusitis, otitis barotrauma.

**Dosage** Three times a day: Adults and children over 12 years: 1 tablet or 10 ml. 6-12 years: 7.5 ml. 1-6 years: 5 ml. 3-12 months: 2.5 ml. **Contra-indications** Actifed is contra-indicated in persons hypersensitive to

pseudoephedrine or triprolidine and in those under treatment with MAO inhibitors and within 2 weeks of stopping such treatment. **Precautions** Although at recommended dosage pseudoephedrine has virtually no pressor effects in normotensive subjects, Actifed should be used with caution in patients with cardiovascular disorders. As with other antihistamine containing preparations, drowsiness may occur. In some patients the action of antihistamines may be potentiated by alcohol. 25 tablets. PL3/5003. 150 ml. PL3/5004.

# Actifed™

Pseudoephedrine Hydrochloride BP  
Triprolidine Hydrochloride BP

The decongestant  
chosen by NASA



Further information is available on request.  
Wellcome Medical Division, The Wellcome Foundation Ltd., Crewe, Cheshire



## **Tubigrip Shaped Support Bandage...keeping patients in circulation**

Support for patient care from

**Seton®**  
THE 'TUBIGRIP' PEOPLE

Seton Products Limited, Tubiton House, Oldham OL1 3HS.  
Tel: 061-652 2222. Telex: 669956

Please send me further details on Tubigrip SSB's

Name \_\_\_\_\_

Position \_\_\_\_\_

Address \_\_\_\_\_

Post to: Seton Products Ltd.,  
Tubiton House, Oldham OL1 3HS.

BMJ14

# **TODAY'S TREATMENT/4**

The drugs that we use today are increasingly potent, dangerous, and expensive, and every doctor should have some understanding of clinical pharmacology and drug-induced diseases. Both these subjects, which have been badly taught in medical schools, are covered comprehensively in this new book, which consists of articles taken from the *BMJ*. Also included are articles that provide a clear and up-to-the-minute introduction to anaesthetics.

Price: Inland £4.50; Overseas US\$20.50\*  
(Inland £4.00; Overseas US\$19.00\* for  
BMA members)

\*including air mail postage


When ordering BMA members must quote their membership number or the full price will be applicable.

#### **Order your copy now**

From: The Publisher, British Medical Journal, BMA House,  
Tavistock Square, London WC1H 9JR  
or any leading bookseller

New Series

# **TODAY'S TREATMENT/4**



From the British Medical Journal

# THE TUC

**zincam fuscata B.P.**


knows no barriers.

For the treatment of **staphylococcal infection**

... (staphylococci) form  
focal, often necrotic  
lesions, where they are  
protected from the defence  
mechanism of the body  
and shielded from efficient

... Fucidin exerts a potent antibacterial effect even in the presence of large concentrations of  $\alpha$ -amylase.

1. **INTERCULTURAL DIVERSITY**  
2. **INTERCULTURAL DIVERSITY**  
3. **INTERCULTURAL DIVERSITY**  
4. **INTERCULTURAL DIVERSITY**  
5. **INTERCULTURAL DIVERSITY**  
6. **INTERCULTURAL DIVERSITY**  
7. **INTERCULTURAL DIVERSITY**  
8. **INTERCULTURAL DIVERSITY**  
9. **INTERCULTURAL DIVERSITY**  
10. **INTERCULTURAL DIVERSITY**



- Brain abscess
- Hypopyon
- Endophthalmitis
- Lung abscess
- Endocarditis
- Pneumonia with abscess
- Empyema
- Peritonitis
- Diabetic ketoacidosis
- Septic arthritis
- Foreign bodies
- Osteomyelitis
- Diabetic gangrene

is administered in conjunction with other drugs which may cause  
the same type of side effect.

Journal of Health Politics, Policy and Law, Vol. 33, No. 4, December 2008  
DOI 10.1215/03616878-33-4 © 2008 by the Southern Political Science Association

19. *Leucosia* (Leucosia) *leucostoma* (Fabricius) (Fig. 19)

1. **NAME OF THE ORGANIZATION**  
2. **NAME OF THE CHIEF OFFICER**  
3. **NAME OF THE SECRETARY**  
4. **NAME OF THE TURKISH AGENT**