ZOCA ketoconazole



dosage

vaginal candidosis:

2 tablets once daily (with food) for 5 days all other superficial and systemic fungal infections:

1 tablet daily (with food) until complete symptomatic and mycological cure is obtained

HISTORY OF THE BRITISH MEDICAL ASSOCIATION

Volume II 1932-1981

by

ELSTON GREY-TURNER CBE, MC, TD, MD, MRCS, LRCP (Secretary, BMA, 1976-79)

and

F M SUTHERLAND
MA, FLA
(Librarian, BMA, 1961-81)


A companion volume to the history of the BMA's first hundred years published in 1932, The History of the BMA Volume II covers the next 50 years. The authors, Dr E Grey-Turner, former secretary of the BMA, and Mr F Sutherland, former librarian of the BMA, describe the change in the BMA's role overseas, the baffling new ethical problems, and the expansion of the BMA's publishing activities. Their book is packed with fascinating information. Why did the BMA threaten the Sunday Pictorial at the beginning of the second world war? What did the presidents of the royal colleges say in their famous letter to Aneurin Bevan? What was the biggest award ever made to doctors by a Review Body? All these questions, and many more, are answered in this book.

Price: Hardback — £12.25 (US\$30.60) Paperback — £10.00 (US\$25.00) Volumes I & II in slip case — £19.25 (US\$48.10)

Reduced price for BMA members only

Hardback — £11.00 (US\$27.50) Paperback — £9.00 (US\$22.50) Volumes I & II in slip case — £17.25 (US\$43.15)

Order your copy now from: The Publisher, British Medical Journal, BMA House, Tavistock Square, London WC1H 9JR



Septrin Assurance

Prescribing Information

Indications Sensitive bacterial infections of the lower respiratory, urinary and genital tracts, sinusitis, otitis media, skin infections, septicaemia, typhoid and paratyphoid fevers, and other infections caused by sensitive organisms.

Dosage Septrin Forte Tablets. Adults and children over 12 years: 1 forte tablet twice daily. Maximum dosage for particularly severe infections 1½ forte tablets twice daily. In acute infections Septrin should be given for a minimum of five days or until the patient has been symptom-free for two days.

Contra-indications Septrin is contra-indicated in

patients with marked liver parenchymal damage, blood dyscrasias or severe renal insufficiency. Septrin should not be given to patients hypersensitive to sulphonamides, trimethoprim or co-trimoxazole; should not be given during pregnancy or to neonates. Precautions In renal impairment a reduced dosage is indicated and an adequate urinary output should be maintained. Regular blood counts are necessary whenever long-term therapy is used. Caution is advised in patients with folate deficiency. Care should be taken when giving Septrin to patients receiving oral anticoagulants of the coumarin group, pyrimethamine or sulphonylureas.

Adverse Reactions Occasionally, nausea, vomiting, glossitis and skin rashes may occur with normal doses and, very rarely, haematological reactions.

Presentation Septrin Forte Tablets each contain 160 mg Trimethoprim BP and 800 mg Sulphamethoxazole BP. PL3/0121.

Septrin Forte 1b.d.

Further information is available on request. Wellcome Medical Division The Wellcome Foundation Ltd., Crewe, Cheshire



*Trade Mark

Just published

EMERGENCIES IN THE HOME


General practitioners are often the first doctors to see acutely ill patients, and often in difficult circumstances. This book tells general practitioners straightforwardly what they need to know to deal with such emergencies—both the common and the less common. A specialist and a general practitioner have co-operated on each chapter, making each both authoritative and practical.

Price: Inland £5.00 Overseas US\$17.50* (Inland £3.75; Overseas US\$14.50* for BMA members)

*including air mail postage

Order your copy now
From: The Publisher
British Medical Journal
BMA House
Tavistock Square
London WC1H 9JR

or any leading bookseller



Just published

BRITISH MEDICAL JOURNAL VOLUME 285


SEX PROBLEMS IN PRACTICE

Patients increasingly are bringing their sex problems to doctors, many of whom have had no training in managing such problems. This book provides straightforward advice on what general practitioners and other front-line health workers can and cannot do. Most problems can be managed with simple advice and counselling, but some need referral.

Price: Inland £4.00 Overseas US\$13.25* (Inland £3.00; Overseas US\$10.75* for BMA members)

*including air mail postage

Order your copy now From: The Publisher British Medical Journal **BMA** House Tavistock Square London WC1H 9JR or any leading bookseller



Available NOW the second issue in English of the

Journal of TRADITIONAL CHINESE MEDICINE

December 1981 Volume 1, Number 2

A selection of papers published in this and the first (September 1981) issue follows:

RECENT ADVANCES IN DIAGNOSIS AND TREATMENT OF ACUTE APPENDICITIS
COMPLICATED WITH PERITONITIS BY COMBINED TRADITIONAL CHINESE AND
WESTERN MEDICINE • CLINICAL STUDIES OF PSORIASIS TREATED WITH
ANTIPSORIATIC PRESCRIPTIONS • SPLEEN POINT IN FACE ACUPUNCTURE USED
IN FIBROGASTROSCOPY • A REPORT ON THE NON-MUTAGENICITY OF QINGHAOSU
BY THE AMES' TEST • TREATMENT OF GRAND MAL SEIZURES WITH "QUINGYANGSHEN"
(ROOT OF CYNACHUM OTOPHYLLUM) AND OBSERVATIONS ON EXPERIMENTAL
ANIMALS • VOLVULUS OF THE STOMACH SUCCESSFULLY TREATED WITH
ACUPUNCTURE Report of 9 cases • TREATMENT OF TRICHOMONAL ENTERITIS
BY CHINESE MEDICINAL HERBS Report of 16 cases • EFFECT OF TRADITIONAL
MASSAGE ON CLOSURE INSUFFICIENCY OF GLOTTIS IN SINGERS An analysis of 16 cases.

Published quarterly the subscription rates are:

1981 (2 issues) Inland £15.00; Overseas US\$30.00 1981 (2 issues) by Air Mail US\$34.00 1981-1982 (6 issues) Inland £45.00; Overseas US\$90.00 1981-1982 (6 issues) by Air Mail US\$102.00

The Journal of Traditional Chinese Medicine is published in Beijing, China and solely distributed worldwide (except China) by:

Professional & Scientific Publications BMA House, Tavistock Square London WC1H 9JR, England

ORDER YOUR SUBSCRIPTION NOW from Professional & Scientific Publications

knows no barriers!

iorthe treatment of

staphylococcal infection

- (staphylococci) form focal, often necrotic tesions, where they are protected from the defence mechanism of the body and stricided from efficient themotherapy.
- Fueldin exerts a potent antibacterial effect even in the presence of large collections of pus. into which it apparently penetrates in effective concentrations.
- Fugicity, which has the audity to penetrate in significant amedians byto transcess carrying a poor piece supply.

- Brakenbrass
- eliyebwei
- Britis Chicagos
- Pacrugonia with abscess
- e Dranycina
- Rendissionnale
- Deep wound infection
- o Replication like
- Poreign bodies 22th
- Diabeth gangeau

The state of the s

and the second

The second continue of the section because its