TOTAL Retoconazole

The first oral anti-fungal effective against all pathogenic

dosage:

vaginal candidosis:	all other superficial and systemic fungal infections:
2 tablets once daily (with food) for 5 days	1 tablet daily (with food) until complete sympto- matic and mycological cure is obtained

PRESCRIBING INFORMATION

Presentation: white fall half scored uncoated tablets marked. Janssen, on one side and ki/200 on the reverse Each tablet contains 200 mg (becompare) buses; Nizoral is an orally active animycotic for the treatment adults of vagnal candidosis superficial and systemic mycoses including dermationive and yeast infections of the sent hair and nails, yeast infections of the mouth and GT tract. Also maintenance treatment of systemic mycoses and chronic mucoculaneous candidosis and prophylavism, afrisk patients Inchideren systemic mycoses and severe local infections where previous topical treatment has fated. Side-effects, precautions, contra-indications; contra-indicated in pregnancy. For maximal absorption Nizoral, should be taken with medis. The use of agents which reduce gastic adulty (anti-cholinergic drugs, antiaods. H2 blockers) should be tawarded and if indicated such drugs should be taken into files than two hours after Nizoral. Nauses, skin riskn hisratiche and privitus may occasionally be observed. Alterations in liver function lests have occurred in patients as kintoschapism, these changes may be transfert. Cases of heratitis have been reported with an incidence of atout 1 per 10.000 patients. Some of threse may represent an indicay cardial adversor each of the full manned considerable to the nearly appress the second of the states. It realment with kidologism the formal per may represent an indicay cardial adversor each of the full manned considerable states. It realment with kidologism and of the full that the full that the other media.

Not all indications are as yet approved in all countries.

Janssen Pharmaceutica B-2340 Beerse, Belgium



INTERNAL MEDICINE

Jay H. Stein, M.D., Editor-in Chief Every thirty years or so, a new textbook emerges that, ultimately, defines the practice of medicine for its generation. Osler's *Textbook of Medicine* at the turn of the century; Cecil's *Textbook of Medicine* in the late twenties; and Harrison's *Principles of Internal Medicine* in the fifties—each of these remarkable texts set a standard of excellence for the study and practice of medicine.

Today, in the same tradition, Stein's *Internal Medicine* takes its place as the first major new textbook in more than thirty years. It is the book that reflects the practice of internal medicine in the 1980's.

Single Volume 0-316-81231-5, \$65.00 Two Volumes 0-316-81232-3/32, \$80.00 LITTLE, BROWN AND COMPANY, BOSTON

BECOMING A DOCTOR

Compiled by Sir Ronald Gibson CBE, DM, FRCS, FRCGP

A guide to careers in medicine, intended for school leavers, which gives details of medical courses and entry requirements of medical schools in the United Kingdom and Republic of Ireland.

Price: Inland £2.00 (BMA Members: £1.50) Abroad US \$5.00

ORDER NOW FROM: The Publishing Manager, British Medical Association, BMA House, Tavistock Square, London WC1H 9JR

The standard of excellence, now in a new edition.

Harrison's Principles of Internal Medicine 10/E

For over thirty years Harrison's Principles of Internal Medicine has been widely recognised and accepted as the leading reference in internal medicine. Now a new tenth edition maintains those qualities of scholarship, clarity and comprehensiveness the lecturers, doctors and students have come to expect from Harrison, but it is a major, thorough revision.

Every chapter has been completely revised or rewritten, and individual topics have been brought up-to-date to reflect the latest clinical research and information. This edition includes for the first time, two comprehensive chapters on geriatric medicine, while an already strong neurology section takes into account the many advances in the field and provides a focus on neurology in the 1980's. And, in bringing to clinical relevance new developments in the basic sciences, the tenth edition accomplishes the most extensive update of the biochemistry of disease in many years. Of course, it also includes full-colour illustrations, index

and completely up-to-date references.

Harrison's Principles of Internal Medicine 10/E remains the reference that physicians and students can depend upon for immediate, accurate and up-to-date help in solving the full range of clinical problems.

Publication March

ISBN 07 049603 X (1 volume edition) £39.95 until March 1st

£49.95 thereafter

ISBN 07 079309 3 (2 volume edition) £69.95

There is a special price offer on the one-volume edition; order before March 1st and the price is only £39,95, thereafter £49,95, order now and save £10.00!

Please order now from the publisher, or from your local bookshop.

McGraw-Hill Book Company (UK) Limited, Shoppenhangers Road,

Maidenhead, Berkshire, SL6 2QL.



Private Medical & Surgical Rehabilitation


The Rehabilitation Unit at Unsted Park provides facilities for the intensive rehabilitation of patients of all ages. Treatment is carried out by a highly qualified, multi-disciplinary team under medical supervision, comprising physiotherapists, remedial gymnasts, occupational therapists, art therapist, speech therapist and nurses. The team is responsible for regular assessments of patients and for establishing individual treatment programmes.

Subscribers to the main Private Contributory Schemes may claim benefits within the terms of these schemes.

Further information is available from the Matron,

Unsted Park

Munstead Heath, Godalming, Surrey. Telephone: Guildford (0483) 892061



Emergency Medicine

a major new journal to be published quarterly from January 1984 by Blackwell Scientific Publications

Edited by **A.D. Redmond** MD, MRCP, FRCS Department of Accident and Emergency Medicine, Stockport Infirmary

This new publication will cover all aspects of Accident and Emergency Medicine, with particular emphasis on the resuscitation, diagnosis and management of the acutely ill. It will publish original papers and review articles; short communications and case reports will be accepted if sufficiently noteworthy.

Manuscripts for consideration should be sent to the Editor, Dr. A.D. Redmond, Blackwell Scientific Publications, 9 Forrest Road, Edinburgh EH1 2QH.

Order Form

Please tick the appropriate box and return this form to Blackwell Scientific Publications, 9 Forrest Road, Edinburgh EH1 2QH

\square	Please send	me information o	n contributing to
	Emergency	Medicine	_

	am interested in subscribing to Emergency
1	Medicine. Please send me further information as
9	soon as it becomes available

Name	
Address	

Blackwell Scientific Publications



Wellcome - committed always to the service of diabetics

and diabeticians-will also continue to provide the patient and doctor service items for which the company is well-known.

ction BP (purified) Wellcome (purified) Wellcome Isophane Insulin

Insulin Zinc Suspension BP (purified) Wellcome

Prescribing Information

Uses Management of Diabetes mellitus.

Dosage and administration Dosage to be determined by the physician. Site of injection to be changed according to suitable routine. Avoid unintentional intravascular

injection.

Neusulin, Soluble Insulin: Administered s.c., i.m. or i.v. S.c., onset of action within 30-60 minutes, duration 6-8 hours. I.m., onset is faster and duration is shorter. I.v. administration has fastest onset and shortest duration, usually reserved for investigational use or diabetic ketoacidosis.

Neuphane, Neulente: Administered s.c. or i.m. Not to be given i.v. S.c., onset of action within 2 hours, duration (Neuphane) 20-24 hours, duration (Neulente) 24-28 hours. I.m., onset is faster and duration shorter. Mix well by gently inverting the vial several times before use.

Mixing: Neusulin may be mixed in the syringe, on medical advice, with Neuphane or Neulente if required, provided the mixture is injected immediately. However, it is preferable to avoid mixing insulins of different pH. See data sheet for procedure.

Contra-indications Hypoglycaemia.

1.75 P. he a char act don

Precautions Dosage requirement may alter with variation of lifestyle, infection, pregnancy and with change in

species, type or purity of insulin. Hypo- and hyperglycaemia may be enhanced by drugs which interact with insulin. Beta-blockers may affect insulin requirement and mask hypoglycaemia. MAO inhibitors may potentiate insulin.

Side-effects Hypoglycaemia. Possible altered visual refraction. Transient local reservings at the cite of interfaction.

refraction. Transient local reactions at the site of injection. **Storage** Store at 2-8°C. *Do not freeze*. Avoid direct sunlight.

Presentation Neusulin, Neuphane and Neulente are available in strengths of 40 and 80 units per ml in vials of 10 ml.

Basic NHS costs

Neusulin 40 units/ml PL3/0137, £2.31 80 units/ml PL3/0138 £4.14

Neulente

40 units/ml PL3/0141 £2.28 80 units/ml PL3/0142 £3.90

Neuphane

40 units/ml PL3/0139 £2.31 80 units/ml PL3/0140 £4.47

Further information is available on request.

* Trade Mark

Wellcome Medical Division The Wellcome Foundation Ltd, Crewe, Cheshire Wellcome



ALCOHOL PROBLEMS


In recent years alcohol problems have increased dramatically and the thinking on them has undergone a revolution. Alcohol Problems brings together two series of articles published in the BMJ—the ABC of Alcohol, with its emphasis on straightforward advice for the clinician, and Alcohol and Alcoholism. Dr Richard Smith's more discursive survey of current thinking and controversies. Together they cover both the clinical aspects of managing alcohol problems and the social and political factors that surround them.

Price: Inland £5.00 Overseas US\$17.50* (Inland£3.75 Overseas US\$14.50* for BMA members)

*including air mail postage

Order your copy now

From: The Publisher British Medical Journal **BMA** House Tavistock Square London WC1H 9JR or any leading bookseller



ADVERTISEMENT

HISTORY OF THE BRITISH MEDICAL ASSOCIATION

Volume II 1932-1981

by

ELSTON GREY-TURNER CBE, MC, TD, MD, MRCS, LRCP (Secretary, BMA, 1976-79)

and

F M SUTHERLAND
MA, FLA
(Librarian, BMA, 1961-81)

A companion volume to the history of the BMA's first hundred years published in 1932, The History of the BMA Volume II covers the next 50 years. The authors, Dr E Grey-Turner, former secretary of the BMA, and Mr F Sutherland, former librarian of the BMA, describe the change in the BMA's role overseas, the baffling new ethical problems, and the expansion of the BMA's publishing activities. Their book is packed with fascinating information. Why did the BMA threaten the Sunday Pictorial at the beginning of the second world war? What did the presidents of the royal colleges say in their famous letter to Aneurin Bevan? What was the biggest award ever made to doctors by a Review Body? All these questions, and many more, are answered in this book.

Price: Hardback — £12.25 (US\$30.60) Paperback — £10.00 (US\$25.00)

Volumes I & II in slip case — £19.25 (US\$48.10)


Reduced price for BMA members only

Hardback — £11.00 (US\$27.50) Paperback — £9.00 (US\$22.50) Volumes I & II in slip case — £17.25 (US\$43.15)

Order your copy now from: The Publisher, British Medical Journal, BMA House, Tavistock Square, London WC1H 9JR

The logical choice

Select the correct figure from the six numbered ones



Voltarol[®] diclofenac sodium forosteoarthritis

Presentation Tablets of 25 and 50mg diclofenac sodium; suppositories of 100mg diclofenac sodium. Indications Rheumatoid arthritis, osteoarthritis, low back pain and other acute musculo-skeletal disorders, ankylosing spondylitis, acute gout. Dosage Tablets: 75-150mg daily in two or three divided doses. Suppositories: one daily, usually at night. In more severe cases, combined therapy with tablets is recommended (daily dose should not exceed 150mg). Side-effects Transient epigastric pain, nausea and diarrhoea, headache and slight dizziness have been reported, as occasionally have skin rash, peripheral oedema and abnormalities of serum transaminases and (very rarely) peptic ulcer and haematemesis or melaena. Local reactions to suppositories include itching, burning and increased frequency of bowel movement. Precautions Do not prescribe during pregnancy unless there are compelling reasons. Patients with a history of peptic ulcer, haematemesis or melaena, or with severe hepatic or renal insufficiency, should be kept under close surveillance. Voltarol has been reported to depress salicylate levels and vice versa: the clinical relevance of this is not yet clear. Use suppositories only with caution in patients with painful or irritable ano-rectal conditions. Contra-indications Peptic ulceration; patients in whom attacks of asthma, urticaria or acute rhinitis are precipitated by aspirin or other NSAIs. Packs Tablets 25mg (PL0001/0083) in packs of 10, £3.16. Full prescribing information is available from Geigy Pharmaceuticals, Horsham, West Sussex.