



# Nizoral<sup>®</sup>

ketoconazole

## Oral therapy for all common fungal infections

Vaginal candidosis:	In all dermatological and in systemic fungal infections:
2 tablets once daily (with food) for 5 days	1 tablet daily (with food) until complete sympto- matic and mycological cure is obtained

Not all indications are as yet  
approved in all countries.

#### PRESCRIBING INFORMATION

**Presentation:** white, flat, half scored uncoated tablets marked "Janssen" on one side and k/200 on the reverse. Each tablet contains 200 mg ketoconazole. **Uses:** Nizoral is an orally active antimycotic for the treatment in adults, of vaginal candidosis, superficial and systemic mycoses including dermatophyte and yeast infections of the skin, hair and nails, yeast infections of the mouth and G.I. tract. Also maintenance treatment of systemic mycoses and chronic mucocutaneous candidosis and prophylaxis in "at risk" patients. In children: systemic mycoses and severe local infections where previous topical treatment has failed.

**Side-effects, precautions, contra-indications:** contra-indicated in pregnancy. For maximal absorption, Nizoral should be taken with meals. The use of agents which reduce gastric acidity (anti-cholinergic drugs, antacids, H<sub>2</sub> blockers) should be avoided and, if indicated, such drugs should be taken not less than two hours after Nizoral. Nausea, skin rash, headache and pruritus may occasionally be observed. Alterations in liver function tests have occurred in patients on ketoconazole, these changes may be transient. Cases of hepatitis have been reported with an incidence of about 1 per 10,000 patients. Some of these may represent an idiosyncratic adverse reaction to the drug. This should be borne in mind in patients on long-term therapy. If a patient develops jaundice or any symptoms suggestive of hepatitis, treatment with ketoconazole should be stopped.



**Janssen Pharmaceutica**  
B-2340 Beerse, Belgium

# HISTORY OF THE BRITISH MEDICAL ASSOCIATION

Volume II 1932-1981

by

ELSTON GREY-TURNER  
CBE, MC, TD, MD, MRCS, LRCP  
(Secretary, BMA, 1976-79)

and

F M SUTHERLAND  
MA, FLA  
(Librarian, BMA, 1961-81)

A companion volume to the history of the BMA's first hundred years published in 1932, *The History of the BMA Volume II* covers the next 50 years. The authors, Dr E Grey-Turner, former secretary of the BMA, and Mr F Sutherland, former librarian of the BMA, describe the change in the BMA's role overseas, the baffling new ethical problems, and the expansion of the BMA's publishing activities. Their book is packed with fascinating information. Why did the BMA threaten the *Sunday Pictorial* at the beginning of the second world war? What did the presidents of the royal colleges say in their famous letter to Aneurin Bevan? What was the biggest award ever made to doctors by a Review Body? All these questions, and many more, are answered in this book.

Price: Hardback — £12.25 (US\$30.60)      Paperback — £10.00 (US\$25.00)

Volumes I & II in slip case — £19.25 (US\$48.10)

**Reduced price for BMA members only**

Hardback — £11.00 (US\$27.50)      Paperback — £9.00 (US\$22.50)

Volumes I & II in slip case — £17.25 (US\$43.15)

Order your copy now from: The Publisher, British Medical Journal,  
BMA House, Tavistock Square, London WC1H 9JR

# ALCOHOL PROBLEMS


In recent years alcohol problems have increased dramatically and the thinking on them has undergone a revolution. *Alcohol Problems* brings together two series of articles published in the *BMJ*—the ABC of Alcohol, with its emphasis on straightforward advice for the clinician, and *Alcohol and Alcoholism*,

Dr Richard Smith's more discursive survey of current thinking and controversies. Together they cover both the clinical aspects of managing alcohol problems and the social and political factors that surround them.

Price: Inland £5.00  
Overseas US\$17.50\*  
(Inland £3.75  
Overseas US\$14.50\* for  
BMA members)

*\*including air mail postage*

**Order your copy now**  
From: The Publisher  
British Medical Journal  
BMA House  
Tavistock Square  
London WC1H 9JR  
*or any leading bookseller*



## Freedom of movement



# Voltarol®

## for arthritis

Presentation: Tablets of 25 and 50 mg diclofenac sodium; suppositories of 100 mg diclofenac sodium. Indications: Rheumatoid arthritis, osteoarthritis, low back pain and other acute musculo-skeletal disorders, ankylosing spondylitis, acute gout. Dosage: Tablets: 75-150 mg daily in two or three divided doses. Suppositories: one daily usually at night. In more severe cases, combined therapy with tablets is recommended (daily dose should not exceed 150 mg). Side-effects: Transient epigastric pain, nausea and diarrhoea, headache and slight dizziness have been reported, as occasionally have skin rash, porphyria, leucopenia and abnormalities of serum transaminases and (very rarely) peptic ulcer and haematemesis or melaena. Most patients with suppositories have no side-effects, but may experience increased frequency of bowel movement. **Contraindications:** Do not prescribe during pregnancy or lactation, or in patients with a history of peptic ulcer, haematemesis or melaena, or with severe hepatic or renal insufficiency. **Precautions:** Use with caution in patients with a history of peptic ulcer, haematemesis or melaena, or with severe hepatic or renal insufficiency. **Contra-indications:** Peptic ulcer, liver disease, acute rheumatism, hypersensitivity to aspirin or other NSAIDs. Packs: Tablets 25 mg (P10001/0036) in packs of 100, basic price £9.54; tablets 50 mg (P10001/0082) in packs of 100, basic price £18.55; suppositories 100 mg (P10001/0083) in packs of 10, basic price £9.54. Further information is available from Geigy Pharmaceuticals, Horsham, West Sussex.