

Nizoral


TRADEMARK

(ketoconazole)

(tablets)

over 3 million prescriptions world-wide:

the new beginning in antifungal therapy.



Doctors and patients around the world are discovering the modern simplicity of Nizoral oral therapy. Common but problematic fungal infections

can now be treated effectively and conveniently. Typically, in recurrent *Candida* vaginitis, 2 oral tablets once daily for 5 days is all it takes today to effectively cure the problem.

 **JANSSEN**
PHARMACEUTICA

the drug discovery company

Prescribing information

Presentation: white, flat, half-scored uncoated tablets marked "Janssen" on one side and K/200 on the reverse. Each tablet contains 200 mg ketoconazole.

Uses: Nizoral is an orally active antimycotic for the treatment in adults of vaginal candidosis, superficial and systemic mycoses including dermatophyte and yeast infections of the skin, hair and nails, yeast infections of the mouth and G.I.-tract. Also maintenance treatment of systemic mycoses and chronic mucocutaneous candidosis and prophylaxis in "at risk" patients. In children: systemic mycoses and severe local infections where previous topical treatment has failed.

Side-effects, precautions, contra-indications: contra-indicated in pregnancy. For maximal absorption Nizoral should be taken with meals. The use of agents which reduce gastric acidity (anti-cholinergic drugs, antacids, H₂ blockers) should be avoided and, if indicated, such drugs should be taken not less than two hours after Nizoral. Nausea, skin rash, headache and pruritus may occasionally be observed. Alterations in liver function tests have occurred in patients on ketoconazole, these changes may be transient. Cases of hepatitis have been reported with an incidence of about 1 per 10,000 patients. Some of these may represent an idiosyncratic adverse reaction to the drug. This should be borne in mind in patients on long-term therapy: if a patient develops jaundice or any symptoms suggestive of hepatitis, treatment with ketoconazole should be stopped. Mild asymptomatic increases of liver enzyme levels, on the other hand, do not necessitate discontinuation of the treatment. Ketoconazole, when given together with cyclosporin A results in increased blood levels of cyclosporin A. It is important that blood levels of cyclosporin A are monitored if the two drugs are given concomitantly. Ketoconazole 200 mg once daily produces a transient decrease in plasma levels of testosterone. During long term therapy at this dose, testosterone levels are usually not significantly different from controls. In rare instances, gynecomastia has been reported.



ROUSSEL
Claforan
Cefotaxime sodium

Prescribing Information

Presentation Vials containing 500mg, 1g or 2g of cefotaxime sodium. **Indications** Infections before identification of the organism. Infections caused by bacteria of established sensitivity, including chest infections, septicaemia, urinary tract infections, soft tissue infections, obstetric and gynaecological infections, bone and joint infections, meningitis, gonorrhoea. **Dosage** Claforan is administered i.m. or i.v. **Adults:** Usually 2-6g daily (see full prescribing information). For infections caused by sensitive *Pseudomonas* spp., doses of more than 6g daily are usually required. **Children:** 100-150mg/kg/day in 2 to 4 divided doses. Up to 200mg/kg/day may be given in very severe infections. **Neonates:** 50mg/kg body weight daily in 2 to 4 equally divided doses. In cases of severe infection, divided daily doses of 150-200mg/kg have been given. **Dosage in renal impairment** Reduced dosage is only required in severe renal failure (GFR < 5ml/min = serum creatinine approx. 751 µmol/l) when, after an initial loading dose of 1g, the daily dose is halved without change in frequency of dosing. **Contra-Indications** Known allergy to cephalosporins. **Precautions** Cephalosporin antibiotics may usually be given safely to patients who

are hypersensitive to penicillins, although cross reactions have been reported. Special care is indicated in patients who have had an anaphylactic response to penicillin. Patients with severe renal dysfunction — see previous. Cephalosporin antibiotics at high dosage should be given with caution to patients receiving aminoglycoside antibiotics or potent diuretics such as frusemide. At recommended doses, enhancement of nephrotoxicity is unlikely with Claforan. A false-positive reaction to glucose may occur with reducing substances. Claforan should not be mixed in the syringe with aminoglycoside antibiotics. The safety of Claforan in human pregnancy has not been established. **Side effects** Adverse reactions are rare and generally mild and transient, but include diarrhoea (pseudomembranous colitis has been rarely reported), candidiasis, rashes, fever, eosinophilia, leukopenia, transient rises in liver transaminase and alkaline phosphatase, transient pain at the site of injection and phlebitis. **Product licence holder and number** Roussel Laboratories Ltd., Broadwater Park, North Orbital Road, Uxbridge, Middlesex UB9 5HP. 0109/0074. **Package quantities and basic N.H.S. price** Vials of 500mg, 1g and 2g in packs of 10. One gram vial £4.95. **Date of preparation** November 1984.

ROUSSEL



35 Boulevard des Invalides,
75007 Paris, Cedex 07, France

Have you had a research paper published this year?

The BUPA Medical Foundation aims to encourage the preparation and publication of papers in the U.K. on medical subjects which combine originality and literary merit. To that end, the Governors of the Foundation instituted an annual prize in 1979.

The 1985 awards will be made in April 1986 in respect of entries published during the year 1985 and will consist of at least one prize of £1,000. Other prizes, of up to that value, may be awarded if the Governors, on the advice of the Assessors, believe that the standard of entries received merits further recognition.

Entries will be eligible for consideration from registered medical practitioners in the U.K. who will not have reached the age of forty years on 31st December 1985. Entries may be submitted from those whose work has been done in collaboration, but if any co-author is not eligible, by reason of age, for consideration, account will be taken of this fact by the Assessors, in making their recommendation to the Governors.

Further details, and forms of entry, may be obtained from The Secretary, The BUPA Medical Foundation Limited, 24/27 Essex Street, London WC2R 3AX.

The closing date for entries is 20th January 1986.

THE BUPA MEDICAL FOUNDATION LIMITED

ANTIQUE DEALERS INTERNATIONAL plc

OFFER FOR SUBSCRIPTION UNDER THE BUSINESS EXPANSION SCHEME SPONSORED BY MARGETTS & ADDENBROOKE

- ★ An established business with existing trade contacts and a staff of 22, including skilled and experienced craftsmen.
- ★ The directors have already invested £220,000 in the company; investors are being invited to subscribe at the same price per share.
- ★ Proceeds of the offer to expand trading stock of antiques and works of art and also to acquire freehold/long leasehold premises, giving investors a substantial asset backing.
- ★ The company has traded actively and profitably since it was established in its present form in May 1985, and intends trading in compliance with BES legislation.

Full details of the company together with an application form are contained in the prospectus, on the terms of which alone applications will be considered. The application list opened on 14th November, 1985 and will close as soon as the maximum is reached.

To: MARGETTS & ADDENBROOKE, 65 London Wall, London EC2M 5TU. Tel: 01-588 0421

Please send me the prospectus for Antique Dealers International plc

Name: _____

Address: _____

Post Code: _____

Telephone Number: _____



Wiley

HANDBOOK OF ELECTROMEDICINE: Basic Principles, Applications, Equipment, Third Edition

by **H. Kresse**, *University of Erlangen, Germany*

This edition maintains the original aim to present a concise introduction to electromedicine, but now offers several completely revised chapters on cardiac catheterization, blood pressure and blood flow, pulmonary function analysis, diagnostic ultrasound, and safety aspects. Other subjects which have been updated include patient monitoring, and measuring techniques in perinatal medicine.

0471 90407 4 314pp August '85 (paper) £29.50

A Wiley Siemens publication

PAEDIATRIC PERSPECTIVES ON EPILEPSY

edited by **E. Ross**, *Charing Cross Hospital, London* and **E. Reynolds**, *King's College Hospital, London*

The subject of paediatric epilepsy is now attracting considerable interest among researchers and clinicians, and this book presents the latest research findings resulting from intensive epidemiological, immunological and neuro-investigatory studies.

0471 90817 7 176pp October '85 £17.50

THEORETICAL EPIDEMIOLOGY: Principles of Occurrence Research in Medicine

by **O.S. Miettinen**, *School of Public Health, Boston, Massachusetts*

This text treats theoretical epidemiology as the discipline of how to study the occurrence of phenomena of interest in the health field. It delineates major principles of study design and data analysis in research into the frequency of occurrence of illness and related phenomena in human populations whether in the community or in clinical situations.

0471 86769 1 384pp October '85 £32.70

RISKS OF LABOUR

edited by **J.W. Crawford**, *Department of Obstetrics and Gynaecology, Ninewells Hospital and University of Dundee*

The aim of this series is to provide a common ground between obstetricians and paediatricians, and to describe current practice in a way that is useful and relevant to both groups. This book presents a collection of clinical reviews on various aspects of the most common problems encountered during labour, the implications for the baby, and the causes and management of maternal trauma.

Series: *Wiley Series on Perinatal Practice, Volume 2*

0471 90371 X 226pp July '85 £29.50

DEPRESSION: A Psychobiological Synthesis

by **P. Willner**, *City of London Polytechnic*

This book develops a unified theory of depression which encompasses many existing theories and clarifies their interrelationships.

0471 80671 4 622pp July '85 £71.65

These books are available through good bookshops or, in case of difficulty, direct from Wiley. If ordering direct please make cheques payable to JOHN WILEY & SONS LTD. You may also telephone your credit card order - dial 100 (UK only) and ask for FREEPHONE 3477.



John Wiley & Sons Ltd.
Baffins Lane, Chichester
Sussex PO19 1UD, England

Lister writes again.



"A delight to read, as if one were scanning a letter from a good friend . . . enjoyable and edifying . . ."

*-C. Rollins Hanlon, M.D., F.A.C.S.
Director, American College of Surgeons*



Dr. John Lister is one of England's best-loved medical exports. In the 28 years that he served as London correspondent for *the New England Journal of Medicine*, he won thousands of admirers through his monthly column, *By The London Post*.

Now the *Journal* serves up a generous helping of Lister's best: 35 spirited essays drawn from Post columns and more recent writings, and collected in a single, highly-readable volume.

The subjects range widely, from medicine and literacy to

the National Health Service in its formative years.

From "Elephants Galore" and "The Royal Touch" to "Reflections of an Honorary Medical Bureaucrat," the essays overflow with witty, insightful reflections on life, medicine, and politics in Great Britain and the United States.

For Lister faithfuls, it's a rare treat. For newcomers to Lister, a spirited introduction.

By The London Post, by John Lister, M.D., 264 pages, softcover. £9.95

To order, simply clip the coupon below and mail to the following address:

The New England Journal of Medicine, Book Division, 13 Colina Road, Tottenham, London N15 3JA, England.

Please send me copies of Dr. Lister's book for £9.95 each. (Postage is free within the U.K. and Ireland, but please add £1.50 for orders going outside these areas.)

Cheque enclosed in the amount of

Name

Address

City

Postal Code

Country

Specialty

Allow 4-6 weeks for delivery.

SBMJ 1



The New England Journal of Medicine

New Book
CURRENT TOPICS IN MEDICINE

This book contains an excellent and varied choice of 46 recent articles taken from the BMJ, BJHM and Medicine International. Because it contains potential examination topics it will be especially interesting to a wide range of doctors, GP's students and MRCP candidates. Obtainable through all leading medical bookshops, or directly from

Pastest Service

All orders received will be despatched by return of post.

To receive your copy please send cheque or money order for £9.50 plus 50p UK p&p, or card no.

Make cheques payable to Pastest Service and send to: 
Pastest Service, Dept B, 304 Galley Hill, Hemel Hempstead, Herts.

PATEST The way to success

ADVANCES IN ENDOSCOPIC UROLOGY
- AN INTERNATIONAL SYMPOSIUM

February 6th and 7th 1986

Department of Urology, The London Hospital,
Whitechapel, London E.1

Course Director: Professor J. P. Blandy

This will be an advanced workshop for experienced urologists rather than a didactic teaching course. Discussion of the latest techniques will be supported by closed circuit television and video recordings.

For an application form and further details, contact
Fiona Graves at KeyMed, KeyMed House, Stock Road,
Southend-on-Sea, Essex SS2 5QH Tel: 0702 616333.

ABC OF
BRAIN STEM DEATH
CHRISTOPHER PALLIS

The subject of brain stem death still arouses misconceptions—witness the response to the BBC *Panorama* programme on transplantation and brain death. Dr Christopher Pallis has dispelled some of the misconceptions, examined the concepts underlying our ideas of death, and described the practical aspects of diagnosing brain stem death. These articles have been collected into a book together with additional material on the wider aspects of the subject, including some of the neurological controversies.

Price: Inland £6.00;
Overseas £7.50/USA\$13.00
(Inland £5.50; Overseas £7.00/USA\$12.00
to BMA members)

Despatched by air overseas

Payment must be enclosed with order

Order your copy now

From: The Publisher
British Medical Journal, BMA House,
Tavistock Square, London WC1H 9JR
or any leading bookseller

AS YOU
WERE

VE DAY—A MEDICAL RETROSPECT

Elston Grey-Turner, the much loved former secretary of the BMA who died in 1984, was often referred to by colleagues as "The Colonel" in tribute to his military service in the RAMC and the Territorial Army. As a tribute to his memory the *BMJ* commissioned a collection of reminiscences by doctors of their experiences in the second world war and their feelings as it came to an end. For some, VE Day was a time for celebration, but others were too busy to notice or, as prisoners of war, did not even know that it had happened. The exigencies of war brought enormous advances in surgery and medicine—particularly in the use of blood transfusion and penicillin—while in the civilian hospitals newly qualified doctors and medical students took on responsibilities that are almost unimaginable today.

Often moving, occasionally horrific, sometimes hilarious, these highly personal memories reflect the many aspects of war from a medical viewpoint.

This book is published as a memorial to Elston Grey-Turner, profits from its sale going to BMA charities

Price: Inland £6.00;
Abroad £8.75/USAS\$12.50
BMA members: Inland £5.50
Abroad £8.25/USAS\$11.50
including postage, by air abroad

Please quote membership number

Payment must be enclosed with order

Order from
The Publishing Manager
British Medical Journal
BMA House, Tavistock Square
London WC1H 9JR
or any leading bookseller

APPROPRIATE TECHNOLOGY

Many of the difficulties of Third World medicine—the effects of poverty, overpopulation, and political unrest—are beyond the individual doctor's control; but what the western trained doctor practising in the developing world can and must do is to adapt his practice to compensate for the absence of sophisticated equipment, trained staff, and expensive drugs. It is wasteful, for instance, to buy elaborate machinery if there is no reliable electricity supply to run it off, or order expensive orthopaedic aids from abroad when, with a bit of ingenuity, effective ones can be made from local materials.


Written by doctors and technicians with first hand experience of the problems, *Appropriate Technology* is a guide to the sensible choice and use of resources, including the purchase and maintenance of operating theatre and laboratory equipment and specialist instruments for cardiology and gastroenterology. It sets out the practicalities of immunisation, rehydration, and transfusion; anaesthetics; obstetric care and child health; sanitation; and the purchase and distribution of drugs, as well as describing workable methods of health education and the use of teaching aids; of maintaining medical records; and of conducting epidemiological surveys and research at low cost.

The British Medical Journal has subsidised this title to make this information widely available at as low a cost as possible.

Price: Inland £2.50;
Overseas £5.00/USA \$8.00
(Inland £2.00;
Overseas £4.50/USA \$7.00
to BMA members), including
postage by air overseas

Please quote membership number

Payment must be enclosed with order



Order your copy now from: The Publishing Manager, BRITISH MEDICAL JOURNAL, BMA House, Tavistock Square, London WC1H 9JR, or any leading bookseller.

THE CARDIOPROTECTIVE CORONARY THERAPEUTIC AGENT ADALAT:

THE MODERN COMPREHENSIVE DRUG THERAPY OF CORONARY HEART DISEASE.



Indications: Treatment and prophylaxis of acute and chronic coronary insufficiency (especially angina pectoris, postinfarction syndrome). **Side effects:** Adalat is well tolerated. Side effects occur rarely. They are more common at the beginning of treatment, usually transient, and, in most cases, mild. Occasionally there can be headache, facial flush, heat sensation, dizziness, nausea and tiredness. Extensive biochemical studies did not reveal any abnormal values which could have been ascribed to the drug. **Contraindication:** Pregnancy. **Precaution:** Adalat can enhance or supplement the action of hypotensive preparations and β -blocking agents. Therapy with cardiac glycosides can be initiated or continued in association with Adalat treatment. Incompatibility with other drugs has not been found. **Dosage and administration:** In longterm treatment the capsule is usually swallowed whole with a little liquid. The average daily dose is 3 x 1 capsule, in special cases up to 3 x 2 capsules. In these patients the interval between the individual doses should not be less than two hours. In case of imminent anginal attack, a rapid onset of action is achieved by biting the capsule. **Composition:** One capsule contains 10 mg 1,4-dihydro-2,6-dimethyl-4-(o-nitrophenyl)-pyridine-3,5-dicarboxylic acid dimethyl ester (nifedipine). **Presentation:** Box of 30 or 50 capsules.

Bayer Germany

THE CARDIOPROTECTIVE CORONARY THERAPEUTIC AGENT



E 4/043

