

# Nizoral<sup>TRADEMARK</sup>

(ketoconazole) tablets

# over 5 million prescriptions world-wide.

## Oral medication in antifungal therapy:



Doctors and patients around the world are discovering the modern simplicity of Nizoral oral therapy. Common but often problematic fungal infections can now be treated effectively and elegantly.

Typically, in *Candida* vaginitis, 2 oral tablets once daily for 5 days is all it takes today to effectively cure the problem.



the drug discovery company


#### Prescribing Information

**Presentation:** white, flat, half scored uncoated tablets marked "Janssen" on one side and K/200 on the reverse. Each tablet contains 200 mg ketoconazole. **Uses:** Nizoral is an orally active antimycotic for the treatment in adults of vaginal candidosis, superficial and systemic mycoses including dermatophyte and yeast infections of the skin, hair and nails, yeast infections of the mouth and G.I. tract. Also maintenance treatment of systemic mycoses and chronic mucocutaneous candidosis and prophylaxis in "at risk" patients. In children: systemic mycoses and severe local infections where previous topical treatment has failed. **Side effects, precautions, contra-indications:** contra-indicated in pregnancy. For maximal absorption Nizoral should be taken with meals. The use of agents which reduce gastric acidity (anti-cholinergic drugs, antacids, H<sub>2</sub>-blockers) should be avoided and, if indicated, such drugs should be taken not less than two hours after Nizoral. Nausea, skin rash, headache and pruritus may occasionally be observed. Alterations in liver function tests have occurred in patients on ketoconazole, these changes may be transient. Cases of hepatitis have been reported with an incidence of about 1 per 10,000 patients. Some of these may represent an idiosyncratic adverse reaction to the drug. This should be borne in mind in patients on long-term therapy. If a patient develops jaundice or any symptoms suggestive of hepatitis, treatment with ketoconazole should be stopped. Mild asymptomatic increases of liver enzyme levels, on the other hand, do not necessitate discontinuation of the treatment. Ketoconazole, when given together with cyclosporin A results in increased blood levels of cyclosporin A. It is important that blood levels of cyclosporin A are monitored if the two drugs are given concomitantly. Ketoconazole 200 mg once daily produces a transient decrease in plasma levels of testosterone. During long-term therapy at this dose, testosterone levels are usually not significantly different from controls. In rare instances, gynecomastia has been reported.

# THE FIRST YEAR OF LIFE

H B VALMAN

ARTICLES FROM THE BRITISH MEDICAL JOURNAL



# THE FIRST YEAR OF LIFE

Second edition

H B Valman

Bernard Valman's articles on the first year of life, first published in the *BMJ* in 1979 and then reproduced as a book, have proved invaluable to many doctors and others concerned in the care of children. The second edition of *The First Year of Life* includes numerous small changes to bring the book up to date and incorporates a much fuller section on whooping cough. The section on contraindications to immunisation has also been revised to take account of the latest guidance.

Price: Inland £6.50; Overseas £8.00/USA\$14.00  
(Inland £6.00; Overseas £7.50/USA\$13.00  
to BMA members)

Despatched by air overseas

Payment must be enclosed with order

## BOOKS FROM THE BMJ

Order from  
The Publishing Manager, British Medical Journal,  
BMA House, Tavistock Square, London WC1H 9JR  
or any leading bookseller

# THE MRCP CORRESPONDENCE COURSE IN INTERNAL MEDICINE

- \* **Continually updated**
- \* **New clinical slides**
- \* **Includes X-rays and ECG's**
- \* **Essential for Part I and Part II**

Write for full information to:  
**J. ARNOLD Dept 5**  
**(Correspondence Courses)**  
**19, VILLAGE WAY,**  
**LONDON SE21 7AN**

# ABC OF NUTRITION

A STEWART TRUSWELL

**"Value judgements about food are being made all the time – they are nearly always subjective and usually wrong."** A Stewart Truswell, Boden professor of human nutrition at the University of Sydney, separates fact from fallacy in the *ABC of Nutrition*, a collection of articles from the *BMJ*. This illustrated guide offers the general medical reader a refreshingly down to earth review of all aspects of nutrition – from anorexia to obesity, infant feeding to dietary guides for the elderly – and will be invaluable for any doctor wishing to advise his patients about their eating habits (or even to revise his own).

**Chapters include:** • Nutrition for pregnancy  
• Enteral and parenteral nutrition • Vitamins  
• Malnutrition in the third world • Therapeutic diets  
• Reducing the risk of coronary heart disease • Food sensitivity

Price: Inland £4.95; Abroad £6.75/USA\$10.00  
BMA members: Inland £4.45; Abroad £6.25/USA\$9.00  
(Please quote membership number).  
Prices include postage, by air abroad.  
Payment must be enclosed with order.

## BOOKS FROM THE BMJ

Order from  
The Publishing Manager, British Medical Journal,  
BMA House, Tavistock Square, London WC1H 9JR  
or any leading bookseller

**ceftriaxone**

**Trade Mark**

## 24-hour bactericidal power

# daily cephalosporin

infect



son of concentrations in plasma and in extracellular fluid (skin blisters) after a single dose of 0.5 g ceftriaxone or 1 g cefotaxime (from Wise and Andrews).

# «Roceph» и «Longer»

[illegible]

Full details on composition, actions, contraindications, dosage and precautions are available on request.

**ROCHE**

**F. Hoffmann-La Roche &  
Limited Company, Basle, Sw**