


# In vaginal candidosis:

TRADEMARK

ketoconazole

*The elegant way  
to treat an inelegant problem*



**2 oral tablets  
once daily for 5 days  
is all it takes today  
to cure vaginal candidosis**

Each tablet contains 200 mg of ketoconazole (Janssen Pharmaceutica). On one side and K/200 on the reverse. Each tablet contains 200 mg of ketoconazole. Two tablets (400 mg) once daily for 5 days. For maximal absorption Nizoral should be taken on an empty stomach. **Contraindications:** ketoconazole should not be given to pregnant women. **Precautions:** the use of agents which reduce gastric acidity should be avoided and, if indicated, such drugs should be taken not less than 2 hours after ketoconazole. Ketoconazole should be given together with cyclosporin A results in increased blood levels of cyclosporin A. It is recommended that blood levels of cyclosporin A are monitored if the two drugs are given concomitantly. **Side-effects:** nausea, skin rash, headache, dizziness, tastelessness may occasionally be observed. Alterations in liver function tests have occurred in patients on ketoconazole. In some cases, the effects have been transient. Cases of hepatitis have been reported with an incidence of about 1 per 10,000 patients. Some of these cases have been associated with an idiosyncratic adverse reaction to the drug. This should be borne in mind in patients on long-term therapy. In patients with pre-existing liver disease or any symptoms suggestive of hepatitis, treatment with ketoconazole should be stopped. Mild and transient increases of liver enzyme levels, on the other hand, do not necessitate discontinuation of the treatment. **For more information available on request.**

#### References:

Tooley, et al.: The Practitioner **229**, 655 (1985)  
Benussi, et al.: Curr. Ther. Res. **31**(4), 511 (1982)




**JANSSEN**  
PHARMACEUTICA

B-2340 Beerse, Belgium

world leader in antimycotic research

## The BMJ's new series of books of general interest by medical writers

*This enterprising new series could have  
no better beginning.* ROY PORTER



## The MEMOIR Club

In *Doctors in Science and Society* Christopher Booth examines the lives and times of some eighteenth century medical scientists, among them Sir Samuel Garth, FRS, physician to the Duke of Marlborough and friend and fellow poet of Alexander Pope; and Dr John Dawson, a country practitioner and largely self taught mathematical genius, twelve of whose pupils went on to become senior wranglers at the University of Cambridge.

Not concerned only with history, *Doctors in Science and Society* also considers the role of modern medical science and its relationship with technology, and the development and function of two major medical institutions, the Medical Research Council and the Royal Postgraduate Medical School. Written with elegance and authority, this fascinating collection is a must for anyone interested in the past and future of medical science.

"... a delight to read and a pleasure to handle... At the price of a meal out it is superb value. 'Buy good books', wrote Lord Chesterfield to his son, 'and read them'. I can give no better advice about this book."

*The Lancet*: October 10 1987

"... a well written and well researched series of contributions that will give pleasure and instruction to what should be a wide readership."

*Journal of the Royal College of Physicians*: January 1988

Price: Inland £14.95; Abroad £19.50; USA \$32.00  
BMA members: Inland £13.95; Abroad £18.50; USA \$30.00  
(including postage, by air abroad)

**Payment must be enclosed with order**

### ORDER FROM

British Medical Journal, PO Box 295,  
London WC1H 9TE,  
or any leading medical bookseller.

# NOT

5.06. LAYQUITECOOLDAMPREST NOGITATION  
NODEEPRESSURINGS. WRIGTESLOW TO SHOW NOT  
JETSPEED/TRIK. WHATODOBOUTHEODORA-  
BLOOK?

5.07. ?MUSTELDIANPETEBOUTLOASTHRS HOPE-  
THINK (THINKHOPE?) PETEISJOYCEMAN SADIANA-  
INT (DINAMITE CHAN/RGE - ugh!) COLLARGER  
THAN DILIKE BUT DONT WANTWO DECOLLARGE

# ALWAYS

I suppose I am chiefly associated with three contributions: the first comprehensive study of the respiratory muscles; the controlled oxygen method for treating respiratory failure; and a popular but inadequate theory of the mechanism of the sensation of breathlessness.

# ON



"I was not brought up to speculate wildly on the basis of very few experimental facts obtained with equipment of questionable accuracy."  
"Then you've come to the wrong place. I've spent my life doing just that."

# THE

The sink in the kitchen was a large shallow stoneware trough with one cold tap. Dishes were only removed as needed. Mrs Mac's technique was to slosh some boiling water into an enamel bowl, pass the requisite number of plates rapidly through it, and then wipe them with the apron she always wore.

# LEVEL


We received several bits of furniture and other gifts in the wills of people who had not been able to pay their bills. These gifts did not please Pa. "I know they can't pay their bills but money shouldn't enter into medicine." Naive but admirable.



The third in the Memoir Club series of books of general interest by medical writers is *Not Always on the Level* by E J Moran Campbell, professor of medicine at McMaster University, Canada, who combines reminiscences of his Yorkshire childhood and student days in London with an account of his work in respiratory physiology and a painfully honest description of what it is like to be a manic depressive.

Price: Inland £14.95  
Abroad £18.50/USA\$30.00  
BMA members: Inland £13.95  
Abroad £17.50/USA\$28.00  
including postage, by air abroad  
Payment must be enclosed with order  
Order from  
British Medical Journal  
PO Box 295  
London WC1H 9TE  
or any leading bookseller

«Bactrim» first



**bactrim**

trimethoprim and sulfamethoxazole

**ROCHE**

The antibacterial therapy physicians want




F. Hoffmann-La Roche & Co. Limited Company, Basle, Switzerland

Full details on composition, indications, contraindications, side effects, dosage and precautions are available on request.  
«Bactrim» is a Trade Mark

98 276 (M)

clearing his skin allergy  
without clouding  
his head



**Hismanal**<sup>TRADEMARK</sup>  
astemizole

**The antihistamine of exceptional strength from the first  
to the last day of therapy.**

 **JANSSEN**  
PHARMACEUTICAL  
2340 Beerse, Belgium

**Prescribing information**

**Uses:** Hismanal<sup>®</sup> is a potent and non-sedative antihistamine indicated for the treatment of seasonal and perennial allergic rhinitis, allergic conjunctivitis, chronic urticaria and other allergic conditions.  
**Dosage and administration:** adults and children over 12 years: 10 mg daily. Children 6-12 years: 5 mg once daily. Children younger than 6 years: 2 mg per 10 kg daily. Hismanal should be taken on an empty stomach. **Precautions:** Hismanal should be used in pregnant women only when, in the judgement of the physician, the potential benefits outweigh the possible hazards. **Adverse reactions:** weight gain may occur during prolonged treatment. **Overdose:** in case of overdose, gastric lavage should be followed by close observation and ECG monitoring as arrhythmias have occasionally occurred after intake of doses in excess of 200 mg.

Full prescribing information available on request