
In vaginal candidosis:

TRADEMARK


The elegant way to treat an inelegant problem





The BMJ's new series of books of general interest by medical writers






Price: Inland £14.95; Abroad £18.50; USA\$30.00 BMA members: Inland £13.95; Abroad £17.50; USA \$28.00

(including postage, by air abroad)

Payment must be enclosed with order.



Not Always on the Level, by E J Moran Campbell, professor of medicine at McMaster University, is a rich, romantic, and at times sadly moving collection of reminiscences, describing life as a child in Yorkshire, a student in London, a struggling clinical scientist both in Britain and the United States, as a medical educator in Canada . . . and as a manic depressive. "When you're low," he writes, "you feel terrible but others are happy because you are quiet and well behaved. When you're high you could conquer the universe but all everyone else is thinking about is how to get you down to earth again."


Written in a direct, rough hewn style that carries conviction . . . a self portrait of a man who is patently (and at times painfully) honest in his attempt to come to terms with the "romance and earthiness of his life and work . . . Campbell is content to present the facts without commenting on their wider implications . . . final chapters courageously convey a vivid impression of what it can mean to live with a "roller coaster mind."

Michael Shepherd


ORDER NOW
British Medical Journal, PO Box 295,
London WC1H 9TE,
or any leading bookseller.

JUST PUBLISHED

Non-specialists overwhelmed by too many systematic descriptions of individual disease will welcome the new approach of ABC of Dermatology. Here the history, clinical appearance, and pathology of a few common key conditions are discussed and then used as a basis for comparison with other skin diseases. Also dealing in detail with allergic reactions, autoimmunity, acne, and infections, this handbook is fully illustrated in colour, providing a clear guide to assessment and treatment as well as an understanding of the histological changes underlying the clinical presentations.



Second edition ... new pocket size format



Newly graduated clinicians have to acquire the practical skills of their specialty—few doctors can remember every step of a procedure after seeing a single demonstration. A step by step guide for those making their first attempts, *Procedures in Practice* has now been completely updated and expanded to cover everything from arterial puncture to vaginal examinations.

Extensively illustrated, it has been produced in a new pocket size format, so you can always keep it with you.

Price: Inland £6.95; Abroad £8.75; USA \$15.00 BMA members: Inland £6.45; Abroad £8.25;

USA \$14.00

including postage, by air abroad.

mark your nypertensive patient

The lipids are coming

Hypertension is one of the most important risk factors for the development of cardiovascular disorders. However, not only the lowering of the blood pressure should be considered during the treatment. For many antihypertensive agents have a negative effect on

the plasma lipids. It should be prevented that the removal of one risk factor (hypertension) creates another risk factor (high cholesterol level).

ISKE N°

characteristic into The beta blocker Visken® consideration when choos-(pindolol) takes an ing a therapy. Because your choice now also determines the risks your THE LIPID PROOF BETA BLOCKER patient runs in the future.

VISKEN® B-adrenoceptor blocking agent with intrinsic sympathomimetic activity (ISA). Presentations: pindolol. Tablets 1, 2.5, 5, 10 or 15 mg. Retard tablet 20 mg. Oral solution 5 mg/ml. Ampoules of 0.4 mg/2 ml. Indications: hypertension: angina pectoris (prevention): certain types of arrhythmias (see full product information). Ampoules: for emergency use in hospitals, especially for arrhythmias (see full product information). Contraindications: bronchial asthma, digitalis-resistant cardiac failure, cor pulmonale, marked bradycardia, 2nd and 3rd degree AV-block. Precautions: incipient or manifest heart failure (digitalization required), tendency to bronchospasm in non-asthmatic chronic obstructive lung disease; general anaesthesia; interruption of treatment should be gradual; in phaeochromocytoma combine with α -blocker; pre-existing peripheral vascular disease; severe renal failure; in patients receiving antidiabetic therapy; when breast-feeding; when driving vehicles or operating machinery. Interactions: avoid concomitant parenteral use of calcium channel blockers. Side effects: tiredness, dizziness, nausea, headache, sleep disturbances; rarely skin reactions and psychic symptoms. Packs: country specific.



exceptional place because

it does not have an

unfavourable effect on the

plasma lipid level.

It is advisable to take this





Hismanal

The antihistamine of exceptional strength from the first to the last day of therapy.



Prescribing information
Uses: Hismanal' is a potent and non-sedative antihistamine indicated for the treatment of seasonal and perennial allergic conjunctivitis, chronic urticaria and other allergic conditions.

Dosage and administration: adults and children over 12 years: 10 mg daily. Children 6-12 years: 5 mg once daily. Children younger than 6 years: 2 mg per 10 kg daily. Hismanal should be taken on an empty stomach. Precautions: Hismanal should be used in pregnant women only when, in the judgement of the physician. The potential benefits outweigh the possible hazards. Adverse reactions: weight gain may occur during prolonged treatment. Overdose: in case of overdose: gastric lavage should be followed by close observation and ECG monitoring as arrhythmas have occasionally occurred after intake of doses in excess of 200 mg.

Full prescribing information available on request

