

In vaginal candidosis:

Nizoral

TRADEMARK

ketoconazole

*The elegant way
to treat an inelegant problem*



2 oral tablets
once daily for **5** days
is all it takes today
to cure vaginal candidosis

...in patients with severe candidosis. Some of these patients may require long-term therapy. In patients with severe candidosis, ketoconazole should be stopped. Mild candidosis does not necessitate discontinuation of the treatment.

References:

Tooley, et al.: The Practitioner 229, 655 (1985)
Benussi, et al.: Curr. Ther. Res. 31(4), 511 (1982)



JANSSEN
PHARMACEUTICA

B-2340 Beerse, Belgium

world leader in antimycotic research

The latest Keynes Press publication marks the ninetieth anniversary of a major breakthrough in tropical medicine

This day designing God
Hath put into my hand
A wondrous thing. And God
Be praised. At His command,

I have found thy secret deeds
Oh million-murdering Death.

I know that this little thing
A million men will save—
Oh death where is thy sting?
Thy victory oh grave?

Not many scientists are moved to verse by the fruits of their research, but few results are as momentous as the one celebrated by Ronald Ross in *The Great Malaria Problem and its Solution*. Adapted from Ross's memoirs, this Keynes Press edition gives the full story of Ross's discovery of the mode of transmission of malaria by the *Anopheles* mosquito. Engagingly written, it is the frank and accurate picture of four years' painstaking work, full of hope, despair, elation, frustration, and what Ross describes as the "sacred passion for discovery." It also shows the close and moving scientific partnership between Ross and Patrick Manson, the "father of tropical medicine", as evidenced in the 155 letters exchanged between them over this period.

Fully illustrated, and with an introduction by L J Bruce-Chwatt, emeritus professor of tropical public health at the University of London, this unique volume provides a fascinating insight into the process of scientific research as well as a self portrait of one of the most impressive and colourful individuals in the history of tropical medicine.

Order from:
British Medical Journal (Keynes Press)
PO Box 295, London WC1H 9TE



(From a Mauritian Newspaper, 1908.)

THE KEYNES PRESS



The Keynes Press
Limited editions of medical classics,
handsomely printed and bound.

Price: Inland £45.00; Abroad £52.00;
USA \$73.00, including postage.

BMJ

The British Medical Journal, Europe's most widely read general medical journal, publishes thirteen core Specialist Journals. It also acts as publishing agent for nine important journals covering a wide range of medical interests.

Associated Specialist Journals

Annals of the Rheumatic Diseases

Monthly. Annual Subscription, Inland £89.00; Abroad £107.00; USA\$162.00

Archives of Disease in Childhood

Monthly. Annual Subscription, Inland £88.00; Abroad £104.00; USA\$147.00.

British Heart Journal

Monthly. Annual Subscription, Inland £89.00; Abroad £105.00; USA\$162.00.

(Combined Annual Subscription to British Heart Journal and Cardiovascular Research, Inland £171.00; Abroad £199.00; USA\$311.00)

Cardiovascular Research

Monthly. Annual Subscription, Inland £110.00; Abroad £130.00; USA\$201.00.

British Journal of Industrial Medicine

Monthly. Annual Subscription, Inland £69.00; Abroad £80.00; USA\$121.00.

British Journal of Ophthalmology

Monthly. Annual Subscription, Inland £89.00; Abroad £107.00; USA\$162.00.

Genitourinary Medicine

Annual Subscription (six issues). Inland £67.00; Abroad £78.00; USA\$119.00.

Gut

Monthly. Annual Subscription, Inland £86.00; Abroad £101.00; USA\$156.00.

Journal of Clinical Pathology

Monthly. Annual Subscription, Inland £97.00; Abroad £113.00; USA\$176.00.

Journal of Epidemiology and Community Health

Quarterly. Annual Subscription, Inland £48.00; Abroad £55.00; USA\$83.00.

Journal of Medical Genetics

Monthly. Annual Subscription, Inland £90.00; Abroad £104.00; USA\$162.00.

Journal of Neurology, Neurosurgery and Psychiatry

Monthly. Annual Subscription, Inland £91.00; Abroad £107.00; USA\$162.00.

Thorax

Monthly. Annual Subscription, Inland £87.00; Abroad £102.00; USA\$158.00.

Professional and Scientific Publications

*A Registered Business
Name of the BMA*

BMA News Review

Monthly. Annual Subscription, Inland £26.00; Abroad £31.00; USA\$50.00.

British Dental Journal

24 issues a year. Annual Subscription, Inland £71.00; Abroad £127.00; USA\$172.00

British Journal of Anaesthesia

Monthly. Annual Subscription, Inland £54.00; Abroad £85.00; USA\$117.00.

Current Work in the History of Medicine

Quarterly. Annual Subscription, Inland £11.00; Abroad £15.00; USA\$23.00.

Eye

Annual Subscription (six issues). Inland £79.00; Abroad £116.00; USA\$181.00.

Health Visitor

Monthly. Annual Subscription, Inland £29.00; Abroad £49.00; USA\$76.00.

Institute of Medical Ethics Bulletin

Monthly. Annual Subscription, Inland £35.00; Abroad £53.00; USA\$77.00

Journal of Medical Ethics

Quarterly. Annual Subscription, Inland £35.00; Abroad £53.00; USA\$77.00.

Medical History

Quarterly. Annual Subscription, Inland £27.00; Abroad £37.00; USA\$51.00.

Medical History Annual Supplement

One volume, cloth bound. Inland £15.00; Abroad £19.00; USA\$30.00.


All subscription rates
include postage, by air
speeded despatch abroad

BMJ

BRITISH MEDICAL JOURNAL, BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR, ENGLAND

Mark your hypertensive patient

The lipids are coming



Hypertension is one of the most important risk factors for the development of cardiovascular disorders. However, not only the lowering of the blood pressure should be considered during the treatment. For many antihypertensive agents have a negative effect on

the plasma lipids. It should be prevented that the removal of one risk factor (hypertension) creates another risk factor (high cholesterol level).

The beta blocker Visken® (pindolol) takes an

V I S K E N[®]
PINDOLOL
THE LIPID PROOF BETA BLOCKER


exceptional place because it does not have an unfavourable effect on the plasma lipid level. It is advisable to take this characteristic into consideration when choosing a therapy. Because your choice now also determines the risks your patient runs in the future.

VISKEN[®] β -adrenoceptor blocking agent with intrinsic sympathomimetic activity (ISA). **Presentations:** pindolol. Tablets 1, 2.5, 5, 10 or 15 mg. Retard tablet 20 mg. Oral solution 5 mg/ml. Ampoules of 0.4 mg/2 ml. **Indications:** hypertension; angina pectoris (prevention); certain types of arrhythmias (see full product information); hyperkinetic heart syndrome. **Dosage:** Orally: range 5-30 mg/day depending on indication (see full product information). Ampoules: for emergency use in hospitals, especially for arrhythmias (see full product information). **Contraindications:** bronchial asthma, digitalis-resistant cardiac failure, cor pulmonale, marked bradycardia, 2nd and 3rd degree AV-block. **Precautions:** incipient or manifest heart failure (digitalization required); tendency to bronchospasm in non-asthmatic chronic obstructive lung disease; general anaesthesia; interruption of treatment should be gradual; in phaeochromocytoma combine with α -blocker; pre-existing peripheral vascular disease; severe renal failure; in patients receiving antidiabetic therapy; when breast-feeding; when driving vehicles or operating machinery. **Interactions:** avoid concomitant parenteral use of calcium channel blockers. **Side effects:** tiredness, dizziness, nausea, headache, sleep disturbances; rarely skin reactions and psychic symptoms. **Packs:** country specific.

ALSO CONSULT FULL PRODUCT INFORMATION AVAILABLE FROM SANDOZ LTD., BASLE SWITZERLAND



no skin allergy
without clouding
his head



Hismanal^{TRADEMARK}

astemizole

The antihistamine of exceptional strength from the first
to the last day of therapy.

 **JANSSEN**
PHARMACEUTICAL
2340 Beerse, Belgium

Prescribing information

Uses: Hismanal[®] is a potent and non-sedative antihistamine indicated for the treatment of seasonal and perennial allergic rhinitis, allergic conjunctivitis, chronic urticaria and other allergic conditions.
Dosage and administration: adults and children over 12 years: 10 mg daily. Children 6-12 years: 5 mg once daily. Children younger than 6 years: 2 mg per 10 kg daily. Hismanal should be taken on an empty stomach. **Precautions:** Hismanal should be used in pregnant women only when, in the judgement of the physician, the potential benefits outweigh the possible hazards. **Adverse reactions:** weight gain may occur during prolonged treatment. **Overdose:** in case of overdose, gastric lavage should be followed by close observation and ECG monitoring as arrhythmias have occasionally occurred after intake of doses in excess of 200 mg.

Full prescribing information available on request