

In vaginal candidosis:

TRADEMARK

ketoconazole

ketoconazole

*The elegant way
to treat an inelegant problem*



2 oral tablets
once daily for **5** days
is all it takes today
to cure vaginal candidosis

© JANSSEN PHARMACEUTICA 1987

Each tablet contains 100 mg of Nizoral. The recommended dose is 200 mg daily for 7 days. For maximal absorption Nizoral should be taken on an empty stomach. Concomitant use of drugs which alter gastric pH (antacids, H₂ antagonists, and proton pump inhibitors) may decrease the absorption of Nizoral. If indicated, such drugs should be taken not less than 2 hours before or after Nizoral. Concomitant use of cyclosporin A results in increased blood levels of cyclosporin A. It is recommended that the two drugs are given concomitantly. **Side-effects:** nausea, skin rash, headache, dizziness, and taste disturbances. Elevations in liver function tests have occurred in patients on ketoconazole. Allergic reactions have been reported with an incidence of about 1 per 10,000 patients. Some of these reactions have been severe. Caution should be exercised in patients on long-term therapy. If symptoms suggestive of hepatitis, treatment with ketoconazole should be stopped. Mild elevations in liver enzyme levels, on the other hand, do not necessitate discontinuation of the treatment.

Information available on request.

References:

References:

Tooley, *et al.*: The Practitioner **229**, 655 (1985)
Benussi, *et al.*: Curr. Ther. Res. **31**(4), 511 (1982)




JANSSEN
PHARMACEUTICA

B-2340 Beerse, Belgium

world leader in antimycotic research

Second edition . . . new pocket size format



Newly graduated clinicians have to acquire the practical skills of their specialty—few doctors can remember every step of a procedure after seeing a single demonstration. A step by step guide for those making their first attempts, *Procedures in Practice* has now been completely updated and expanded to cover everything from arterial puncture to vaginal examinations.

Extensively illustrated, it has been produced in a new pocket size format, so you can always keep it with you.

Price: Inland £6.95; Abroad £8.75; USA \$15.00
BMA members: Inland £6.45; Abroad £8.25;
USA \$14.00
including postage, by air abroad.

Order from: BRITISH MEDICAL JOURNAL, PO BOX 295, LONDON WC1H 9TE
or any leading bookseller. All prices include postage, by air abroad. **Please enclose payment with order, or**
send us full details of your ACCESS or VISA credit card.

The
MEMOIR
Club



RECOLLECTIONS AND REFLECTIONS

by Sir Douglas Black

"... buy this jewel of a book ... should become a medical classic: first, because it is beautifully written and, second, because it reflects deeply and succinctly on the nature of medicine and its organisation."

Journal of the Royal College of Physicians

"His prose is clear, his style stimulating ... Do read Sir Douglas's charming book." *L. E. Bottinger*

Price: Inland £14.95; Abroad £17.50; USA \$29.00

BMA members: Inland £13.95; Abroad £16.50; USA \$27.00

NOT ALWAYS ON THE LEVEL

by E J Moran Campbell

"... a delight that nobody should miss." *Sarcoidosis*

"Written in a direct, rough hewn style that carries conviction ... a self portrait of a man who is patently (and at times painfully) honest in his attempt to come to terms with the 'romance and earthiness' of his life and work ... Campbell is content to present the facts without commenting on their wider implications ... final chapters courageously convey a vivid impression of what it can mean to live with a 'roller coaster mind ...' *Michael Shepherd*

Price: Inland £14.95; Abroad £18.50; USA \$30.00

BMA members: Inland £13.95; Abroad £17.50; USA \$28.00



DOCTORS IN SCIENCE AND SOCIETY

by Sir Christopher Booth

"The essays exude all the joy and enlightenment of research and demonstrate time and again how such analysis enriches and enlarges our understanding of present events and social forces." *The Scientist*

"... a delight to read and a pleasure to handle ... At the price of a meal out it is superb value. 'Buy good books', wrote Lord Chesterfield to his son, 'and read them'. I can give no better advice about this book." *The Lancet*

"... a well written and well researched series of contributions that will give pleasure and instruction to what should be a wide readership."

Journal of The Royal College of Physicians

Price: Inland £14.95; Abroad £19.50; USA \$32.00

BMA members: Inland £13.95; Abroad £18.50; USA \$30.00




ALL PRICES INCLUDE POSTAGE BY AIR ABROAD

ORDER FORM

BRITISH MEDICAL JOURNAL, PO Box 295, London WC1H 9TE
or any leading medical bookseller.

Please send me the following books:



- ☐ Recollections and Reflections
☐ Not Always on the Level
☐ Doctors in Science and Society

☐ I enclose.....

BMA Membership No.

Please make cheques payable to **British Medical Journal**
or debit my credit card (please tick box)

☐ Access ☐ American Express ☐ Mastercard ☐ Visa

Card No.

Card expiry date.....

Signature.....

☐ Please send me a book catalogue

Name.....

Please print name and address clearly

Address.....

.....

.....

IN LIFE-THREATENING INFECTIONS...

«ROCEPHIN»



...THE TREATMENT FOR EMERGENCIES

FOR EXAMPLE: SEPSIS... PATHOGENS ERADICATED IN 96.3% OF ALL CASES


Reference
Data on file, F. Hoffmann-La Roche & Co. Limited Company, Basle, Switzerland.

Full details on composition, indications, contraindications, side effects, dosage and precautions are available on request.



F. HOFFMANN-LA ROCHE & CO. LIMITED COMPANY, BASLE, SWITZERLAND

his skin allergy
without clouding
his head



Hismanal^{TRADEMARK}
astemizole

**The antihistamine of exceptional strength from the first
to the last day of therapy.**

 **JANSSEN**
PHARMACEUTICAL
2340 Beerse, Belgium

Prescribing information

Uses: Hismanal[®] is a potent and non-sedative antihistamine indicated for the treatment of seasonal and perennial allergic rhinitis, allergic conjunctivitis, chronic urticaria and other allergic conditions.
Dosage and administration: adults and children over 12 years: 10 mg daily. Children 6-12 years: 5 mg once daily. Children younger than 6 years: 2 mg per 10 kg daily. Hismanal should be taken on an empty stomach. **Precautions:** Hismanal should be used in pregnant women only when, in the judgement of the physician, the potential benefits outweigh the possible hazards. **Adverse reactions:** weight gain may occur during prolonged treatment. **Overdose:** in case of overdose, gastric lavage should be followed by close observation and ECG monitoring as arrhythmias have occasionally occurred after intake of doses in excess of 200 mg.

Full prescribing information available on request

Trademark