

TRADEMARK

NIZORAL

(ketoconazole)

Did you know

that in seborrhoeic dermatitis
a dominant role is played by
Pityrosporum yeasts?

And did you know

that *Pityrosporum* is exceptional
sensitive to ketoconazole,
alias Nizoral?

If you do, you know why Nizoral cream is the right answer to seborrhoeic dermatitis

Apply twice daily until a few days after remission of symptoms.

Indications: Nizoral cream is indicated for topical application in the treatment of dermatophyte infections of the skin, as well as in the treatment of cutaneous candidosis and tinea (pityriasis) versicolor. Nizoral cream is also indicated for the treatment of seborrhoeic dermatitis, a skin condition related with the presence of *Pityrosporum ovale*. **Precautions:** Irritation may occur when Nizoral cream is used immediately after prolonged treatment with topical corticosteroids. Therefore, it is recommended to continue applying the topical corticosteroid in the mornings and to apply Nizoral cream in the evenings, and to subsequently and gradually withdraw the steroid therapy over a period of 2-3 weeks.




JANSSEN
PHARMACEUTICA

B-2340 Beerse, Belgium

world leader in antimycotic research

Full prescribing information
available on request.



**«Tilcotil»
works the whole
arthritic day.
Evenly.
24 hours long.**

20 mg «Tilcotil»,
regardless of when it's taken,
ensure active serum levels
for more than 24 hours.
That means: consistent efficacy,
better mobility and relief
of pain during the day
and at night – fewer
pain-induced sleep disturbances
and less morning stiffness.

«Tilcotil» is well tolerated
for an antiarthritic agent,
also in long-term treatment
and in elderly patients.

«Tilcotil».

Because an arthritic's
treatment should last as long
as his day.

NEW


Tilcotil Tenoxicam
nonsteroidal antiinflammatory

«Tilcotil» is a Trade Mark

Full details on composition, indications,
contraindications, side effects, dosage and
precautions are available on request.

F. Hoffmann-La Roche & Co. Limited Company
Basle, Switzerland





CLEARING HIS
SKIN ALLERGY
WITHOUT
CLOUDING HIS
HEAD

astemizole

^{TRADEMARK}
Hismanal

ONCE-A-DAY

The antihistamine of
exceptional strength.
Effective from the first
to the last day
of therapy.



JANSSEN
PHARMACEUTICA
B-2340 Beerse, Belgium

Prescribing information

Uses: Hismanal is a potent and non-sedative antihistamine indicated for the treatment of seasonal and perennial allergic rhinitis, allergic conjunctivitis, chronic urticaria and other allergic conditions.

Dosage and administration: adults and children over 12 years: 10 mg daily. Children 6-12 years: 5 mg once daily. Children younger than 6 years: 2 mg per 10 kg daily. Hismanal should be taken on an empty stomach. **Precautions:** Hismanal should be used in pregnant women only when, in the judgement of the physician, the potential benefits outweigh the possible hazards.

Adverse reactions: weight gain may occur during prolonged treatment. **Overdose:** in case of overdose, gastric lavage should be followed by close observation and ECG monitoring as arrhythmias have occasionally occurred after intake of doses in excess of 200 mg.

Full prescribing information available on request