Some patients are more susceptible to vaginal candidosis than others



Candida cells are capable of penetrating to the depth of several layers of the vaginal epithelium. This suggests that these hidden yeasts may be protected from topical antifungal agents, only to re-emerge and proliferate again some time later when the epithelial cells are normally shed. The deeper layers of the vaginal mucosa are more accessible by systemic than by oral route. Thus, in patients who appear highly susceptible to vaginal candidosis, oral Nizoral treatment

NZOTRADEMARK (ketoconazole)

makes good sense.

2 oral tablets once daily for 5 days

Full prescribing information available on request.

Prescribing notes: For maximal absorption Nizoral should be taken with meals. Nizoral is contra-indicated in pregnancy. Precautions: the use of agents which reduce gastric acidity (anti-cholinergic drugs, antacids, H₂-blockers) should be avoided and, if indicated, such drugs should be taken not less than 2 hours after Nizoral. Side-effects: nausea, skin rash, headache and pruritus may occasionally be observed. Alterations in liver function tests have occurred in patients on Nizoral; these changes may be transient. Cases of hepatitis have been reported with an incidence of about 1 per 10,000 patients. If a patient develops jaundice or any symptoms suggestive of hepatitis, treatment with Nizoral should be stopped. Mild asymptomatic increases of liver enzyme levels, on the other hand, do not necessitate discontinuation of the treatment.

JANSSEN PHARMACEUTICA
B-2340 Beerse, Belgium

world leader in antimycotic research



The abstract theory of theories has highly practical applications, and the authors explore the uses of computer technology and artificial intelligence systems as well as "fuzzy logic," "relevant logic," and the logic of economics and ethics. A book for all who wish to clear their

Price: Inland £5.95; Abroad £7.50; USA \$11.50 BMA members: Inland £5.45; Abroad £7.00; USA \$10.50 (including postage, by air abroad) Payment must be enclosed with order


ORDER YOUR COPY NOW FROM British Medical Journal, PO Box 295 London WC1H 9TE or any leading medical bookseller


minds of cant.

Think about it

You make a clinical diagnosis. Do you ever consider the thought processes by which you arrived at it? Medical students and practitioners are often concerned with examples of diagnostic logic, but seldom consider them in the context of a general philosophy. Is diagnostic logic out on a limb, or is it based on the same principles as logic in general?

In Logic in Medicine doctors and philosophers combine to provide a coherent system of diagnostic logic with a broader view of the science and art of reasoning.





Hismanal

ONCE-A-DAY

The antihistamine of exceptional strength. Effective from the first to the last day of therapy.



PHARMACEUTICA B-2340 Beerse, Belgium