

TRADEMARK

(ketoconazole)

Did you know

that in seborrhoeic dermatitis
a dominant role is played by
Pityrosporum yeasts?

And did you know

that *Pityrosporum* is exceptional
sensitive to ketoconazole,
alias Nizoral?

If you do, you know why Nizoral cream is the right answer to seborrhoeic dermatitis

Apply twice daily until a few days after remission of symptoms.

Indications: Nizoral cream is indicated for topical application in the treatment of dermatophyte infections of the skin, as well as in the treatment of cutaneous candidosis and tinea (pityriasis) versicolor. Nizoral cream is also indicated for the treatment of seborrhoeic dermatitis, a skin condition related with the presence of *Pityrosporum ovale*. **Precautions:** Irritation may occur when Nizoral cream is used immediately after prolonged treatment with topical corticosteroids. Therefore, it is recommended to continue applying the topical corticosteroid in the mornings and to apply Nizoral cream in the evenings, and to subsequently and gradually withdraw the steroid therapy over a period of 2-3 weeks.



JANSSEN

world leader in antimycotic research

PHARMACEUTICA

B-2340 Beerse, Belgium

Full prescribing information
available on request.



CLINICAL ALGORITHMS

ENDOCRINE SYSTEM

JUST PUBLISHED

GYNAECOLOGY

In this step by step guide to the diagnosis and treatment of common endocrinological disorders a short introductory essay on each topic is combined with an algorithm that provides a clear visual aid to decision making. Originally published in the *BMJ* and now revised and brought up to date, the collection includes:

- short stature
- hyperlipidaemia
- infertility
- delayed puberty
- thyroid enlargement

In this practical guide to the diagnosis and treatment of common problems in gynaecology a short introductory essay on each topic is combined with an algorithm that takes you step by step through the questions to be asked and the actions to be taken. Originally published in the *BMJ* and now revised and brought up to date, the collection includes:

- premenstrual syndrome
- pelvic inflammatory disease
- vaginal discharge
- abnormal cervical smear
- psychosexual problems

ORDER NOW FROM

Price (each book)
Inland £6.95; Abroad £8.00; USA\$15.00.
BMA members: Inland £6.45;
Abroad £7.50; USA\$14.00,
including postage, by air abroad.

BRITISH MEDICAL JOURNAL, P.O. Box 295,
London WC1H 9TE, England or any leading medical bookseller

ORDER FORM

Please send me CLINICAL ALGORITHMS

- ☐ Gynaecology
☐ Endocrine System

and the following books:

.....

.....

NAME

ADDRESS

.....

POSTCODE

☐ I enclose..... BMA Membership No.

Please make cheques payable to **British Medical Journal** or
debit my credit card (please tick box)


☐ Access ☐ Visa ☐ American Express ☐ Mastercard

Card No.

Card expiry date

Signature

☐ Please send me a book catalogue



CLEARING HIS
SKIN ALLERGY
WITHOUT
CLOUDING HIS
HEAD

astemizole

ONCE-A-DAY

^{TRADEMARK}
Hismanal

The antihistamine of
exceptional strength.
Effective from the first
to the last day
of therapy.



JANSSEN
PHARMACEUTICA
B-2340 Beerse, Belgium

Prescribing Information

Uses: Hismanal is a potent and non-sedative antihistamine indicated for the treatment of seasonal and perennial allergic rhinitis, allergic conjunctivitis, chronic urticaria and other allergic conditions.

Dosage and administration: adults and children over 12 years: 10 mg daily. Children 6-12 years: 5 mg once daily. Children younger than 6 years: 2 mg per 10 kg daily. Hismanal should be taken on an empty stomach. **Precautions:** Hismanal should be used in pregnant women only when, in the judgement of the physician, the potential benefits outweigh the possible hazards.

Adverse reactions: weight gain may occur during prolonged treatment. **Overdose:** in case of overdose, gastric lavage should be followed by close observation and ECG monitoring as arrhythmias have occasionally occurred after intake of doses in excess of 200 mg.

Full prescribing information available on request