Did you know

that in seborrhoeic dermatitis a dominant role is played by *Pityrosporum* yeasts?

And did you kn

that *Pityrosporum* is exceptional sensitive to ketoconazole, alias Nizoral?

If you do, you know why Nizoral *cream* is the right answer to **seborrhoeic dermatitis**

Apply twice daily until a few days after remission of symptoms.

Indications: Nizoral cream is indicated for topical application in the treatment of dermatophyte infections of the skin, as well as in the treatment of cutaneous candidosis and tinea (pityriasis) versicolor. Nizoral cream is also indicated for the treatment of seborrhooic dermatilis, a skin condition related with the presence of Pityrosporum ovale. Precautions: Irritation may occur when Nizoral cream is used immediately after prolonged treatment with topical corticosteroids. Therefore, it is recommended to continue applying the topical corticosteroids in the mornings and to apply Nizoral cream in the evenings, and to subsequently and gradually withdraw the second subsequently subsequently and gradually withdraw the second subsequently s




JANGSEN.

world leader in antimycotic research

PHARMACEUTICA B-2340 Beerse, Belgium





HISManal astemizole HISManal

ONCE-A-DAY

The antihistamine of exceptional strength. Effective from the first to the last day of therapy.



JANSSEN PHARMACEUTICA

B-2340 Beerse, Belgium