

TREATING FUNGAL SKIN INFECTIONS IN PRECISELY 15 DAYS

Fungal skin infections should normally be treated at least until the symptoms have completely disappeared. This does not enhance patient compliance and may so hinder the healing process.

But now there is

Sporanox^{TRADEMARK}
itraconazole

After precisely 15 days of oral treatment, therapeutic concentrations of Sporanox remain active in the stratum corneum for another 3-4 weeks. And yet, its plasma level disappears very rapidly.

Practical dosage:

Tinea corporis, tinea cruris, tinea pedis*, tinea manus*:
1 capsule daily for precisely 15 days.

* Involvement of highly keratinized regions such as hand palms and foot soles requires an additional 15-day treatment.

JANSSEN
PHARMACEUTICA
LABORATOIRES
www.janssen-pharmaceutica.com

1 capsule daily

Sporanox

Guarding the Guardians: Research on

EDITORIAL PEER REVIEW

Following the success of the American Medical Association's First International Congress on Peer Review in Biomedical Publication, a second such Congress is being planned for September 1992. We aim to present original research on critical issues in the publication of all clinical and scientific research.

What are such critical issues?

- The mechanisms of peer review and editorial decision making in different journals
- The relationships between authors, editors, and reviewers, and how each is educated, selected, and evaluated.
- Allocation of responsibility for published material
- Quality assurance
- Breakdowns, weaknesses, and biases


For more information on attending or presenting research, contact:

Jane Smith, BA, MSc
Managing Editor, *BMJ*
BMA House
Tavistock Square
London WC1H 9JR
Telephone: 071-387-4499
Facsimile: 01-383-6418



BEGIN PLANNING YOUR RESEARCH PROTOCOLS NOW!

CLINICAL ALGORITHMS



ORDER FORM

BRITISH MEDICAL JOURNAL, PO BOX 295,
London WC1H 9TE, England **or any leading medical bookseller**

Please send me CLINICAL ALGORITHMS

- ☐ Central Nervous System
- ☐ Gynaecology
- ☐ Endocrine System

and the following BMJ books:

.....

NAME

ADDRESS

POSTCODE

- ☐ I enclose BMA Membership No.

Please make cheques payable to **British Medical Journal** or
debit my credit card (please tick box)


- ☐ Visa ☐ American Express ☐ Mastercard

[illegible]

Card expiry date

Signature

- ☐ Please send me a book catalogue



**«Tilcotil»
works the whole
arthritic day.
Evenly.
24 hours long.**

20 mg «Tilcotil»,
regardless of when it's taken,
ensures active serum levels
for more than 24 hours.
That means: consistent efficacy,
better mobility and relief
of pain during the day
and at night – fewer
pain-induced sleep disturbances
and less morning stiffness.

«Tilcotil» is well tolerated
for an antiarthritic agent,
even in long-term treatment
and in elderly patients.

«Tilcotil».
Because an arthritic's
treatment should last as long
as his day.

«Tilcotil» is a Trade Mark

composition, indications,
side effects, dosage and
precautions on request.

24-hour
action


Tilcotil tenoxicam
nonsteroidal antiinflammatory

ROCHE

F. Hoffmann-La Roche Ltd,
Basel, Switzerland

THE ANTIHISTAMINE of exceptional strength

TRADEMARK
Hismanal
(astemizole)



Prescribing information: **Uses:** Hismanal is a potent antihistamine indicated for the treatment of seasonal and perennial allergic rhinitis, allergic conjunctivitis, and other allergic conditions. **Dosage and administration:** adult and children 12 years of age and older: 5 mg once daily. Children younger than 6 years of age: 1 mg once daily. **Precautions:** Hismanal should be used in patients with liver disease and in patients taking other drugs. **Full prescribing information**

75

McNeilly company

JUST
ONE TABLET
A DAY