

do not prescribe  
a once a day  
it better  
**HISMANOL**

**Prescribing information**

Hismanol is a potent long-acting  
antihistamine. It is indicated for the treatment of  
seasonal and perennial allergic  
rhinitis, allergic conjunctivitis,  
atopic dermatitis and other  
allergic conditions.

**Dosage and administration:**

adults and children over  
12 years: 10 mg once daily.  
children 6-12 years:

5 mg once daily.

children younger than 6 years:  
2 mg per 10 kg once daily.

**Precautions:**

Hismanol should be used in  
pregnant women only when,  
in the judgement of the  
physician, the potential benefits  
outweigh the possible hazards.

**Adverse reactions:**

Weight gain may occur during  
prolonged treatment.

**Overdosage:**

In case of overdose, gastric  
lavage should be followed by  
close observation and  
ECG monitoring as arrhythmias  
have occasionally occurred.

**Full prescribing information  
available on request.**




just  
one tablet  
a day



**JANSSEN**  
PHARMACEUTICA  
340 Beerse, Belgium  
a drug discovery company







# ROCEPHIN

ceftriaxone

## 24-HOUR BACTERICIDAL POWER

### Indications

Sepsis; meningitis; abdominal infections; infections of the bones, joints, soft tissue, skin and of wounds; infections in patients with impaired defence mechanisms; renal and urinary tract infections; respiratory tract infections, particularly pneumonia, and ear, nose and throat infections; genital infections, including gonorrhoea. Perioperative prophylaxis of infections.

### Dosage

Usual dosage for adults: 1-2 g once daily (every 24 hours). Further information on administration and special dosage recommendations are available on request.

### Contraindications

Known hypersensitivity to cephalosporins.

### Precautions

Pregnancy (particularly in the first trimester), unless absolutely necessary. Hypersensitivity to  $\beta$ -lactam antibiotics (possibility of allergic cross-reactions, anaphylactic shock).

### Side effects

Gastrointestinal complaints. Hematological changes. Skin reactions.

Full details are available on request.

F. Hoffmann-La Roche Ltd, Basel, Switzerland



