

FUNGI CAN'T HIDE FROM **Sporanox®***

itraconazole 100 mg

One of the notorious problems with fungal infections of the skin or the vagina is that the organism may penetrate the deeper layers of the epithelium, out of reach of topical medication. And besides, when treating fungal skin lesions locally, the infection is often already subclinically present at other sites of the body, waiting for a chance to start the trouble all over again.

Because Sporanox works **orally**, i.e. "from the inside out", it will destroy even the best hidden fungal cells. All the more so, because Sporanox has a strong affinity for epidermal and mucosal tissues as well as for the fungal cell wall itself where it must exert its fungicidal activity.

SHORT AND SIMPLE ORAL THERAPY

Standard dose in Dermatology: 1 capsule (100 mg) once daily for 15 days
(Sporanox will remain active in the stratum corneum for another 3-4 weeks)

Standard dose in Gynaecology: 2 x 2 capsules (400 mg) for 1 day only
(Sporanox will remain active in the vaginal epithelium for another 3 to 4 days)

This product is not yet available in all countries.

* Trademarks: SPORANOX, SEMIPERA,
TRISPORAL, SPORAL.

Properties: Sporanox (itraconazole), a triazole derivative, is orally active against infections with dermatophytes (*Trichophyton* spp., *Microsporum* spp., *Epidemophyton floccosum*), yeasts (*Candida* spp., *Phycomyces* spp.), *Aaspergillus* spp. and various other yeasts and fungi. **Indications:** Sporanox (itraconazole) is indicated for the treatment of dermatophytoses, yeasts, *Phycomyces* spp., *Aaspergillus* spp. and *Aspergillus* spp. and *Candida* spp. infections.

scabies (200 mg) morning and evening for 1 day. *Pityriasis versicolor*: 2 capsules (200 mg) once daily for 7 days.

Tinea corporis, tinea cruris, tinea pedis, tinea manus: 1 capsule (100 mg) daily for 15 days; highly keratinized regions, as in plantar tinea pedis and palmar tinea manus, require 1 capsule (100 mg) daily for 30 days.

Onychomycosis: 1 capsule (100 mg) daily for 15 days. **Onychomycosis:** 2 capsules (200 mg) once daily for 7 days.

Oral candidosis: Sporanox (itraconazole) should not be given during pregnancy.

Contraindications: Sporanox (itraconazole) should not be given to patients with a known history of liver disease. **Nursing mothers:** It is recommended not to breast feed whilst taking Sporanox (itraconazole). **Drug interactions:** Sporanox (itraconazole) should not be given concomitantly with niflumic acid.

advisable not to give this drug to patients with a known history of liver disease. **Nursing mothers:** It is recommended not to breast feed whilst taking Sporanox (itraconazole). **Drug interactions:** Sporanox (itraconazole) should not be given concomitantly with niflumic acid.

Full prescribing information is available on request.

JANSEN
PHARMACEUTICA
7240 Deurne, Belgium
the drug discovery company

BYN JOURNALS

**SEND FOR YOUR
FREE SAMPLE COPY**

Archives of Disease in Childhood

The Journal of the British Paediatric Association

EDITORS: **BERNARD VALMAN** **MALCOLM CHISWICK**

ARCHIVES OF DISEASE IN CHILDHOOD,

publishes papers on all aspects of child health and disease. The standard edition is published monthly, four times a year an additional **Fetal and Neonatal edition** is sent free to all subscribers.

Together with original articles there are review articles to keep readers up-to-date in fields that are not their own. Book reviews appear regularly with special features for Spring and Autumn and there is a lively correspondence column.

RECENT AND FORTHCOMING ARTICLES:

- **Transoesophageal echocardiography: a new diagnostic method in paediatric cardiology**
Oliver Stümper (annotation)
- **Cyclical disturbance of diabetic control in girls before the menarche**
K G E Brown, C W Darby, S H Ng
- **Inherited metabolic diseases in the sudden infant death syndrome**
J B Holton, J T Allen, C A Green et al
- **Prediction of blood pressure from plasma renin activity in reflux nephropathy**
H Jardin, V Shah, J M Savage et al

Annual Subscription Rate: 1992: £148, USA Only: \$240

**To Order Your Subscription or Sample Copy Please Complete
the Order Form Below:**

Order Form

ARCHIVES OF DISEASE IN CHILDHOOD

Card Number

MasterCard users should add the numbers appearing above their name

Expiry date

Signature

(Your signature is essential, especially when paying by credit card)

Name (Capitals)

Address

Please tick **Please enter my subscription start date:**


- Please send me a sample copy
- Please send me *Instructions to Authors*

I enclose a cheque for _____
(Payable to British Medical Journal)

I wish to pay by credit card

I wish to pay by a
American Express A/

American Express/VISA
(Select one organization)



The future is bright

"Many articles are neither read nor cited; indeed many articles are poor. In general many journals seem to be of little practical help to clinicians facing problems at the bedside."

"... in the course of a year at least half the journals on the shelves are never looked at at all."

"Most editors... are 'half nun, half whore.'"

"... in the 300 years of their existence journals have done little to examine their own practices."

"What are editors?"

"If an editor does not please himself, he used to say, 'he will not please anybody.'"

"Defensive editing we do not need."

"Medical journals in developing countries are, with very few exceptions, unattractive."

"I believe that the future for general medical journals—particularly those published in English—is bright. They will undoubtedly change, but they will not disappear."


The debate was lively and the opinions conflicting and forcefully expressed when, to mark its 150 year past, the *BMJ* decided to join with other general medical journals in examining their perhaps not too certain future. At a conference at Leeds Castle editors of major general medical journals throughout the world, with experts in information science, sociology, and epidemiology, discussed the functions and effectiveness of modern journals, and debated possible choices for development. Edited by Stephen Lock, *The Future of Medical Journals* is a unique compilation of papers on this important but little analysed aspect of medical science.

UK £14.95; Abroad £17.50 (BMA members £13.95 or £16.50)

Peer review is one of the key processes at several stages of scientific research, applications for a research grant, assessing an abstract of a contribution submitted to a meeting of a scientific society, and refereeing a paper for publication in a journal. Without publication, which entails such preliminary validation (continued afterwards by the journal's general and specialist readers), science cannot advance. And ensuring that peer review is as accurate, fair, and quick as possible is one of the principal tasks of most scientific editors.

Third impression (with new introduction)

UK £12.95; Abroad £15.50 (BMA members £11.95 or £14.50)



ORDER FORM British Medical Journal, PO Box 295, London WC1H 9TE.

Please send me the following books:

QTY	TITLE	AUTHOR/EDITOR	AMOUNT

Prices include postage, by air abroad

TOTAL £

NAME _____
(print clearly)

Membership No _____

ADDRESS _____

Cheque enclosed (made payable to British Medical Journal) £ _____
Debit my AMERICAN EXPRESS/VISA/MASTERCARD

Card No. _____ Exp. _____

POSTCODE _____

Signature _____
BMJ books are also available from major booksellers or the BMJ bookshop in BMA House.

Please send me a book catalogue

Essential know-how ×3

HOW TO DO IT:1

Chair a dictation committee. Be an examiner. Give evidence. Take an international paper. Choose a computer. Organise an international medical meeting. Write a book. Use a library. Improve a student. Write a medical review. Raise funds. Be an examiner. Prepare a clinical interview. Write a book. Take a clinical examination. Use slides. Attend an inquest. Apply for a research grant. Plan a project.

HOW TO DO IT:2

Organise your time. Run a clinic. Deal with a patient complaint by a private doctor. Organise a budget. Start an expedition round a teaching ward. Start a teaching ward round. Organise a clinical examination. Be an expedition colleague. Retire with a clinical problem. Process a sabbatical leave. Use a word processor. Use a video mail. Make a video signpost your hospital. Get a letter in the newspaper. Keep the

HOW TO DO IT:3

Organise a new department. Choose a multicentre. Write a DNA house. Get a multicentre manager. Start a diabetic annual report. Develop a service. Organise a GP locum. Start a nomic service. Develop a general practice. Choose a word processor. Be a word processor. Be a department officer. Get publicity. Organise a trial. Get a trial GP.

"These volumes provide a useful guide to the wide ranging problems physicians have to cope with in their daily practice. They will prove an instructive and easy-to-read reference tool for all those involved with patient management, hospital organisation and research."

The reviewers say . . .

HOW TO DO IT: 1

"... an excellent little book." *American Journal of Dermatology*

"Every contribution contains something of interest." *New Zealand Medical Journal*

"... equally suitable for medical student and consultant." *Journal of the Royal Naval Medical Service*

HOW TO DO IT: 2

"... contains a wealth of useful information and advice which the experienced contributors have gleaned from long professional experience." *British Dental Journal*

"... a useful and informative book . . ." *Medical Journal of Australia*

"... this book is excellent value and should be considered a vital resource for all doctors . . ." *Holistic Medicine*

HOW TO DO IT: 3

"I cannot think of any book that provides better value than this interesting volume for the modern doctor." *Update*

"All articles are clearly presented, informative and written in a relaxed often humorous style." *Scottish Medical Journal*

"The style of writing is eminently readable and the information is delivered in a reader-friendly style." *SAMJ*

Price (each book): UK £7.95; Abroad £9.50 (BMA members £7.45 or £9.00)



ORDER FORM British Medical Journal, PO Box 295, London WC1H 9TE.

Please send me the following books:

QTY	TITLE	AUTHOR/EDITOR	AMOUNT

Prices include postage, by air abroad

TOTAL £

NAME _____
print clearly

Membership No _____

ADDRESS _____

Cheque enclosed (made payable to British Medical Journal) £ _____
Debit my AMERICAN EXPRESS/VISA/MASTERCARD


POSTCODE _____

Card No. _____ Exp. _____

Please send me a book catalogue

Signature _____
BMJ books are also available from major booksellers or the BMJ bookshop in BMA House. Book tokens accepted (UK only).

Are the ills of middle and later life rooted in our early development?



During the past few years a series of articles, mostly from the Medical Research Council's Environmental Epidemiology Unit at the University of Southampton, has been published in leading medical journals. They set out the evidence that certain adult diseases, including coronary heart disease, stroke and diabetes originate in impaired development during fetal life and infancy. Because of the obvious implications for prevention of some of the commonest diseases in Western society, they have attracted international attention. In this book, Professor David Barker, Director of the Unit, has selected 31 articles that he considers seminal and a comprehensive guide to the development of this important topic. Professor Roger Robinson's introduction summarises and interprets the evidence for non-epidemiologists.

The first chapters describe the origins of the hypothesis in geographical studies in England and Wales. These are followed by a series of studies of men and women in middle and late life whose early growth was recorded at the time. In those who have died, cause of death can be related to early growth. Examination of the living has allowed blood pressure, blood lipid and insulin concentrations, and other measurements to be related to different patterns of early growth. Together, the findings show that early development affects the risk of coronary heart disease, stroke, obstructive lung disease and diabetes at least as strongly as obesity, smoking and other aspects of adult life style.

Fetal and Infant Origins of Adult Disease brings together in one volume a body of work that cannot be ignored

Hardback • Illustrations • Tables • 368 pages • ISBN 0-7279-0743-3
UK £24.95; Abroad £30.00 (BMA members £22.95 or £28.00) including postage, by air abroad



ORDER FORM

British Medical Journal, PO Box 295, London WC1H 9TE.

Please send me _____ copy/ies of *FETAL AND INFANT ORIGINS OF ADULT DISEASE*

NAME _____
(print clearly)

Membership No _____

ADDRESS _____

Cheque enclosed (made payable to British Medical Journal) £ _____
Debit my AMERICAN EXPRESS/VISA/MASTERCARD

Card No. _____ Exp. _____

POSTCODE _____

Signature _____

BMJ books are also available from major booksellers or the BMJ bookshop in BMA House. Book tokens accepted (UK only).

Please send me a book catalogue

gastric distress & oesophagitis

hyperacidity or dysmotility?

Most complaints of gastric distress, as well as oesophagitis, are conventionally attributed to hyperacidity in the stomach. However, the contemporary view in gastroenterology holds that most upper G.I. problems, including heartburn, postprandial fullness, early satiety, abdominal distension and epigastric discomfort, are commonly motility related.¹⁻³ And this stands to reason. After all, proper peristalsis is a physiological necessity for our digestive process.

Prepulsid, the novel G.I. prokinetic, uniquely restores healthy peristalsis to efficiently clear the oesophagus and empty the stomach.⁴⁻⁶



TRADEMARK **Prepulsid** CISAPRIDE



restores upper G.I. motility like no other agent.

JANSSEN
PHARMACEUTICA
B-2340 Beerse Belgium

expertise in digestive motility