

ALCOHOL & ROAD TRAFFIC

PROCEEDINGS OF THE
THIRD INTERNATIONAL CONFERENCE
ON ALCOHOL AND ROAD TRAFFIC
HELD UNDER THE AUSPICES OF
THE BRITISH MEDICAL ASSOCIATION IN
SEPTEMBER 1962

AN IMPORTANT REFERENCE BOOK for police surgeons, lawyers, forensic scientists, police officers, criminologists, doctors, sociologists, psychologists, insurance offices, analytical chemists and others whose work brings them into contact with the problem of alcohol and road traffic.

In September 1962, the world's leading authorities met together in London to discuss problems of alcohol and road traffic. The 56 papers which were presented at this conference, the subsequent discussions, and the reports of nine special working parties set up to discuss particular issues, have been collected together in these proceedings to form the most comprehensive and authoritative statement available on this important and topical subject.

The proceedings contain the most up-to-date information on the relation of alcohol, tranquillizers and other drugs to road accidents, the role of alcoholism, the most recent chemical methods of detection including breath analysis, A.D.H. and gas chromatography, police procedure with drinking drivers, and presentation of evidence in courts of law.

Cloth Bound

*

Royal Octavo

*

384 pages

Price 63s. (U.S.A. \$10.00) *postage included*

ORDER NOW

The Publishing Manager, British Medical Association,
B.M.A. House, Tavistock Square, London W.C.1


What's in it for you?

The greatest overall activity against the respiratory organisms, including *Mycoplasma pneumoniae*. This organism, totally insensitive to all penicillins,¹ has been shown to be associated with over 20% of acute respiratory illness.^{2,3}

The capacity to clear purulent sputum quickly, even when previous therapy has failed.⁴

Shorter exacerbations,⁵ resulting in a decisive check on progressive lung-tissue damage.

Choice of two equally dependable dosage regimens — one capsule four times daily or two capsules twice daily.



Rondomycin*

for a better prognosis in bronchitis
and other respiratory infections

The advertisement features a black and white photograph of a man in a dark coat coughing into his hand. In the foreground, a large, white, cylindrical capsule lies on a dark surface, with a pile of white powder spilled out from its end. The background is dark and textured.

Ledermycin[†]

(Demethylchlortetracycline Lederle)

Bang on all 3 targets!

- 1. Dosage**
BID, TID, QID!
- 2. Blood levels**
prolonged!
- 3. Spectrum**
widest of all antibiotics!

Ledermycin[†]
demethylchlortetracycline
Lederle

Lederstatin*
Ledermycin
demethylchlortetracycline
plus Nystatin where monilial
overgrowth may be a problem

[†]Regd. Trademark

*Trademark

Literature available on request.
Lederle Laboratories, a division of
Cyanamid of Great Britain Ltd.,
Bush House, Aldwych, London WC2



Jectofer


SYRINGE
SP
PACK

for intramuscular use.


Unlike other forms of iron therapy Jectofer is utilized directly by the marrow and its effect starts immediately.

Jectofer SP is the new presentation of Jectofer (iron-sorbitol-citric acid complex) in a disposable syringe pack. Each syringe contains a calibrated cartridge of 2 ml. ready for immediate use.

Jectofer is also available in ampoules of 2 ml. Further information is available on request.



THE LIGHT WEIGHT IRON FOR
IMMEDIATE UTILIZATION—
SYRINGE PACK FOR IMMEDIATE USE



ASTRA-HEWLETT LTD
Watford, Herts

Jectofer is a trade mark



LEPETIT S.p.A. MILAN - ITALY



ANTIBIOTICS, CORTICOSTEROIDS, PSYCHO-DRUGS, VITAMINS

During the past 50 years, modern pharmacology has given medicine more drugs than in the past 5000 years.

This is the result of scientific research, the yardstick used to measure the importance of a pharmaceutical company. The activity of Lepetit research-workers, starting way back in 1903 with the preparation of Almateine (tetramethylenhematoxylin), which was patented in the United States and other countries, is confirmed by over 1,700 patents granted throughout the world since 1945, by 2,800 pending applications and by over 800 published papers.

In recent years, the Lepetit Research Laboratories discovered and developed a completely new family of natural and semi-synthetic antibiotics, the rifamycins, including rifamycin SV (Rifocin[®]), rifamide (Rifocin[®] M) and rifampicin, the first orally active rifamycin.

Big Chief Scratchy Fingers?

Infective eczema—heap big trouble.
Calls for heapstrong medicine—Aureocort.

Aureocort contains top ingredients:

Aureomycin[†]₁, the leading topical
broad-spectrum antibiotic, to attack
infection; plus Ledercort^{*}₂, a steroid
10 times more effective than hydro-
cortisone, to attack the root trouble.

1. chlortetracycline HCl
2. triamcinolone acetonide.

It's what goes into

Aureocort[†]

(Chlortetracycline HCl-triamcinolone acetonide Lederle)

that takes it out
of infective eczema!

Literature from:
Lederle Laboratories, a division of
Cyanamid of Great Britain Ltd.,
Bush House, Aldwych, London WC2

Lederle

CYANAMID

[†]Regd. Trademark. ^{*}Trademark.



pain inflammation

now NAPSALGESIC brings joint relief

'Napsalgesic' is a new formulation for the treatment of pain and inflammation associated with arthritic/rheumatic conditions. Aspirin in a readily-dispersed form to minimise gastric irritation, is combined with dextropropoxyphene to provide effective analgesia with a low incidence of adverse effects even in long term administration.

Dextropropoxyphene has been the subject of well controlled clinical trials and described in the BMJ as 'the most promising alternative to codeine at present available'*.

PRESENTATION Each Napsalgesic tablet contains 50 mg. dextropropoxyphene napsylate with 500 mg. aspirin. Basic NHS Cost of 100 tablets – 15/0d.

* Brit med J (1963) 1, 317

When pain overrides inflammation Napsalgesic brings joint relief



Further information from: Dista Products Limited Liverpool 24

NEW PRODUCT

For the COUGH
and CONGESTION
of BRONCHITIS
and COLDS

'Actifed' Compound Linctus

**provides rapid and
effective relief**

It combines the decongestant properties of pseudoephedrine and the antihistaminic effect of triprolidine with the proven cough-controlling action of codeine.

'ACTIFED' BRAND COMPOUND LINCTUS

Also available: 'Actifed' Tablets and Syrup each containing pseudoephedrine and triprolidine for the relief of nasal and respiratory congestion.


Full information is available on request.



Burroughs Wellcome & Co. (THE WELLCOME FOUNDATION LTD.) London

A spectrum should be in colour and if you want one we'll gladly send it. Then you'll see the important organisms 'missed' by gaps in the spectrum of many broad-spectrum antibiotics and the infections caused by these 'missed' organisms. We'll send one in colour if you write for **Mysteclin Spectrum Chart MY3-67-12** E. R. Squibb and Sons Ltd Regal House Twickenham Middlesex

Mysteclin Tablets and Capsules: Tetracycline plus Nystan (Squibb nystatin) Mysteclin Syrup: Tetracycline plus Fungilin (Squibb amphotericin B) Mysteclin, Nystan Fungilin, trademarks




Mysteclin fills the gaps in the spectrum

Mysteclin fills the gaps in the spectrum

The case for using Penbritin

Regd.



in Acute Pharyngitis and Tonsillitis

Upper respiratory infections respond more quickly to Penbritin than to tetracycline¹. . . a significant advantage when nearly 50% of patients attending surgery want treatment for these conditions, as a recent General Practice survey has shown.²

Clinical cure with Penbritin is surer, as well as faster. Penbritin actually kills the vast majority of bacteria that cause these infections. About one third of β -haemolytic streptococci causing disease in man, however, are now insensitive to tetracycline³, and this organism is the most frequent cause of acute pharyngitis and tonsillitis.

Penbritin is also the safer broad spectrum antibiotic for children and during pregnancy, as it has no permanent or dangerous side effects*. There are two pleasant syrups, appreciated by all age groups—125 mg./5 ml. for

the child, and 250 mg./5 ml. for the adult or more severely ill child.

Penbritin is equally effective in other respiratory tract infections including:

Sinusitis · Laryngitis · Bronchitis · Pneumonia.

***Contra-indication:** Penicillin allergy.

Side-effects: As with other Penicillins.

N.B. Penbritin is not effective against penicillin-resistant staphylococci.

References: 1. *Brit. J. clin. Pract.*, (1966) 20, 361.

2. *Brit. med. J.*, (1967), 3, 856.

3. *J. clin. Path.*, (1967), 20, 641.


Full information is available on request.



Penbritin (ampicillin B.P.) is a product of British research at

Beecham Research Laboratories Brentford, England
originators of the new penicillins.





but now she's on SERENID-D

The minor annoyances of life may be exaggerated out of all proportion by the less stable personality leading to the development of anxiety, tension and irritability. SERENID-D* (oxazepam, Wyeth) offers you the opportunity to control these symptoms enabling your patient once more to face life with serenity. Further information is available on request

SERENID-D quickly controls your anxiety-ridden patients.



John Wyeth & Brother Limited, Taplow, Maidenhead, Berks. *trade marks



For years he's been dosing himself with antacids For years he's been suffering with indigestion

When indigestion and malabsorption suggest replacement of deficient enzymes – replace them as completely as possible.

After operative procedures on the gastro-intestinal tract and in malabsorption due to various enteropathies, lipase, trypsin, amylase, cellulase and oxbile extract may be valuable aids to management. Cotazym B contains these substances and each tablet contains sufficient to digest 50 G. of fat, 100 G. of protein, 250 G. of starch and 480 mg. of cellulose.

Dosage: 1 or 2 tablets during meals.
There is no contraindication.

Packs: Foil-stripped in cartons of 30 and 120.

Literature and samples on request



Organon Laboratories Ltd • Crown House • Morden • Surrey

Cotazym B



fast aid to a modelling session

Cremostrep[®]

'Sulfasuxidine', streptomycin, kaolin suspension

checks diarrhoea—fast

Diarrhoea may be caused by even the mildest bacterial infection. She felt quite well—but it looked as if she would have to give the photographic session a miss. Her doctor prescribed 'Cremostrep'.

'Cremostrep' combines the antibacterial actions of succinylsulphathiazole and streptomycin with the soothing and adsorptive effects of kaolin. For this girl, 'Cremostrep' provided rapid symptomatic control, and the photographic session went well.

'Cremostrep' is supplied as a suspension, each 5 ml (teaspoonful) containing 0.5 G succinylsulphathiazole, 0.05 G streptomycin (as the sulphate), and 0.5 G kaolin.

Detailed information is available to physicians on request.

'Sulfasuxidine' is a registered trademark for succinylsulphathiazole.



Merck Sharp & Dohme Limited, Hoddesdon
Hertfordshire. Telephone, Hoddesdon 67123



everyone's been telling her she must pull herself together but now she's sitting there asking you to do something to stop her feeling so awful about everything and you decide the best thing for her anxiety state is the true tranquillizing effect of 'Stelazine'

STELAZINE



SMITH KLINE & FRENCH LABORATORIES LTD WELWYN GARDEN CITY, HERTFORDSHIRE

'Stelazine Spansule' Capsules 2 mg.; Tablets 1 mg.; Syrup; Ampoules. Literature containing prescribing information is available on request. 'Stelazine' (brand of trifluoperazine dihydrochloride) and 'Spansule' are trade marks. SSZL: PA18



**the common cold
vasomotor rhinitis
allergic rhinitis**

**troublesome cough
bronchial congestion
bronchospasm**

Extil covers them all

Trade Mark

Extil tablets and syrup

Oral decongestant and antihistaminic therapy for the symptomatic relief of the common cold and associated nasopharyngeal and bronchial complications.

EXTIL tablets

Each EXTIL Tablet contains:
Carbinoxamine maleate 6 mg
Pseudoephedrine hydrochloride 60 mg

EXTIL syrup

Each 10 ml (2 teaspoonfuls) of Extil Syrup contains: Carbinoxamine maleate 6 mg
Pseudoephedrine hydrochloride 60 mg

Extil compound linctus

Especially effective where cough is associated with bronchospasm or bronchial congestion, or is complicated by vasomotor rhinitis and other symptoms of the common cold.

EXTIL compound linctus

Each adult dose (10 ml) contains: Noscapine 25 mg, Pseudoephedrine 49.2 mg (equivalent to 60 mg pseudoephedrine hydrochloride), Carbinoxamine maleate 6 mg.

Detailed information supplied on request.

THE PRACTITIONER

The Leading Monthly Medical Journal



January 1968 Special Number CLINICAL PHARMACOLOGY

Intelligent prescribing demands a reasonable knowledge of the mode of action of drugs. The complexity of modern drugs renders it increasingly difficult for the practitioner to attain and maintain an understanding of the drugs which he has to prescribe. It is for this reason that the 1968 January Special Number is devoted to Clinical Pharmacology. Written by experts primarily for the practising doctor, whether he be general practitioner or consultant, it provides one of the most comprehensive reviews yet published of the clinical action of modern drugs.

PRINCIPAL CONTENTS

ANTIBIOTICS

By H. C. Stewart, M.D., Ph.D., M.R.C.P.
Professor of Pharmacology
and W. Howard Hughes, M.D., F.C.Path.
Reader in Bacteriology St. Mary's Hospital Medical School

THE SULPHONAMIDES

By R. Kilpatrick, M.D., F.R.C.P.Ed.
Professor of Pharmacology, University of Sheffield

ANTISEPTICS AND DISINFECTANTS

By Ruth B. Kundsins, Sc.D.
Research Associate in Bacteriology, Department of Surgery,
and Carl W. Walter, M.D., Clinical Professor of Surgery,
Harvard Medical School

THE CARDIAC GLYCOSIDES

By G. E. Mawer, M.B., Ph.D., M.R.C.P.Ed.
Senior Lecturer in Pharmacology, University of Manchester

HYPOTENSIVE DRUGS

By B. N. C. Prichard, M.B., M.Sc., M.R.C.P.
Lecturer in Clinical Pharmacology and Therapeutics, Medical
Unit, University College Hospital Medical School

DIURETICS

By G. M. Wilson, M.D., D.Sc., F.R.C.P.
Regius Professor of Medicine, University of Glasgow

RESPIRATORY STIMULANTS

By M. J. T. Peaston, M.B., M.R.C.P.Glasg.
Lecturer in Clinical Pharmacology, University of Liverpool

ANTIHISTAMINES

By Paul J. Cannon, M.B., M.Sc.
Professor of Pharmacology, University College, Dublin

SPASMOLYTIC DRUGS

By J. P. Quilliam, M.B., M.Sc.
Professor of Pharmacology, St. Bartholomew's Hospital
Medical College

ANTI-CONVULSANTS

By H. Schnieden, M.D.
Professor of Pharmacology, University of Manchester

ANALGESICS

By L. F. Prescott, M.B., B.Chir.
Department of Materia Medica and Therapeutics, University
of Aberdeen

SEDATIVES AND HYPNOTICS

By John M. Hinton, M.D., M.R.C.P., D.P.M.
Professor of Psychiatry, The Middlesex Hospital Medical
School

DRUGS OF DEPENDENCE

By C. W. M. Wilson, M.D., Ph.D.
Professor of Pharmacology, Trinity College,
University of Dublin

THE CORTICOSTEROIDS

By D. R. London, D.M., M.R.C.P.
Senior Lecturer in Chemical Pathology and Medicine,
St. Thomas's Hospital Medical School

ORAL CONTRACEPTIVES

By P. M. F. Bishop, D.M., F.R.C.P., F.R.C.O.G.
Endocrinologist to Guy's Hospital, Chelsea Hospital for
Women, and the Department of Obstetrics and Gynaecology,
Royal Postgraduate Medical School

ORAL HYPOGLYCAEMIC AGENTS

By David R. Hadden, M.D., M.R.C.P.Ed.
and John A. Weaver, M.D., M.R.C.P.
Physicians, The Sir George E. Clark Metabolic Unit,
Royal Victoria Hospital, Belfast

ANTICOAGULANT AND FIBRINOLYTIC DRUGS

By A. S. Douglas, M.D., F.R.C.P.
Professor of Medicine
and George P. McNicol, M.D., Ph.D., M.R.C.P.
Senior Lecturer in Medicine, University Department of
Medicine, Royal Infirmary, Glasgow

OXYTOCIC DRUGS

By G. M. Mitchell, M.B., Ch.B.
Senior Lecturer, Department of Materia Medica and
Pharmacology, Welsh National School of Medicine, Cardiff

URICOSURIC DRUGS

By Dale G. Friend, M.D.
Clinical Pharmacologist, University of Harvard, Boston,
Massachusetts

CYTOTOXIC AGENTS

By Henry M. Lemon, M.D.
Director, Eugene C. Eppley Cancer Research Institute, and
John F. Foley, M.D., Ph.D., Associate Professor of Medicine,
University of Nebraska

This special number also contains all the usual features:

Current Therapeutics . Everyday Problems in General Practice . Toxicological Case Records . Notes and Queries
Practical Notes . Continental Notes . Motoring Notes . Travel Notes . Bridge Notes . World Health News . Reviews
of Books . New Preparations . Financial Notes . Stamps of Medical Interest

200 pages of text

Price 10s.

(by post 11s. 6d.)

SUBSCRIBE NOW




The annual subscription is £3 post free, to all subscribers, home or overseas (Canada and U.S.A. \$9)
Medical Students are granted a subscription concession at £1 5s. (Canada and U.S.A. \$4).



Orders with remittance should be sent to:

THE PUBLISHER : THE PRACTITIONER : 5 BENTINCK STREET : LONDON W.1

Human tonsil - assay organism: *Streptococcus hæmolyticus*

Lincocin penetrates Lincocin works - quickly

Lincocin penetrates... experimentally demonstrated in human tissue

Forty minutes prior to undergoing tonsillectomy, a child weighing 64 lb. received a single i.m. injection of 5 mg./lb. lincomycin hydrochloride (base equivalent). A sample of the patient's tonsil tissue was placed on a petri dish in which the agar had previously been seeded with a pathogenic strain of *Streptococcus hæmolyticus*. After incubation, the adjacent photograph was taken. The clear zone demonstrates that Lincocin penetrated the human tonsil tissue in a concentration sufficient to inhibit the growth of the pathogenic inoculum. (The small white dots appearing at one end of the tissue sample

were identified in subsequent studies as colonies of non-pathogenic *Neisseria catarrhalis*.)

Lincocin works... clinically demonstrated in common respiratory infections

A Comparison of the Clinical Results in Streptococcal Infections*
(Clinical diagnosis of tonsillitis or pharyngitis in over 80% of patients)

	Lincocin 100 patients	Ampicillin 101 patients	Penicillin G 102 patients
Cure Rate	82%	71.3%	70.6%
Recurrence (up to 4 weeks)	11%	10.9%	12.7%
Carriers (up to 4 weeks)	0%	7.0%	12.7%
Total Failures	12%	17.8%	25.4%

*Amer. J. Diseases in Children (1966), 112:21.

available as:

Lincocin Syrup 250 Each 5 ml. contains 250 mg. lincomycin base (as lincomycin hydrochloride monohydrate) in bottles of 60 ml.

Lincocin Capsules Each capsule contains 500 mg. lincomycin base (as lincomycin hydrochloride monohydrate) in bottles of 12 and 100.

Lincocin Sterile Solution Ampoules (2 ml.) 600 mg. Each 2 ml. ampoule contains 600 mg. lincomycin base (as lincomycin hydrochloride monohydrate).

Lincocin
Upjohn
UPJOHN LIMITED • CRAWLEY • SUSSEX

If you think PAYNOCIL is just a strong, quick acting aspirin and nothing else



try it and see

Paynocil disperses instantly on the tongue in a release of sweetened lemon flavour, distributing aspirin into the stomach in minutely fine particles—and no water is needed.

Paynocil is aspirin in a most carefully planned form. At 10 grains per tablet in a glycine base it has twice the strength of aspirin tablets B.P. and it is also absorbed twice as fast. It is better tolerated than plain aspirin. Patients with rheumatic disorders who experienced nausea, heartburn or epigastric pain after plain aspirin have found Paynocil acceptable.

So Paynocil is especially valuable in rheumatic

disorders, for it provides the threefold activity of aspirin—analgesic, anti-pyretic, anti-rheumatic—in a form which is exceptionally pleasant and easy to take.

Long term in rheumatic disorders, short term in aspirin's many other indications (colds, influenza, headache, dysmenorrhoea etc.), Paynocil is an ideal therapy. It is convenient to take and it acts fast—patients who need aspirin will prefer Paynocil. It comes in convenient foil strips to slip easily into pocket or bag and is also available as Junior Paynocil—2½ grains per tablet—for children.

Full information is available on request.

Paynocil
Regd.



Bencard
Brentford · England

For cough therapy the treble choice of..



SEDNINE


for suppression of all forms of cough

especially where there is associated bronchospasm. Each adult dose (10 ml) contains: Pholcodine BP 15 mg and Pseudoephedrine hydrochloride 60 mg. In bottles of 142 ml and 2 litres.

ETHNINE

for specific cough-suppressant therapy

particularly suitable for infants, children and elderly patients. Each adult dose (8 ml) contains: Pholcodine BP 8 mg. In bottles of 114 ml and 2 litres.



PIRIEX

for expectorant cough therapy

when there is congestion as in the common cold and bronchitis. Each adult dose (8 ml) contains: Chlorpheniramine maleate BP 4 mg, Ammonium chloride BP 200 mg and Sodium citrate BP 88 mg. In bottles of 114 ml and 2 litres.

covers ALL possible permutations



FULL INFORMATION AVAILABLE ON REQUEST

SEDNINE, ETHNINE AND PIRIEX ARE TRADE MARKS OF

ALLEN & HANBURYS LTD LONDON E2



A Hole in One...

is always unexpected, but so are lots of other things in life. Have you guarded against the 'unexpected', by providing for your family, should you not live?

The greatest need for protection is when the family are young. Have you made sufficient provision for them?

The Medical Insurance Agency can arrange the right policy to suit individual needs. Why not seek advice now?

MEDICAL INSURANCE AGENCY LIMITED

BRITISH MEDICAL ASSOCIATION HOUSE, TAVISTOCK SQUARE, LONDON, W.C.1.

Telephone: EUSTON 6031/9 (STD: 01 EUS 6031/9)

Telegrams: MEDINAGE, LONDON, W.C.1.

BRANCHES AT: ABERDEEN, BELFAST, BIRMINGHAM, BRISTOL, CAMBRIDGE, CARDIFF, DUBLIN, EDINBURGH, GLASGOW, LEEDS, LEICESTER, LIVERPOOL, LONDON, MANCHESTER, NEWCASTLE-UPON-TYNE, NOTTINGHAM, OXFORD, SOUTHAMPTON, TUNBRIDGE WELLS

Assistantships With View
—contd.

ASSISTANTSHIP WITH VIEW OFFERED to young man who would be happy living and working in the country in a widespread dispensing practice. No G.P. hospital beds, but access to x-ray and path lab. Obstetrics. —Drs. Barrow and Baird, Port Isaac, Cornwall.

ASSISTANTSHIPS (Vacant)

ASSISTANT REQUIRED IN SOUTH BIRMINGHAM. Part- or full-time. Salary by arrangement.—Box A.1229, B.M.J.

FULL-TIME MALE ASSISTANT REQUIRED. Well qualified. European. Married preferably. Good class West End practice. Satisfactory week-end rota. Salary £2,000 per annum plus modern furnished flat with full amenities inclusive. Apply, with references, experience, etc., 14 Connaught Square, Hyde Park, London W.2. PAD 9988.

G.P. RELIEF SERVICE (DEPUTIZING SERVICE)—North and East London requires doctors with general practice experience for part-time work on a four-hour sessional basis nights and week-ends. Remuneration from £11 per night. Car and equipment provided. Phone LATimer 1234 for further details.

N. IRELAND. VACANCY FOR DOCTOR. Midwifery experience preferable. Appointments system, ancillary staff.—Box A.1458, B.M.J.

PART-TIME WORK FOR DOCTORS IN South London. Night and week-ends. Wednesday and Thursday afternoons. Car and driver provided. £11 0s. 0d. per night minimum. Apply to Medical Director, Southern Relief Service, 60 Westow Street, S.E.19. Interviews 8 p.m. to 10 p.m. Every Monday phone 771-9678 for appointment.

ASSISTANTS (Available)

EXPERIENCED MIDDLE-AGED BRITISH male general practitioner seeks part-time assistantship. Hereford, Leominster or Ludlow area.—Telephone Presteigne 486.

LOCUMS (Vacant)

HARVEY'S LOCUM AGENCY—NATION- wide service. G.P. hospital.—Telephone 01-444 9958, every evening 6-10.

LOCUM REQUIRED FOR ONE MONTH in South-East London suburb.—Box L.1452, B.M.J.

LOCUM REQUIRED JANUARY 21 for three months or longer. £50 a week. Furnished flat. Free petrol. Two partners remain. Derbyshire, pleasant town and country.—Box L.1201, B.M.J.

LOCUM WANTED IMMEDIATELY for general practice in rural Saskatchewan for three to six months. 25-bed modern hospital in town. Salary \$1,000 per month. Full board. Return air fare paid.—Box L.1453, B.M.J.

WANTED, LOCUMS AND ASSISTANTS. All areas.—S.C.B. Agencies. Tel. 01-508 0471.

TRAINEE GENERAL PRACTITIONERS (Vacant)

HAMPSHIRE RURAL DISPENSING practice, ancillary staff, nurse attachment. Modern surgery, centrally heated cottage in nearby village. Weekly day release course.—Box T.757, B.M.J.

TRAIN FOR GENERAL PRACTICE under ideal conditions, large group practice in East Anglian market town. Five partners, ancillary staff, appointments, dispensing. All partners taking part in training. Open access to hospital departments. Furnished Georgian flat available and car if necessary. Full salary.—Apply, Drs. Lodge, Pickford, and partners, 7 North Brink, Wisbech.

TRAINEE, EITHER SEX. CAR OWNER. near central London. Part-furnished flat available. Rota. Excellent training. Ample free time.—Box T.1204, B.M.J.

TRAINEE VACANCY IN MARKET TOWN with cottage hospital. Partnership of two. Three of our six previous trainees have obtained the D.O.Bst. Excellent opportunity now.—Dr. J. K. Swanton, Spital Hill, Thirsk, Yorkshire.

TRAINEE VACANCY IN OLD-ESTABLISHED South Bucks practice with easy access to London. Modern partly furnished flat with garage, car provided if necessary. Partnership of four doctors covering interests in all aspects of general practice. Mixed N.H.S. and private patients. G.P. hospital consultative centre, maternity unit and nursing-home. Full diagnostic services. Appointments to schools and police. Excellent opportunities for postgraduate studies and visits to out-patient clinics. Ancillary staff. Weekday and week-end rota. Phone Gerrards Cross 83838.

DOCTORS ABROAD. Copies of vacancies advertised in the "Journal" can be sent by AIR MAIL. The minimum cost is 3s. per week, which covers up to five separate headings; additional headings 1s. each. Orders for specific grades cannot be accepted. PLEASE ENCLOSE PAYMENT to avoid delay.

UNIVERSITY AND RESEARCH APPOINTMENTS

(see also under OVERSEA)

QUEEN MARY'S HOSPITAL FOR CHILDREN
Carshalton, Surrey

There is a vacancy for one year from February 1 for a **SURGICAL RESEARCH REGISTRAR** to undertake bladder studies in children with neurogenic bladders and other conditions. A four-channel Sanborn recorder is available and in operation and facilities are available for radiological studies using video tape. The clinical material is unlimited. The person appointed would be expected to take part in and to continue the present prospective survey of children with myelomeningocele. This post offers ideal opportunities for anyone wishing to work for a M.S. thesis. For further details please contact Mr. H. B. Eckstein or D. M. Forest at the above address. Applications to Group Secretary as soon as possible. (25844)

THE UNIVERSITY OF LIVERPOOL**Department of Bacteriology**

Applications are invited from medically qualified candidates for a post of Lecturer in the Department of Bacteriology. The salary will be within the range £1,470 to £3,110 per annum, according to qualifications and experience.

Applications, stating age, qualifications and experience, together with the names of three referees, should be sent not later than January 17, 1968, to the Registrar, the University, Liverpool 3, from whom further particulars may be obtained. Please quote Ref. RV/292/BMJ. (15089)

THE UNIVERSITY OF MANCHESTER
Manchester 13**SENIOR LECTURER IN OPHTHALMOLOGY**

Applications invited from persons with medical qualifications registrable in this country for this full-time post in which successful candidate expected to carry out clinical and surgical duties in the University department of ophthalmology and the Manchester Royal Eye Hospital. Opportunity and facilities for research. Board of Governors of United Manchester Hospitals may be prepared to negotiate honorary contract as Consultant with person appointed. Duties commence as soon as possible. Salary range per annum: £3,400 to £3,950 (additional special responsibility allowance for appointment as Consultant, F.S.S.U.). Candidates may visit the department of ophthalmology by arrangement. Particulars and application forms (returnable by January 10, 1968) from the Registrar. Quote Ref.: 192/67/J.M.B. (14850)

THE UNIVERSITY OF OXFORD AND CORPUS CHRISTI OR ST. ANNE'S COLLEGE

WELLCOME RESEARCH FELLOWSHIP in the History of the Medical Sciences. Applications are invited from men and women with appropriate scientific or historical qualifications to undertake research in the field of the history of the medical sciences. The fellowship is tenable at Corpus Christi or St. Anne's College for a period of up to five years at a stipend on the scale of £1,200 under the age 25 to £2,900 at 43 and over, with other benefits. Applications, including statement of age, academic career, published work, proposed subject of research and the names and addresses of two referees, should reach the Secretary to the Committee for the History and Philosophy of Science, University Registry, Board Street, Oxford, by February 15, 1968. (25940)

UNIVERSITY OF ABERDEEN
Department of Mental Health

LECTURER (Clinical Psychologist) Applications are invited for the above post from persons who need not be medically qualified. Salary, on scale £1,470 to £2,630, with initial placing according to qualifications and experience. Superannuation (F.S.S.U.) and removal allowance. Further particulars should be obtained from the Secretary, The University, Aberdeen, with whom applications (10 copies) should be lodged by January 20, 1968. (H.5900)

UNIVERSITY OF ABERDEEN
SENIOR LECTURER IN MENTAL HEALTH

Applications are invited for the above post. Salary on scale £3,110 to £4,185, with initial placing according to qualifications and experience. Superannuation (F.S.S.U.) and removal allowance; appropriate clinical status on staff of Aberdeen General Hospital. Further particulars should be obtained from the Secretary, The University, Aberdeen, with whom applications (14 copies) should be lodged by January 20, 1968. (H.5899)

UNIVERSITY OF GLASGOW
LECTURESHIP IN MEDICINE

Applications are invited for a Lectureship in Medicine in the University Department of Medicine, Western Infirmary, Glasgow. Salary according to placement on the university scale for clinical teachers. The final maximum on this scale is £2,995 per annum. F.S.S.U. The appointment will carry an appropriate honorary grading. The duties will include prosecution of research, undergraduate and postgraduate teaching and clinical work. An interest in electrolyte metabolism and renal disorders would be an advantage. Applications (12 copies) should be lodged, not later than January 13, 1968, with the undersigned, from whom further particulars may be obtained.—Robt. T. Hutchison, Secretary of the University Court. (15196)

CANADA**ONTARIO CANCER INSTITUTE**
INCORPORATING THE PRINCESS MARGARET HOSPITAL, TORONTO, CANADA

Applications are invited for the position of Head of the Department of Diagnostic Radiology at the above named Institute.

The Princess Margaret Hospital (one of the Teaching Hospitals of the University of Toronto) is primarily a radiation treatment centre and carries out all forms of cancer therapy exclusive of major surgery. It has 175 beds, of which 25 comprise a paediatric unit, and 30 are assigned to the department of medicine and clinical investigation. More than 3,600 new cancer patients are registered and 30,000 follow-up examinations carried out annually in the out-patients department.

The Department of Biophysics of the University of Toronto is also housed in the Ontario Cancer Institute.

The successful candidate will take charge of a new Department of Diagnostic Radiology, which is now under construction. Just over 17,000 examinations were carried out this year in the existing department. When the construction is complete it is anticipated that this load will increase and two additional staff appointments will be made without delay in consultation with the successful candidate.

Higher qualifications and training in special procedures are necessary. The position will carry an appropriate Teaching Appointment in the University of Toronto. Research activities are encouraged with adequate facilities available.

For further information please write, enclosing curriculum vitae, and the names of three referees, to Dr. C. L. Ash, Director, Ontario Cancer Institute, 500 Sherbourne Street, Toronto 5, Ontario, Canada. (H.5872)

INSTITUTE OF DIRECTORS' MEDICAL CENTRE**BRITISH HEART FOUNDATION JUNIOR RESEARCH FELLOW**

This is a new appointment, supported by the British Heart Foundation, in association with the Occupational Health Department of the London School of Hygiene. The work will mainly concern the evaluation of methods of preventing coronary Heart Disease.

The Institute of Directors' medical centre has an expanding research programme based on its clinical work in the field of executive health. There are also projects running in association with three outside research units in London and with B.U.P.A. The appointee will work under the full time deputy medical director (research) and will join a lively team of doctors specializing in this field. There will be opportunities for clinical work and teaching.

The appointment will be in the lecturer grade £1,745 to £2,150, with university pension provisions. It is likely to be suitable for someone of junior registrar or S.H.O. status, who wants to start a career in social medicine, epidemiology or medical computer technology. Prepared, if necessary, to learn statistics. Application form and details from:

THE DIRECTOR · INSTITUTE OF DIRECTORS' MEDICAL CENTRE**10 BELGRAVE SQUARE · LONDON SW1**

Q52219

Oversea—contd.

MINISTRY OF OVERSEAS DEVELOPMENT

The Need

GENERAL DUTY MEDICAL OFFICERS

For duty both in large new hospitals and in the outlying districts of the Developing Countries overseas, for contract appointments of 2 to 3 years.

The Opportunity Overseas service offers a unique chance for world travel, an opportunity to widen professional experience, and to acquire a broader understanding of the world and its people.

The Advantages Doctors' skill and knowledge will be used to the full on people who have a crying need for their service. Salaries reflect the local cost of living and are normally higher than one would expect to receive in the United Kingdom. There are generous gratuities on satisfactory completion of contract, education allowances for children, free family passages. Accommodation provided usually at a low rent. In most cases superannuation rights can be preserved or maintained.

Salaries Vary widely from country to country with the local cost of living. However, with certain exceptions they range from approximately £1650 to £2900 per annum.

Training Scheme for Recently Qualified Doctors

In return for an undertaking to serve for at least two years in the developing countries overseas the Ministry offers a course of training to recently qualified doctors which is designed to fit them for service overseas and which will be attractive professionally and financially. During the period of training of 12 to 15 months the doctor will receive a retaining fee of £200 per annum in addition to his hospital salary. Write now for full details of the scheme.

Where Required Antigua, Barbados, Botswana, British Honduras, British Solomon Islands, Falkland Islands, Gambia, Kenya, Lesotho, Malawi, Sabah, St. Lucia, St. Helena, St. Vincent, Tanzania, Turks and Caicos, Uganda and Zambia.

SPECIALISTS

TANZANIA

Require **Consultants—Surgery, Radiology (Diagnosis)** for clinical duties within their specialty and to take part in the teaching of medical students. Candidates must possess postgraduate qualifications in their specialty and an ability to teach, previous experience in tropical medicine practice desirable. Appointment for 21 to 27 months. Salary basic £ (Tanzanian) 1,900 to £2,000 per annum. (Sterling £2,216 to £2,232) plus an inducement allowance at present, of £1,128 to £1,152.

A **Senior Pathologist** for duties at the Central Pathology Laboratory, and to help train postgraduate students and laboratory technicians. Candidates must possess considerable experience in pathology and preferably hold the D.C.P. Appointment for 21 to 27 months. Salary basic £ (Tanzanian) 1,660 to £1,800 per annum (Sterling, £1,936 to £2,099 per annum) plus an inducement allowance, at present, of £1,020 to £1,068.

BARBADOS

Have vacancies for a **Radiologist** and an **Obstetrician** for duties at the General Hospital. Candidates should possess for the former post the D.M.R.D. or at least four years basic experience in radiology. For the latter post the M.R.C.O.G. or the D.Obst.R.C.O.G. with at least four years basic experience in obstetrics. Appointments for two to three years. Salaries for Senior Registrars who must possess the specialist qualifications, basic £2,025 to £2,100 per annum plus an inducement allowance of £607 to £630 per annum. For Registrars, who should have at least four years basic experience, basic £1,925 to £1,975 per annum plus an inducement allowance of £557 to £592 per annum.

GUYANA

Have vacancies for **Medical Officers of Health** for port health duties, inspection of schools, lectures and demonstrations on health matters, and duties in connection with maternity and child welfare, venereal diseases control and other special services. Candidates must possess the D.P.H. or equivalent. Appointments for two to three years. Salaries £1,800 per annum plus an inducement allowance of £1,200 per annum. A candidate with four or more years experience in the specialty after obtaining the D.P.H. or equivalent basic salary £2,000 per annum plus an inducement allowance of £1,332 per annum. An allowance of £500 per annum is payable in lieu of private practice.

SARAWAK

Have a vacancy for a **Paediatrician** to serve at the Kuching General Health Hospital for the Sarawak and Child Health Programme. Candidates must possess the M.R.C.P., the D.C.H. is also desirable. Appointment for two to three years. Salary basic \$ Malaysian 18,240 per annum (rate of exchange at present \$1 Malaysian = 2s. 8-7d.) (Approx. £2,485) plus a pensionable inducement allowance of £582 per annum and a non-pensionable inducement allowance of £678 per annum.

MALAWI

Have vacancies for the following:

Tuberculosis Specialist to carry out the investigations, diagnosis, and treatment of tuberculosis on a national basis. Candidates must possess considerable experience of all aspects of tuberculosis treatment and control. Appointment for a minimum tour of two years. Salary £3,350 per annum plus £200 per annum in lieu of private practice.


An **Obstetrician/Gynaecologist** to take charge of the Department of Obstetrics in a hospital. Candidates must possess the M.R.C.O.G. or its equivalent. Appointment for a minimum tour of two years. Salary £3,350 per annum plus £200 per annum in lieu of private practice.

A **Medical Superintendent** to be responsible for the administrative and professional efficiency of a general hospital. Candidates must possess experience in hospital administration, the possession of a higher qualification would be an advantage. Appointment for a minimum tour of two years. Salary £3,005 per annum plus £200 per annum in lieu of private practice.

Candidates should normally be nationals of the United Kingdom or the Republic of Ireland. They must possess medical qualifications and be able to meet all other requirements for full registration in the United Kingdom.

For application forms, full details of salaries and allowances and further information, please write, stating full name, to the

**Appointments Officer,
Room 301A, Ministry of Overseas Development,
Eland House, Stag Place, London SW1**



Nulacin and only Nulacin provides intragastric milk-alkali drip therapy for the ambulant patient

“In view of the ineffectiveness of most of the tableted antacids, the milk-alkali tablet (Nulacin) would appear to be the antacid of choice for ambulatory therapy.”




Safe, Simple, Effective

NULACIN TABLETS provide a safe, simple and effective treatment of peptic ulcer.

In treating peptic ulcer a Ryle's tube may be passed through the nose and into the oesophagus and a mixture of milk and antacid allowed to flow continuously over the affected area. This form of therapy can only be employed in those patients who are in bed and for the ambulant patient Nulacin tablets are preferable. Nulacin tablets are prepared from whole milk combined with dextrins and maltose, together with the trisilicate, oxide and carbonate of magnesium and calcium carbonate. Nulacin tablets when allowed to dissolve slowly in the mouth provide milk-alkali drip therapy. In fact, Nulacin tablets have revolutionized the treatment of peptic ulcer.

REFERENCES:

1. Introduction to Pharmacology, Ed. 3, 1964, Edinburgh and London, E. & S. Livingstone Ltd.
2. Amer. J. digest Dis., 1942, 9, 332
3. Brit. med. J., 1952, 2, 180.
4. Brit. med. J., 1954, 1, 183.
5. Lancet, 1955, 1, 212.
6. Proc. R. Soc. Med., 1958, 51, 1063.
7. Practitioner, 1957, 178, 43.
8. Med. Pr., 1952, 227, 195.
9. Med. Pr., 1954, 231, 154.
10. Practitioner, 1954, 173, 46.
11. Med. J. Aust., 1953, 2, 823.
12. Amer. Practit., 1957, 8, 268.
13. Med. World, 1954, 81, 591.
14. J. Lab. clin. Med., 1953, 42, 955.
15. Amer. J. digest Dis., 1955, 22, 67.
16. Proc. R. Soc. Med., 1953, 46, 356.



Nulacin tablets have no B.P. equivalent. The basic N.H.S. price of a 25 tablet tube is 2/-. A special dispensing pack of 4 tubes of 25 tablets is available.

A Nulacin tablet of 3.1 G. contains Magnesium Trisilicate B.P. 230 mg., Heavy Magnesium Oxide B.P. 130 mg., Calcium Carbonate B.P. 130 mg., Heavy Magnesium Carbonate B.P. 30 mg., Ol. Mentha. Pip. B.P. q.s.



Further information is available from:

HORLICKS PHARMACEUTICALS LIMITED, WINKFIELD, WINDSOR, BERKSHIRE

6902