
BRITISH




JOURNAL OF THE BRITISH MEDICAL ASSOCIATION

SATURDAY JUNE 27 1959

TABLE OF CONTENTS

Action of Prednisone in Insulin-resistant Diabetes Wilffrid Oakley, M.D., F.R.C.P., J. B. Field, M.D.,	
G. E. SOWTON, M.B., BARBARA RIGBY, Ph.D., and A. C. CUNLIFFE, M.D.	601
Chemotherapy of Non-tuberculous Pulmonary Infections C. H. STUART-HARRIS, M.D., F.R.C.P.	606
Chemotherapy of Pulmonary Tuberculosis JOHN CROFTON, M.D., F.R.C.P., F.R.C.P.Ed.	610
The Natural History of Cerebrovascular Disease	
JOHN MARSHALL, M.D., F.R.C.P.Ed., M.R.C.P., D.P.M., and DAVID A. SHAW, M.B., M.R.C.P.Ed	614





the new orally active progestational agent the first all-British steroid discovery

The combined advantages of 'Secrosteron' will make it a distinct and welcome addition to the list of available steroids. It has many advantages, 'Secrosteron' acts as a pure progestational agent. It brings about true secretory changes in the endometrium; and it has no estrogenic or androgenic action. Above all 'Secrosteron' has increased potency over ethisterone and is active in a wide range of conditions, at many times smaller dosage levels. An important aspect is that 'Secrosteron' dosage schemes are so simple—5 mg. three times daily except in the case of Habitual Abortion in which the dosage is 5 mg. daily.

> Basic N.H.S. Prices Tablets 5 mg. Bottle of 30 at 25/-Bottle of 100 at 75/-

* We have prepared a Booklet on 'Secrosteron'. Please do not hesitate to write to us for a copy.

THE BRITISH DRUG HOUSES LTD. MEDICAL DEPARTMENT LONDON N.1. (KI)H



BRITISH MEDICAL ASSOCIATION, TAVISTOCK SQUARE, LONDON, W.C.I.