


Put under desk.

G

The

British Medical Journal



THE JOURNAL OF THE BRITISH MEDICAL ASSOCIATION.
 Including an Epitome of Current Medical Literature.
 WITH SUPPLEMENT.

No. 3335.

SATURDAY, NOVEMBER 29, 1924.

Price 1/3

Catarrhal Conditions of the Respiratory Tract.

THERE is abundant clinical evidence to show that a bacterial vaccine properly prepared, and intelligently used, will go a long way towards controlling troublesome catarrhal infections.

Results following the use of Mixed Vaccine for Colds and other Respiratory Catarrhs have been eminently satisfactory. Perhaps no other measure has been so successful in cutting short a "cold" as the prompt injection of this vaccine, in initial doses of 0.1 c.c. in an acute case and 0.2 c.c. in sub-acute conditions, combined with therapeutic treatment for the reduction of congestion.

For prophylaxis, three graduated doses of Anti-Catarrh Vaccine are recommended at intervals of seven days.

A booklet, "Vaccine Therapy," containing full particulars, will be sent post free on request by

PARKE, DAVIS & Co., LONDON, W.1.

Telegrams:
"CASCARA, LONDON."

Telephone No.
REGENT 3260.

Mixed Vaccine for Colds.

Each c.c. contains:

Pneumococcus.....	50 millions
B. pneumoniae.....	25 millions
Staphylococcus.....	200 millions
M. catarrhalis.....	25 millions
B. septus.....	25 millions
B. influenzae.....	50 millions
Streptococcus.....	10 millions

Supplied in 1 c.c. ampoules and 25 c.c. bottles.

Anti - Catarrh Vaccine.

Each c.c. contains:

M. catarrhalis.....	50 millions
B. pneumoniae.....	50 millions
Pneumococcus.....	250 millions
B. septus.....	50 millions
B. influenzae.....	250 millions
Streptococcus.....	25 millions

Supplied in 1 c.c. ampoules and in 25 c.c. bottles. Also in sets of three graduated doses of 0.25, 0.5 and 1 c.c.

These vaccines are prepared in the laboratory of the Inoculation Department, St. Mary's Hospital, London (Director: Sir Almroth Wright, M.D.).