ledical Journal tishe

THE JOURNAL OF THE BRITISH MEDICAL ASSOCIATION.



Including an Epitome of Current Medical Literature WITH SUPPLEMENT.

No. 3475.

SATURDAY, AUGUST 13, 1927.

Price 1/3

For Respiratory

CEVERAL compound vaccines for the prevention and treatment of respiratory catarrh are prepared in the Inoculation Department of St. Mary's Hospital, London, W. (Director:—Sir Almroth E. Wright, M.D., F.R.S. etc.). The spheres of usefulness of three of these are indicated below.

ANTI-CATARRH VACCINE

Designed for general use for the prophylaxis of colds and catarrhal infections. Each c.c. contains 250 millions each of *Pneumococcus* and *B. influenzæ*, 50 millions each of *M. catarrhalis*, *B. pneumoniæ* and *B. septus* and 25 millions Streptococcus.

Supplied in bulbs of 1 c.c. or in bottles of 25 c.c.; also in sets of three graduated doses.

MIXED VACCINE FOR COLDS

Primarily designed for treatment, though it may be used in appropriate doses for prophylaxis. Inoculation with this vaccine is intended to cut short "common colds". Each c.c. contains 25 millions each of M. catarrhalis, B. pneumoniæ and B. septus, 50 millions each of Pneumococcus and B. influenzæ, 200 millions Staphylococcus and 10 millions Streptococcus.

Supplied in bulbs of 1 c.c. or in bottles of 25 c.c.

MIXED VACCINE FOR BRONCHIAL ASTHMA

The composition of this vaccine is similar to that of the Mixed Vaccine for Colds but the strength is about 1/5 of that vaccine. Used for patients suffering from catarrh or bronchial asthma who are specially sensitive to bacterial proteins. Supplied in bulbs of 1 c.c. or in bottles of 25 c.c.

Further particulars will be supplied on request by the Sole Agents:

PARKE, DAVIS & CO., 50 BEAK STREET, LONDON, W.1.