EDITORIALS

- 947 Regulation of devices
 Lessons can be learnt from drug regulation,
 says Jerry Avorn >> Feature, p 966
- 948 Decision aids and uptake of screening
 Aids improve informed decision making, but
 not necessarily uptake, says Hilary L Bekker
 >>> Research, pp 977, 978
- 949 Neuromuscular training after acute lateral ankle sprain Is supported by limited evidence as part of functional treatment, says Evert A L M Verhagen >> Research, p 980
- 950 Place of delivery and adverse outcomes
 Risks can be mitigated by early diagnosis
 and referral, but no birth is without risk, says
 Derek Tuffnell >> Research, p 981
- 952 Sarcopenia
 A research agenda has been set, but recognition in clinical practice is lagging behind, says Avan Aihie Sayer

LETTERS

- 953 Private mental healthcare; Cardiovascular risk from drugs; Prohibition of cannabis
- 954 Aspects of old age; GMC's Group on Child Protection; Opposition to assisted dying
- 955 Breast cancer awareness month; Oral rehydration solution risk
- 956 Nestlé's response to concerns about oral rehydration solution

NEWS

- 957 Long term progress in health is unrelated to economic growth

 DH took too long to act on reducing inequalities
- 958 Doctors question government approach to the drinks industry Rising costs will lead to funding crisis in the NHS next year
- 959 Experts warn of rationing by GPs under new drug scheme
 Getting high
- 960 Group is launched to give evidence against assisted suicide

 Stem cell treatment in Germany is under scrutiny after death of 18 month old child Prince's foundation mutates into new College of Medicine
- 961 Dutch doctors are told to be more aggressive in treating extremely premature babies
- 962 Hungarian obstetrician is jailed in crackdown on home births
 - Roche is fined for breaching promotion code
- 963 Cross border healthcare in Europe moves a step closer Indian Medical Association tries to prevent launch of rural health course

SHORT CUTS

964 What's new in the other general journals

FEATURES

966 Why the FDA can't protect the public

Medical device makers often fail to properly
conduct safety studies and the US Food
and Drug Administration provides scant
oversight. Jeanne Lenzer and Shannon
Brownlee look at some of the problems with
post approval surveillance of novel devices

OBSERVATIONS

MEDICINE AND THE MEDIA

969 Attitudes to healthcare—then and now Peter Davies

ETHICS MAN

970 We must do more for doctors trained abroad
Daniel Sokol

ANALYSIS

971 Implementing shared decision making in the NHS

Creation of a platform of tools to provide information to doctors and patients should be the first step in giving patients choice about their treatment, say Glyn Elwyn and colleagues

973 Do patients want a choice and does it work? The government in England wants to give patients more choice about their health care. But Angela Coulter argues that treatment choice is more popular with patients than provider choice, with much greater evidence of benefit

RESEARCH

- 976 Research highlights: the pick of *BMJ* research papers this week
- 977 A decision aid to support informed choices about bowel cancer screening among adults with low education: randomised controlled trial Sian K Smith, Lyndal Trevena, Judy M Simpson, Alexandra Barratt, Don Nutbeam, Kirsten J McCaffery
 - » Editorial, p 948 » Research, p 978
- 978 Association of adherence to lifestyle recommendations and risk of colorectal cancer: a prospective Danish cohort study Helene Kirkegaard, Nina Føns Johnsen, Jane Christensen, Kirsten Frederiksen, Kim Overvad, Anne Tjønneland >>> Editorial, p 948 >>>> Research, p 977
- 979 Effect of repeated invitations on uptake of colorectal cancer screening using faecal occult blood testing: analysis of prevalence and incidence screening

R J C Steele, I Kostourou, P McClements, C Watling, G Libby, D Weller, D H Brewster, R Black, F A Carey, C Fraser



Feature, p 966, Editorial, p 947



Patient choice, pp 948, 971, 973



Home births? pp 950, 962, 981



Healthcare in documentary films, p 969



- 980 Effectiveness of additional supervised exercises compared with conventional treatment alone in patients with acute lateral ankle sprains: systematic review
 Rogier M van Rijn, John van Ochten, Pim A J Luijsterburg, Marienke van Middelkoop, Bart W Koes, Sita M A Bierma-Zeinstra

 >>> Editorial, p 949
- 981 Perinatal mortality and severe morbidity in low and high risk term pregnancies in the Netherlands: prospective cohort study
 Annemieke C C Evers, Hens A A Brouwers, Chantal W P M Hukkelhoven,
 Peter G J Nikkels, Janine Boon,
 Anneke van Egmond-Linden,
 Jacqueline Hillegersberg, Yvette S Snuif,
 Sietske Sterken-Hooisma, Hein W Bruinse,
 Anneke Kwee

 >>> Editorial, p 950

CLINICAL REVIEW

982 Extracorporeal life support
Alan M Gaffney, Stephen M Wildhirt,
Michael J Griffin, Gail M Annich,
Marek W Radomski

PRACTICE

GUIDELINES

987 Diagnosis and management of psoriasis and psoriatic arthritis in adults: summary of SIGN guidance

> A D Burden, M Hilton Boon, J Leman, H Wilson, R Richmond, A D Ormerod, on behalf of the Guideline Development Group

PRACTICE POINTER

990 Managing Parkinson's disease during surgery K A Brennan, R W Genever

OBITUARIES

994 Elliot Philipp
A founding member of the British
Fertility Society

995 Geoffrey Stephen Clark; Gerald Donaldson; Eric Gordon Hardy; Antonio Ettore Keith Salvi; Margaret Anne Stephenson (née Conley); George Keith Thomas; Louis Steele Whyte

VIEWS AND REVIEWS

PERSONAL VIEW

996 Selecting tomorrow's doctors not a level playing field Lucy Stephenson, Terence Stephenson

REVIEWS

997 Burke and Hare Harold Ellis

998 The Arbor Tom Nolan

BETWEEN THE LINES

999 The advantages of solitude Theodore Dalrymple

MEDICAL CLASSICS

999 Metamorphosen by Richard Strauss Desmond O'Neill

COLUMNISTS


1000 The hangover Des Spence **Say no to nepotism** Trisha Greenhalgh

ENDGAMES

1001 Quiz page for doctors in training

MINERVA

1002 Signs of disgust, and other stories



Maintaining tissue oxygenation, p 982



Murdering for anatomy, p 997



Psoriasis, p 987

Time for a break? Refresh yourself.

BMI Masterclasses

masterclasses.bmj.com



BMJ

6 November 2010 Vol 341

The Editor, BMJ BMA House, Tavistock Square, London WC1H 9JR

Email: editor@bmj.com Tel: +44 (0)20 7387 4410 Fax: +44 (0)20 7383 6418

BMA MEMBERS' INQUIRIES Email: membership@bma.org.uk Tel: +44 (0)20 7383 6642

BMJ CAREERS ADVERTISING Email: sales@bmjcareers.com

Tel: +44 (0)20 7383 6531

DISPLAY ADVERTISING

Email: sales@bmjgroup.com Tel: +44 (0)20 7383 6386

REPRINTS
UK/Rest of world

Email: ngurneyrandall@bmjgroup.com Tel: +44 (0)20 8445 5825

Email: mfogler@medicalreprints.com Tel: +1 (856) 489 4446

SUBSCRIPTIONS BMA Members

Email: membership@bma.org.uk Tel: +44 (0)20 7383 6642

Non-BMA Members Email: support@bmjgroup.com Tel: +44 (0)20 7383 6270

OTHER RESOURCES

For all other contacts: resources.bmj.com/bmj/contact-us For advice to authors: resources.bmj.com/bmj/authors To submit an article: submit.bmj.com

BMI^{Group}

The BMJ is published by BMJ Publishing Group Ltd, a wholly owned subsidiary of the British Medical Association.

The BMA grants editorial freedom to the Editor of the BMJ. The views expressed in the journal are those of the authors and may not necessarily comply with BMA policy. The BMJ follows guidelines on editorial independence produced by the World Association of Medical Editors (www.wame.org/wamestmt. htm#independence) and the code on good publication practice produced by the Committee on Publication Ethics (www.publicationethics. org.uk/guidelines/).

The BMJ is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors' institutions, the BMJ Publishing Group, or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group shall not be liable for any loss, injury, or damage resulting from the use of the BMJ or any information in it whether based on contract, tort, or otherwise. Readers are advised to verify any information they choose to rely on.

©BM) Publishing Group Ltd 2010 All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any other means, electronic, mechanical, photocopying, recording, or otherwise, without prior permission, in writing, of the BM)

Published weekly. US periodicals class postage paid at Rahway, NJ. Postmaster: send address changes to BMJ, c/o Mercury Airfreight International Ltd Inc, 365 Blair Road, Avenel, NJ 07001, USA. \$796. Weekly Printed by Precision Colour Printing Limited



PICTURE OF THE WEEK

One of the survivors of the Haiti earthquake carries water back to a provisional camp in Port-au-Prince. Deaths from cholera, which has not been seen in the country for over a century, are slowing as people become more aware of the disease and treatment is provided.

bmj.com News: Haiti's cholera outbreak could spread to neighbours (BMJ 2010;341:c6057)

THE WEEK IN NUMBERS

13% Proportion of cases of colorectal cancer that may be attributable to lack of adherence to just one additional lifestyle recommendation (Research, p 978)

1972 Year extracorporeal life support was first used successfully for an adult. The first successful use for a child was 1974

(Clinical Review, p 982)

1/5 Proportion of patients with psoriasis who also have psoriatic arthritis (Practice, p 987)

100 000 Number of people in the United Kingdom affected by Parkinson's disease (**Practice**, p 990)

QUOTE OF THE WEEK

"Selection to a medical course should not depend on the applicants' financial status"

Lucy Stephenson and Terence Stephenson on the hidden, upfront costs of applying to medical school

(Personal View, p 996)

OUESTION OF THE WEEK

Last week's poll asked, "Are the cuts fair?"

62% said no (total 236 votes cast)

This week's poll asks, "Does choice matter more to politicians and patient advocates than it does to patients?"

bmj.com Cast your vote

EDITOR'S CHOICE

Decisions, decisions . . .

If choice can be disabling as well as enabling, it's important that "choice" in the serious matter of healthcare is well managed and supported

At a trivial level I've always found too much choice disabling: too many types of pasta sauce on the supermarket shelves and I've walked away empty handed. So if choice can be disabling as well as enabling, it's important that "choice" in the serious matter of healthcare is well managed and supported. This week's BMJ offers lots of evidence on choice and how to support it.

Angela Coulter reviews what we know about giving patients more choice over their healthcare, against the background that the government in England wants to increase their choices (p 973). In general, she says, patients like the idea of choice and respond to offers of options of where to be treated (even though their providers don't always make those options clear). Patients don't make much use of performance data in choosing between clinical providers, but they do want more involvement in choosing their actual treatment. Coulter says that use of evidence based decision aids improves patients' knowledge, understanding of options, and perception of risks and can reduce demand for surgical procedures, but that UK patients rarely get effective support to make their treatment decisions. One barrier is clinicians' unwillingness to offer such support.

This reluctance is also dealt with by Glyn Elwyn and colleagues (p 971). They too look at the evidence on shared decision making and describe a pilot project in the east of England where patients are given access to online decision support on osteoarthritis of the knee, benign prostatic hypertrophy, and prostate cancer at the point when they need to decide on their treatment. This pilot aside, the authors say that much more research has gone into creating the decision aids themselves than into creating a culture where professionals espouse shared decision making as a skill and routinely use the tools. "Professionals often claim that there is no

need for this approach because shared decision making already occurs, but the available evidence contradicts this . . . 48% of inpatients and 30% of primary care patients would have liked more involvement in decisions about their care."

An Australian study by Sian Smith and colleagues shows a decision aid in action (p 977). They randomised people with a low level of education and literacy to receive either standard information about screening for bowel cancer (by faecal occult blood testing) or one of two variants of a decision support aid. The people using the decision aid showed greater knowledge, made a more informed choice, and had less decisional conflict than the people who didn't and fewer of them decided to take the test.

This last finding dismays our editorialist, Hilary Bekker (p 948). She quotes the authors' speculation that this result was due to the way risks were represented in the decision aid. She then suggests that in the context of bowel cancer screening the facts might be better structured to facilitate adherence with testing—"a policy of informed uptake rather than informed decision making."


I wonder if the many authors of one of our letters would agree. Michael Baum and colleagues write on behalf of a large group who in February last year wrote to the Times calling for the UK's breast cancer screening leaflet to be rewritten because "none of the invitations for screening told the truth about its harms and benefits" (p 955). Despite a promise from the national cancer director that a review of the guidance would result in a new leaflet in the autumn, the new leaflet has not appeared.

Jane Smith, deputy editor, BMJ jsmith@bmj.com

Cite this as: BMJ 2010;341:c6236

To receive Editor's Choice by email each week, visit bmj.com/cgi/customalert

▶ Twitter Follow the editor. Fiona Godlee, at twitter.com/ fgodlee and the BMI's latest at twitter.com/bmj_latest



Please cite all articles by year, volume, and elocator (rather than page number), eg BMJ 2009;338:b145.

A note on how to cite each article appears at the end of each article, and this is the form the reference will take in PubMed and other indexes.



Career Focus, jobs, and courses appear after p 1000

100% recycled The BMJ is printed on 100% recycled paper (except the cover)

BMJ.COM: MOST READ

Interventions to promote cycling Tricyclic antidepressants and headaches Promotion of cycling and health

Tricyclic antidepressants for migraine and tension-type headaches

Evidence based medicine: what it is and what it isn't

