

- EDITORIAL, p 7
- RESEARCH, p 14

NEWS

- 1 US health professionals aided detainees' torture
Private equity firms are invited to get involved with commissioning
- 2 Genomes of 100 000 people will be published on open access site
HPV screening offers greater protection against invasive cervical cancer than cytology
- 3 Doctors are key to securing the UK's first conviction for FGM
14 projects chosen to show integration of health and social care
- 4 Doctors support biggest local NHS reconfiguration
Courts were right about when treatments should be withheld
- 5 Shortage of A&E doctors needs urgent action, says NAO
Health inequalities are worsening in Europe, says WHO



Doctors have a duty to report mistreatment of prisoners, p 1

RESEARCH

RESEARCH PAPERS

- 11 Non-invasive versus invasive respiratory support in preterm infants in the delivery room: systematic review and meta-analysis
Georg M Schmörlzer et al
- 12 Specialist geriatric medical assessment for patients discharged from hospital acute assessment units: randomised controlled trial
Judi Edmans et al
- 13 Interventions for non-metastatic squamous cell carcinoma of the skin: systematic review and pooled analysis of observational studies
Louise Lansbury et al
- 14 Overall and income specific effect on prevalence of overweight and obesity of 20% sugar sweetened drink tax in UK: econometric and comparative risk assessment modelling study
Adam D M Briggs et al
● EDITORIAL, p 7

COMMENT

BMJ CONFIDENTIAL

- 6 Raymond Tallis
In the latest in its series asking the movers and shakers of the medical world about work, life, and less serious matters, the *BMJ* spoke to a passionate believer in doctor assisted suicide



EDITORIALS

- 7 A substantial tax on sugar sweetened drinks could help reduce obesity
Jason P Block
● RESEARCH, p 14



Wanted: not more of the same, p 9

- 8 Idiopathic pulmonary fibrosis
Owen J Dempsey and David Miller
- 9 Meeting the challenges of providing universal health coverage
Albert Mulley et al
- 10 Importance of monitoring health inequalities
Michael Marmot and Peter Goldblatt

FEATURES

- 15 How private providers are feeling the pinch
The economic downturn has meant hard times for the UK's private healthcare providers.
Sophie Goodchild reports

ANALYSIS

- 18 Attention-deficit/hyperactivity disorder: are we helping or harming?
The criteria for diagnosing ADHD are subjective and expanding. Rae Thomas and colleagues explain how enthusiastic diagnosis in children with mild symptoms could result in harm, and undermine the value of the diagnosis in children with severe symptoms

Articles appearing in this print journal have already been published on bmj.com, and the version in print may have been shortened. bmj.com also contains material that is supplementary to articles: this will be indicated in the text (references are given as w1, w2, etc) and be labelled as extra on bmj.com.

Please cite all articles by year, volume, and elocator (rather than page number), eg *BMJ* 2013; 346:f286.

A note on how to cite each article appears at the end of each article, and this is the form the reference will take in PubMed and other indexes.

 **recycle**
When you have finished with this magazine please recycle it.
The *BMJ* is printed on 100% recycled paper (except the cover)



Seeker of extraterrestrials, p 25

COMMENT

LETTERS

- 21 Methylphenidate for moderate ADHD; Long acting β_2 agonists in asthma
- 22 New infertility treatments

OBSERVATIONS

ETHICS MAN

- 23 "First do no harm" revisited
Daniel K Sokol

PERSONAL VIEW

- 24 How to recruit the next generation of generalists
Mohammed Ahmed Rashid



What traits should be sought in future doctors? p 24

OBITUARIES

- 25 John Billingham
Aviation physiologist who led the search for extraterrestrial intelligence
- 26 J Gerald Collee; Jane Easdale Cook; James Brian Meredith Davies; Stephen Paul Dinniss; Pylotis Gan Stuart Sutton; Jean Troughton

LAST WORDS

- 39 Do we need GPs?
Des Spence
- Balloon phobia
Colin Brewer

EDUCATION


CLINICAL REVIEW

- 27 The diagnosis and management of gastric cancer
Sri G Thrumurthy et al

PRACTICE

UNCERTAINTIES PAGE

- 33 Is closure of patent foramen ovale to prevent ischaemic stroke ever justified?
Robert A Henderson and Philip M W Bath



Lymph node groups of the head and neck region, p 35

10-MINUTE CONSULTATION

- 35 An adult with a neck lump
Raghav C Dwivedi et al

ENDGAMES

- 38 Quiz page for doctors in training

MINERVA

- 40 Age cut-off in cancer trials, and other stories

FILLER

- 37 Christmas competition

Missing evidence
for your appraisal
folder?

BMJ Masterclasses

masterclasses.bmj.com



9 November 2013 Vol 347

The Editor, *BMJ*
BMA House, Tavistock Square,
London WC1H 9JR

Email: editor@bmj.com
Tel: +44 (0)20 7387 4410
Fax: +44 (0)20 7383 6418

BMA MEMBERS' ENQUIRIES
Email: membership@bma.org.uk
Tel: +44 (0)20 7383 6955

BMJ CAREERS ADVERTISING
Email: sales@bmjcareers.com
Tel: +44 (0)20 7383 6531

DISPLAY ADVERTISING
Email: sales@bmjgroup.com
Tel: +44 (0)20 7383 6386

REPRINTS
UK/Rest of world
Email: ngurneyrandall@bmjgroup.com
Tel: +44 (0)20 8445 5825
USA
Email: mfogler@medicalreprints.com
Tel: +1 (856) 489 4446

SUBSCRIPTIONS
BMA Members
Email: membership@bma.org.uk
Tel: +44 (0)20 7383 6955
Non-BMA Members
Email: support@bmjgroup.com
Tel: +44 (0)20 7111 1105

OTHER RESOURCES
For all other contacts:
resources.bmj.com/bmj/contact-us
For advice to authors:
resources.bmj.com/bmj/authors
To submit an article:
submit.bmj.com

The BMJ is published by BMJ Publishing Group Ltd, a wholly owned subsidiary of the British Medical Association.

The BMA grants editorial freedom to the Editor of the *BMJ*. The views expressed in the journal are those of the authors and may not necessarily comply with BMA policy. The *BMJ* follows guidelines on editorial independence produced by the World Association of Medical Editors (www.wame.org/wamestmt.htm#independence) and the code on good publication practice produced by the Committee on Publication Ethics (www.publicationethics.org.uk/guidelines/).

The *BMJ* is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors' institutions, the BMJ Publishing Group, or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group shall not be liable for any loss, injury, or damage resulting from the use of the *BMJ* or any information in it whether based on contract, tort, or otherwise. Readers are advised to verify any information they choose to rely on.

©BMJ Publishing Group Ltd 2013
All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any other means, electronic, mechanical, photocopying, recording, or otherwise, without prior permission, in writing, of the *BMJ*.

Published weekly. US periodicals class postage paid at Rahway, NJ. Postmaster: send address changes to *BMJ*, c/o Mercury Airfreight International Ltd Inc, 365 Blair Road, Avenel, NJ 07001, USA. \$796. Weekly.

Printed by Polestar Limited



GAVIN FRANCIS

PICTURE OF THE WEEK

Edinburgh GP Gavin Francis has won the Scottish Book of the Year for his book *Empire Antarctica*, about his 14 month stint as a base camp doctor in a research centre in the South Pole. Francis fulfilled a lifetime ambition by taking his medical experience to the world's loneliest continent where there are no waiting rooms, no consultations, and virtually no patients. His story focuses on the natural world of emperor penguins, but he also gives his medical insights into the isolation that the Antarctic imposes.

RESPONSE OF THE WEEK

Overdiagnosis is also about over-reaching ambition. This is exemplified in the fourth NHS 'value'—namely, 'improving lives.' While I don't doubt the good intention behind such a phrase it can sound worryingly Orwellian—who decides whose lives need improving, and in what ways? We could stick to being public servants, dedicated to trying to alleviate distress.

Alan P Kerry, GP, Rayleigh, UK, in response to "Overdiagnosis: when good intentions meet vested interests—an essay by Iona Heath"
(*BMJ* 2013;347:f6361)

MOST READ

Saturated fat is not the major issue
Comparative effectiveness of exercise and drug interventions on mortality outcomes: metaepidemiological study
Fruit consumption and risk of type 2 diabetes: results from three prospective longitudinal cohort studies
Academic performance of ethnic minority candidates and discrimination in the MRCGP examinations between 2010 and 2012: analysis of data
Aircraft noise and cardiovascular disease near Heathrow airport in London: small area study

BMJ.COM POLL

Last week's poll asked:
"Should patients with psychosis be paid to adhere to maintenance treatment?"

76% voted no
(total 716 votes cast)

▶ *BMJ* 2013;347:f5782

This week's poll asks:

"Should athletes be allowed to use performance enhancing drugs?"

▶ *BMJ* 2013;347:f6150

▶ **Vote now on bmj.com**



PA

EDITOR'S CHOICE

Attention, please

Those with the diagnosis of ADHD continue to face the potential harms not only of overtreatment, but of diagnostic labels that see such children characterised as “lazier, less clever, and less caring”

► To receive Editor's Choice by email each week, visit www.bmj.com/newaccount

Twitter

► Follow the editor, Fiona Godlee, at twitter.com/fgodlee, and the *BMJ* at twitter.com/bmj_latest



Sign up today using your smartphone

—follow these steps:

- Download a free QR reader from your handset's app store
- Hold your smartphone over the QR code
- You will then be forwarded to the email sign up page

The *BMJ* has long been at the forefront of drawing attention to the harms of overdiagnosis and disease mongering, and in doing so has often run up against various vested interests and awareness-raising organisations. Perhaps the trickiest areas lie in the behavioural disorders, where doctors (and patients) have to make judgments between what is an unfortunate but normal part of life and what is debilitating and socially disruptive behaviour that may be amenable to treatment. It is possibly here—with conditions such as attention-deficit/hyperactivity disorder (ADHD)—that the perils of medicalisation are at their greatest.

As Rae Thomas and colleagues write in the latest article in our “Too much medicine” campaign (p 18), prevalence and prescribing rates for ADHD have risen sharply over the past decade “partly in response to concerns about underdiagnosis and undertreatment.” But whereas doctors have become better at recognising, diagnosing, and treating children with the disorder, 86% of children who receive a diagnosis have, according to recent data, only “mild or moderate” disorder, and some are said to have ADHD without fulfilling any of the diagnostic criteria.

Subjectivity, of course, plays a part in mental health diagnoses (p 21), which is why they are so vulnerable to overdiagnosis. In the case of ADHD, when does being inattentive, disorganised, easily distracted, restless, and persistently interrupting (to give some of the defined symptoms) become a medical disorder? But formal diagnostic criteria have also been increasing. As Thomas and colleagues point out, the criteria in the *International Classification of Diseases, 10th revision* (ICD-10) are more restrictive and “result in smaller prevalence rates than ADHD diagnosed using DSM [*Diagnostic and Statistical Manual of Mental Disorders*] criteria. However, most practitioners use DSM.”

Moreover, the criteria as set out in successive editions of DSM have been widening. “These show a significant increase in ADHD prevalence between each version of DSM,” say the authors, with prevalence “expected to rise further with the adoption of DSM-5, launched earlier this year.”

Commercial influences have also played their part, as drug companies have used celebrities to raise awareness of ADHD, while 78% of those advising DSM-5 for ADHD and disruptive behaviour disorders disclosed links to pharma as a potential financial conflict of interest.

While Thomas and colleagues say that “severe cases of ADHD are obvious,” it is in the mild and moderate cases where the bulk of diagnoses lie that the subjective opinions differ. In his letter this week, Sami Timimi goes further, and says that ADHD has no “objective data that can be used independently to support the validity of the diagnosis” and that (like autism) it relies on “ideologically driven ideas about how to classify heterogeneous presentations” (p 21). Meanwhile, those with the diagnosis continue to face the potential harms not only of overtreatment, but of diagnostic labels that see such children characterised as, to quote Thomas and colleagues, “lazier, less clever, and less caring.”

It is perhaps in diagnosing and treating behavioural disorders that doctors need to be particularly mindful of the axiom “first do no harm.” But this, writes Daniel K Sokol in his column this week (p 23), is a flawed dictum and should be updated to “first do no net harm.” His argument is that doctors inflict harm all the time: the hope is that the benefits will outweigh the harms.

Trevor Jackson, deputy editor, *BMJ*
tjackson@bmj.com

Cite this as: *BMJ* 2013;347:f6697

Specialty collections

No searching, no browsing

Having difficulties finding everything related to your specialty?

If this sounds familiar, *BMJ* has an easy solution to your problem. Our specialty collections cover individual specialties and combine all related resources in one place.

Visit

bmj.com/specialties



BMJ